

Tru64 UNIX

Master Index

Part Number: AA-RH94C-TE

June 2001

Product Version: Tru64 UNIX Version 5.1A or higher

This book contains index entries for the most commonly used manuals in the Compaq Tru64 UNIX documentation set.

© 2001 Compaq Computer Corporation

Compaq, the Compaq logo, AlphaServer, Compaq Insight Manager, DECnet, TruCluster, and VAX Registered in U.S. Patent and Trademark Office. Alpha, OpenVMS, and Tru64 are trademarks of Compaq Information Technologies Group, L.P. in the United States and other countries.

Microsoft, Windows, and Windows NT are trademarks of Microsoft Corporation in the United States and other countries. Motif, OSF/1, UNIX, and X/Open are trademarks of The Open Group in the United States and other countries. All other product names mentioned herein may be trademarks of their respective companies.

Confidential computer software. Valid license from Compaq required for possession, use, or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Compaq shall not be liable for technical or editorial errors or omissions contained herein. The information in this document is provided "as is" without warranty of any kind and is subject to change without notice. The warranties for Compaq products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty.

About This Manual

The *Master Index* provides an index for the most commonly used manuals in the Compaq Tru64™ UNIX documentation set. Manuals with index entries in the *Master Index* are listed in Table 1.

Audience

This manual is for anyone who needs to access information about the Tru64 UNIX operating system. It can help you find a specific topic in the documentation set by pointing you to the location in the manual where the topic is discussed.

New and Changed Features

In addition to entries for manuals in the Tru64 UNIX documentation set, the *Master Index* now includes entries for the following Compaq TruCluster™ Server manuals:

- *Cluster Administration*
- *Cluster Hardware Configuration*
- *Cluster Highly Available Applications*
- *Cluster Installation*
- *Cluster LAN Interconnect*

Searching the Master Index

You can now search the HTML version of the *Master Index* using a keyword search. To open the keyword search page, click on the “Search the Master Index” subentry under *Master Index* in the General User Documents list in the Online Documentation Library.

To perform a keyword search, enter the word or phrase you want to find. The search function searches the entire *Master Index* for matches, and displays the results. When you click on an entry in the search results, the target manual opens in its own window. In most cases, the manual opens to the place in the text that is indicated by the entry.

Conventions

In the PDF and printed versions of the *Master Index*, each master index page reference is preceded by an abbreviated manual title. For example, the following entry points to page 3–2 in the manual *Sharing Software on a Local Area Network*:

installation

RIS software subset, *SharingSW* 3-2

Table 1 maps the abbreviated title for each manual to its complete title.

The HTML version of the *Master Index* does not contain page numbers. Instead, the abbreviated manual title appears as a hot link. Clicking on this link takes you either to the beginning of the manual being referenced or, in many cases, to the actual location of the information in the manual. Most entries also provide section numbers, to help you further refine your search.

Table 1: Book Title Abbreviations

Abbreviation	Book Title
AdvFSAdmin	<i>AdvFS Administration</i>
AsmLangGde	<i>Assembly Language Programmer's Guide</i>
AsynchronousTM	<i>Asynchronous Transfer Mode</i>
CallingStandard	<i>Calling Standard for Alpha Systems</i>
CDECompanion	<i>CDE Companion</i>
CLangRef	<i>Compaq C Language Reference Manual</i>
ClusAdmin	<i>Cluster Administration</i>
ClusAvailApp	<i>Cluster Highly Available Applications</i>
ClusHWConfig	<i>Cluster Hardware Configuration</i>
ClusInstall	<i>Cluster Installation</i>
ClusLANInterconnect	<i>Cluster LAN Interconnect</i>
ClusTechOver	<i>Cluster Technical Overview</i>
CommandShellGde	<i>Command and Shell User's Guide</i>
DocOverview	<i>Documentation Overview for Version 5.1A</i>
InstallGde	<i>Installation Guide</i>
InstallGdeAdvTop	<i>Installation Guide — Advanced Topics</i>
InternatProg	<i>Writing Software for the International Market</i>
KernelDebug	<i>Kernel Debugging</i>
KernelModules	<i>Writing Kernel Modules</i>

Table 1: Book Title Abbreviations (cont.)

Abbreviation	Book Title
LicenseManage	<i>Software License Management</i>
NetAdminConnect	<i>Network Administration: Connections</i>
NetAdminSvcs	<i>Network Administration: Services</i>
NetProgGde	<i>Network Programmer's Guide</i>
OncRpcProgram	<i>Programming with ONC RPC</i>
OnlineAddRem	<i>Managing Online Addition and Removal</i>
POSIXThreads	<i>Guide to the POSIX Threads Library</i>
Prestoserve	<i>Guide to Prestoserve</i>
ProdKitGde	<i>Guide to Preparing Product Kits</i>
ProgGde	<i>Programmer's Guide</i>
ProgSupTools	<i>Programming Support Tools</i>
Realtime	<i>Guide to Realtime Programming</i>
Security	<i>Security</i>
SharingSW	<i>Sharing Software on a Local Area Network</i>
StorageManager	<i>Logical Storage Manager</i>
SysConfigSup	<i>System Configuration Supplement: OEM Platforms</i>
SystemAdmin	<i>System Administration</i>
SystemTune	<i>System Configuration and Tuning</i>
TechOver	<i>Technical Overview for Version 5.1A</i>
XWinSysEnv	<i>X Window System Environment</i>

Reader's Comments

Compaq welcomes any comments and suggestions you have on this and other Tru64 UNIX manuals.

You can send your comments in the following ways:

- Fax: 603-884-0120 Attn: UBPG Publications, ZKO3-3/Y32
- Internet electronic mail: readers_comment@zk3.dec.com

A Reader's Comment form is located on your system in the following location:

`/usr/doc/readers_comment.txt`

Please include the following information along with your comments:

- The full title of the manual and the order number. (The order number appears on the title page of printed and PDF versions of a manual.)
- The section numbers and page numbers of the information on which you are commenting.
- The version of Tru64 UNIX that you are using.
- If known, the type of processor that is running the Tru64 UNIX software.

The Tru64 UNIX Publications group cannot respond to system problems or technical support inquiries. Please address technical questions to your local system vendor or to the appropriate Compaq technical support office. Information provided with the software media explains how to send problem reports to Compaq.

Index

Numbers

6bone

- address assignment,
NetAdminConnect 3–10
- connecting to, *NetAdminConnect*
3–34

A

abnormal_termination function,
ProgGde 11–13

access to files, *CommandShellGde*
5–1

account, *SystemAdmin* 7–9

- adding automatically,
SystemAdmin 7–15
- adding manually, *SystemAdmin*
7–28
- administration methods,
SystemAdmin 7–6
- administration with C2, *Security* 9–1
- command-line utilities,
SystemAdmin 7–8
- SysMan Menu, *SystemAdmin* 7–7

accounting, *SystemAdmin* 10–2

accounting services
managing, *ClusAdmin* 5–16

acctcms command, *SystemAdmin*
10–27

acctcom command, *SystemAdmin*
10–24

acctdisk command, *SystemAdmin*
10–33

acctdusg command, *SystemAdmin*
10–32

acctmerg command, *SystemAdmin*
10–39

acctprc1 command, *SystemAdmin*
10–28

acctprc2 command, *SystemAdmin*
10–29

**acknowledged connectionless
mode service**
in DLPI, *NetProgGde* 2–6

ACLs
administering, *Security* 11–1
programming, *Security* 21–1
using, *Security* 5–1

Acrobat Reader, *InstallGde* 8–4

active CPUs
changing the number of,
LicenseManage 2–18

active page list, *TechOver* 5–9

activity license, *LicenseManage* 1–5

acucap file, *NetAdminConnect* 6–32

adapter,
See also network interface

- DE50x, *ClusLANInterconnect*
2–2, 4–9
- DE60x, *ClusLANInterconnect*
2–2, 4–9
- Ethernet, *ClusLANInterconnect*
2–1, 3–2
- NetRAIN, *ClusLANInterconnect* 3–2

address
broadcast, *ClusLANInterconnect* 3–5

- for 6bone testing,
 - NetAdminConnect* 3–10
- IP, *ClusLANInterconnect* 3–4
- IPv6, *NetAdminConnect* 3–2
- address autoconfiguration**
 - DHCPv6, *NetAdminConnect* 3–9
 - stateful, *NetAdminConnect* 3–9
 - stateless, *NetAdminConnect* 3–9
- address family**
 - specifying for DLI, *NetProgGde* F–15
- address format**
 - assembly language, *AsmLangGde* 2–12
- address prefix**, *NetAdminConnect* 3–9
- Address Resolution Protocol**,
See ARP
- address space**
 - accessing cluster Memory Channel, *ClusAvailApp* 10–10
 - tuning, *SystemTune* 5–6
- adduser utility**, *SystemAdmin* 7–15, 7–28
- addvol command**, *ClusAdmin* 1–4t
 - CFS warning message, *ClusAdmin* 11–13
 - clusters and, *ClusAdmin* 9–34
 - LSM and, *ClusAdmin* 1–4t
- administering a cluster**,
ClusAdmin 1–2, *ClusTechOver* 9–3
- administering accounts and groups**, *SystemAdmin* 7–1
- administering file systems**,
SystemAdmin 6–1
- administering hardware**,
SystemAdmin 5–1
- administration utilities**,
SystemAdmin A–1
- Advanced File System**,
See AdvFS
- Advanced Printing Software**,
SystemAdmin 8–2, 8–22
- Advanced Server for UNIX**,
See ASU
- AdvFS**, *TechOver* 4–3
 - CFS warning message, *ClusAdmin* 11–13
 - configuring, *AdvFSAdmin* 1–1
 - converting from UFS, *AdvFSAdmin* C–1, C–5, C–7
 - converting to UFS, *AdvFSAdmin* C–12
 - displaying, *SystemTune* 9–20
 - documentation for separately licensed utilities, *DocOverview* 1–12
 - expanding cluster root, *ClusAdmin* 1–4t
 - improving performance, *SystemTune* 9–12
 - managing in a cluster, *ClusAdmin* 9–33
 - storage connectivity requirements, *ClusAdmin* 9–38
 - UFS command comparison, *AdvFSAdmin* B–4
- AdvFS backup**, *AdvFSAdmin* 3–1
- AdvFS domain**, *AdvFSAdmin* 1–8
 - configuring volume for, *StorageManager* 4–15
 - creating LSM volume from, *StorageManager* 4–17
- AdvFS domain panic**
 - avoiding, *ClusAdmin* 11–16
 - due to loss of device connectivity, *ClusAdmin* 11–14
 - forcible unmounting as result of, *ClusAdmin* 11–15
- AdvFS fileset**, *AdvFSAdmin* 1–19
- AdvFS fileset clone**, *AdvFSAdmin* 1–26
- AdvFS GUI**, *AdvFSAdmin* D–1
- AdvFS optimization**,
AdvFSAdmin 4–1
- AdvFS quota**, *AdvFSAdmin* 2–1

- AdvFS troubleshooting**,
AdvFSAdmin 5-1
- AdvFS with LSM**, *AdvFSAdmin* 1-33
- AES**
 - application-level interface
 - requirements, *ProgGde* 1-2
- alias**,
See also cluster alias
default cluster, *ClusTechOver* 6-5
- aliasd daemon**, *ClusAdmin* 3-5, 3-3n
- alignment**
 - bit-field alignment, *ProgGde* 2-6
 - data type alignment, *ProgGde* 2-5
- Alpha 21264 PCI/ISA single-board computer**,
SysConfigSup 1-1
- Alpha hardware architecture documentation**, *KernelDebug* 1-1
- Alpha PCI/ISA (DMCC) single-board computer**,
SysConfigSup 1-1
- Alpha system**
 - Tru64 UNIX calling standard for,
CallingStandard 1-1
- Alpha VME 2100 system**
 - configuring, *SysConfigSup* 2-2
 - restrictions, *SysConfigSup* 1-14
- Alpha VME single-board computer**, *SysConfigSup* 2-2, 2-28
 - configuring UNIVERSE II-based,
SysConfigSup 2-28
 - configuring VIP/VIC-based,
SysConfigSup 2-2
 - requirements and restrictions,
SysConfigSup 1-10
- AlphaServer**
 - DS10L, *ClusLANInterconnect* 1-7, 2-11
 - ES40, *ClusLANInterconnect* 2-12
- ANSI C Standard**, *CLangRef* xiv
conformance summary, *CLangRef* B-1
- ANSI standards**
 - application development
 - considerations, *ProgGde* 1-2
- API**
 - DLM, *ClusLANInterconnect* 1-2
 - Memory Channel,
ClusLANInterconnect 1-7, 1-3t
- application**
 - accessing from Front Panel,
CDECompanion 3-1
 - and RSVP, *NetProgGde* 7-8
 - cluster, *ClusAvailApp* 1-1
 - debugging, *SystemTune* 11-1
 - deleting from a cluster,
ClusAdmin 5-15
 - distributed, *ClusAvailApp* 1-8
 - enabling the display of,
CDECompanion 5-2
 - improving performance,
SystemTune 11-4
 - installing, *ClusAdmin* 5-15
 - integrated into CDE,
CDECompanion 5-3
 - moving to a cluster, *ClusAvailApp* 4-1
 - multi-instance, *ClusAvailApp* 1-5
 - profiling, *SystemTune* 11-1
 - running across network,
CDECompanion 5-2
 - single-instance, *ClusAvailApp* 1-2
 - use of the cluster interconnect,
ClusLANInterconnect 1-2, 1-4
- application development**
 - phases of, *ProgGde* 1-1
- Application Environment Specification**,
See AES

- Application Manager**,
 - CDECompanion* 4–1,
 - SystemAdmin* 1–11
 accessing, *CDECompanion* 3–1
 - organizing applications,
 - CDECompanion* 4–5
- application program**
 - porting to XTI, *NetProgGde* 3–33
 - rewriting for XTI, *NetProgGde* 3–36
- application programming interface**, *TechOver* 6–10
 - See also* API
 - DLI, *TechOver* 6–10
 - DLPI, *TechOver* 6–10
 - sockets, *NetProgGde* 1–4, 4–6,
 - TechOver* 6–10
 - STREAMS, *NetProgGde* 1–4, 5–6,
 - TechOver* 6–10
 - WPI, *InternatProg* A–1
 - XTI, *NetProgGde* 1–1, 3–4,
 - TechOver* 6–10
- application resource names**,
 - ClusAdmin* 8–2
- application-level protocol**,
 - TechOver* 3–3
- applications**
 - use of the cluster interconnect,
 - ClusLANInterconnect* 1–2
- archive file**
 - determining section sizes,
 - ProgGde* 2–25
 - dumping selected parts of,
 - ProgGde* 2–24
- Archiver graphical interface**,
 - SystemAdmin* 9–5
- archiving services**, *SystemAdmin* 9–1
- ARP**, *TechOver* 3–16
- ARP broadcast errors**
 - when booting cluster member,
 - ClusLANInterconnect* 4–13
- arp command**, *NetAdminConnect* 9–7
- as command**, *ProgGde* 2–3
- ASCII codeset**, *CommandShellGde*
 - C–2
- ASCII equivalence table**,
 - CLangRef* C–1
- ASE application**
 - file system partitioning,
 - ClusAvailApp* 5–15
 - moving to TruCluster Server,
 - ClusAvailApp* 5–1
 - networking considerations,
 - ClusAvailApp* 5–12
 - preparing ASE scripts to run
 - on TruCluster Server,
 - ClusAvailApp* 5–7
 - preparing to move to TruCluster
 - Server, *ClusAvailApp* 5–5
 - using a cluster alias to
 - provide client access to
 - multi-instance network
 - services, *ClusAvailApp* 5–12
- ASE script**
 - preparing to run on TruCluster
 - Server, *ClusAvailApp* 5–7
- Asian languages**
 - codesets that support,
 - CommandShellGde* C–2
 - documentation for working in,
 - DocOverview* 4–10
- assembly language**
 - assembler directives,
 - AsmLangGde* 5–1
 - floating-point instruction set,
 - AsmLangGde* 4–1
 - instruction set summary,
 - AsmLangGde* A–1
 - lexical conventions, *AsmLangGde*
 - 2–1
 - main instruction set,
 - AsmLangGde* 3–1
 - programming considerations,
 - AsmLangGde* 6–1
- assigning program numbers**,
 - OneRpcProgram* 1–5
- Associated Products CD-ROMs**

- documentation for separately licensed products, *DocOverview* 1–12
- ASU**, *SystemAdmin* 7–9, *TechOver* 7–1
 - documentation for, *DocOverview* 1–12
- asynchronous I/O**
 - realtime, *Realtime* 7–1
- Asynchronous Transfer Mode**, *See* ATM
- at command**, *SystemAdmin* 3–4
- ATM**, *NetAdminConnect* 4–1
 - architecture, *AsynchronousTM* 1–1
 - cells, *AsynchronousTM* 2–3
 - CMM, *AsynchronousTM* 1–3
 - CMM routines, *AsynchronousTM* A–1
 - configuring, *NetAdminConnect* 4–15
 - configuring with CLIP, *NetAdminConnect* 4–17
 - configuring with IP switching, *NetAdminConnect* 4–22
 - configuring with LANE, *NetAdminConnect* 4–20
 - convergence module interface, *AsynchronousTM* 5–1
 - device driver interface, *AsynchronousTM* 3–1
 - error codes, *AsynchronousTM* 2–2
 - features, *AsynchronousTM* 2–1
 - flow control, *AsynchronousTM* 9–1
 - global data structures, *AsynchronousTM* 2–14
 - header files, *AsynchronousTM* 2–1
 - locking macros, *AsynchronousTM* 2–9
 - managing connections, *AsynchronousTM* 6–1
 - managing signaling, *NetAdminConnect* 4–26
 - managing the environment, *NetAdminConnect* 4–25
 - Module Management Interface, *AsynchronousTM* 7–1
 - preparing for configuration, *NetAdminConnect* 4–7
 - queuing guidelines, *AsynchronousTM* 8–1
 - signaling module interface, *AsynchronousTM* 4–1
 - troubleshooting, *NetAdminConnect* 8–21
 - verifying kernel options, *NetAdminConnect* 4–6
 - verifying subsets are installed, *NetAdminConnect* 4–6
- ATM address**
 - adding, *AsynchronousTM* 5–8
 - deleting, *AsynchronousTM* 5–9
- ATM address structure**, *See* atm_addr structure
- ATM Configuration application**, *NetAdminConnect* 4–15
- ATM environment**, *NetAdminConnect* 4–1
- ATM LAN Emulation**, *See* ATM LANE
- ATM LANE**, *ClusLANInterconnect* 2–1
- ATM subsystem**
 - interfaces, *AsynchronousTM* 1–3
 - types of circuits, *AsynchronousTM* 2–13
- atmarp command**, *NetAdminConnect* 4–26
- atmconfig command**
 - and PVCs, *AsynchronousTM* 2–6
- atmelan command**, *NetAdminConnect* 4–27
- atmhosts file**
 - editing for CLIP, *NetAdminConnect* 4–17
 - editing for LANE, *NetAdminConnect* 4–21

atmifmp command,
NetAdminConnect 4–27

atmsig command,
NetAdminConnect 4–26

atm_addr structure,
AsynchronousTM 2–17

atm_cause_info structure,
AsynchronousTM 2–38

atm_cmi_addr union,
AsynchronousTM 5–10

atm_cvg_params structure,
AsynchronousTM 5–11

atm_drv_params structure,
AsynchronousTM 3–3

atm_esi structure,
AsynchronousTM 2–37

ATM_FREE macro,
AsynchronousTM 2–9

ATM_MALLOC macro,
AsynchronousTM 2–8

atm_mmi_path structure,
AsynchronousTM 7–3

atm_ppa structure,
AsynchronousTM 2–35

atm_queue_param structure,
AsynchronousTM 3–7

atm_sig_params structure,
AsynchronousTM 4–5

atm_uni_call_ie structure,
AsynchronousTM 2–30

atm_vc structure,
AsynchronousTM 2–14

atm_vc_services structure,
AsynchronousTM 2–21

atm_vc_stats structure,
AsynchronousTM 5–9

Atom tools, *ProgGde* 9–1

attribute, *SystemTune* 3–10
managing, *SystemTune* 3–10

attribute table
entry, *KernelModules* 3–2
get request, *KernelModules* 3–4
set request, *KernelModules* 3–6

attribute-value pair
install.cdf file, *InstallGdeAdvTop*
A–2

audit subsystem, *Security* 10–1

auditing, *ClusAdmin* 1–10

authentication
of client, *OncRpcProgram* 2–20
single sign on, *Security* 6–8

authentication database
integrity, *Security* 12–1
programming, *Security* 17–1

AutoFS
using in a cluster, *ClusAdmin* 7–12

autofs command, *ClusAdmin* 7–11

autofsd daemon, *ClusAdmin* 7–11,
NetAdminSvcs 4–2
error messages, *NetAdminSvcs* C–10

autofsmount command,
ClusAdmin 7–11, *NetAdminSvcs*
A–5
error messages, *NetAdminSvcs* C–10

**automatic deallocation of
components**, *OnlineAddRem* 3–1

automount command, *ClusAdmin*
7–11, *NetAdminSvcs* A–5

automount daemon,
NetAdminSvcs 4–2
error messages, *NetAdminSvcs* C–6
starting with SysMan Menu,
NetAdminSvcs 4–9

automount map, *NetAdminSvcs*
3–27, 4–2, A–1

autonegotiation,
ClusLANInterconnect 4–9
configuring,
ClusLANInterconnect
4–9

availability
configuring, *SystemTune* 2–15

disk, *SystemTune* 2-17
network, *SystemTune* 2-18
power, *SystemTune* 2-18

availability license,
LicenseManage 1-4

**Available Server Environment
application**,
See ASE application

awk utility, *ProgSupTools* 2-1

AXPvme single-board computer
configuring, *SysConfigSup* 2-2
requirements and restrictions,
SysConfigSup 1-13

B

background process,
CommandShellGde 6-6

bandwidth comparison
Memory Channel and
LAN interconnect,
ClusLANInterconnect
1-3t

bandwidth management
network, *NetProgGde* 7-1

basic regular expression,
ProgSupTools 1-2

bcheckrc script, *SystemAdmin*
3-3, 3-7

Berkeley Internet Name Domain,
See BIND, DNS

BGP, *TechOver* 3-5

big-endian
byte ordering, *AsmLangGde* 1-2

BIND, *TechOver* 3-32
configuring cluster as client or
server, *ClusInstall* 3-7
supplementary documentation
for, *DocOverview* 3-12

binlogd daemon, *SystemAdmin*
12-3, 12-15

binmail utility, *NetAdminSvcs* 7-41

block, *CLangRef* 2-2

boot, *SystemAdmin* 2-6
genvmunix, *ClusInstall* 5-4,
SystemAdmin 2-7

boot command sequence
during full installation,
InstallGde 6-41

boot disk
creating alternate,
StorageManager 3-9
repairing a member's boot disk,
ClusAdmin 11-3

boot disk failure
recovery from, *StorageManager* 6-27

boot disk redundancy,
StorageManager 3-9

boot partition
mounting, *ClusAdmin* 11-16
repairing, *ClusAdmin* 11-16

boot timeline, *KernelModules* 4-1
dispatch point, *KernelModules* 4-3

bootable tape, *ClusAdmin* 1-13,
SystemAdmin 9-5, 9-34

booting
from CD-ROM, *InstallGde* 6-4
RIS client, *SharingSW* 5-1
without a license, *ClusAdmin* 11-1

BOOTP, *SharingSW* 5-1
and DHCP, *NetAdminConnect* 5-20
daemon, *SharingSW* 5-2
protocol, *SharingSW* 3-3

bootpd daemon, *SharingSW* 3-3,
TechOver 3-28

bootptab file
default cluster alias and,
ClusAdmin 7-19

Border Gateway Protocol,

See BGP

Bourne shell, *CommandShellGde*

7-1, 8-1

.logout script, *CommandShellGde*

7-24

redirecting errors,

CommandShellGde 6-4

bridging drivers

BSD drivers to STREAMS

protocol stack, *NetProgGde* 8-9

STREAMS driver to sockets

protocol stack, *NetProgGde* 8-2

broadcast address,

ClusLANInterconnect 3-5

broadcast RPC, *OncRpcProgram*

2-21, 3-17

**broadcasting and determining
network configuration,**

NetProgGde 4-66

BSD driver

bridging to STREAMS protocol

stack, *NetProgGde* 8-9

BSD socket, *NetProgGde* 4-40

and network addresses,

NetProgGde 4-41

btape command, *ClusAdmin* 1-13

buffer cache, *SystemTune* 6-1

buffer size

calculating in DLI, *NetProgGde* F-20

increasing for TCP sockets,

NetProgGde D-2

building a kernel

CDSL considerations, *ClusAdmin*

9-3

during installation, *InstallGde* 6-20

building a program,

See lex program, make utility,

yacc program

built-in function

pragma counterpart, *ProgGde* 3-15

byte ordering

big-endian, *AsmLangGde* 1-2

little-endian, *AsmLangGde* 1-2

supported by Tru64 UNIX,

ProgGde 2-4

C

C compiler, *ProgGde* 2-1

C extensions, common, *CLangRef*

D-1

C function, *CLangRef* 5-1

C language syntax summary,

CLangRef A-1

C lexicon, *CLangRef* 1-1

C preprocessor, *ProgGde* 2-9

C shell, *CommandShellGde* 7-1, 8-1

.logout script, *CommandShellGde*

7-24

redirecting errors,

CommandShellGde 6-5

C2 security configuration,

Security E-1

CAA, *ClusAdmin* 8-1, *ClusTechOver*
5-1

alias and, *ClusAdmin* 3-17

checking status, *ClusAdmin* 8-2

registering resources, *ClusAdmin*

8-12, *ClusAvailApp* 2-15

relocating application

resources, *ClusAdmin*

8-9, *ClusAvailApp* 2-16

resource name, *ClusAdmin* 8-2

resource profiles, *ClusAvailApp* 2-2

starting application resources,

ClusAdmin 8-10,

ClusAvailApp 2-15

status information, *ClusAvailApp*

2-18

stopping application resources,

ClusAdmin 8-11,

ClusAvailApp 2-17

troubleshooting, *ClusAdmin* 11-1

tutorial, *ClusAvailApp* 2-22

- using EVM with, *ClusAdmin* 8–24
- writing action scripts, *ClusAvailApp* 2–12
- caad daemon**, *ClusAdmin* 8–23
- caa_register command**, *ClusAdmin* 8–12
- caa_relocate command**, *ClusAdmin* 8–9
- caa_stat command**, *ClusAdmin* 8–2
- cable**,
See crossover cable
- cabling comparison**
Memory Channel and LAN interconnect, *ClusLANInterconnect* 1–3t
- cache coherency and block devices**, *ClusAdmin* 9–28
- cache collision, data**
avoiding, *ProgGde* 8–12
- cache misses, data**
profiling for, *ProgGde* 8–12
- cache thrashing**
preventing, *ProgGde* 8–12
- cache usage**
improving with cord, *ProgGde* F–4
- CalComp DrawingBoard**
configuring, *SystemAdmin* D–2
- Calendar**
accessing, *CDECompanion* 3–1
converting to CDE format, *CDECompanion* 10–6
- call**,
See incoming call
- call chain**, *CallingStandard* 7–2
- call stack**
of user program, examining in crash dump, *KernelDebug* 2–8
- call-graph profiling**, *ProgGde* 8–5
- callback**
and RPC, *OncRpcProgram* 3–31
using, *KernelModules* 4–2
- caller process**, *OncRpcProgram* 1–1
- calling conventions**
assembly language, *AsmLangGde* 6–1
- calling standard**
call chain, *CallingStandard* 7–1
data manipulation, *CallingStandard* 4–1
event processing, *CallingStandard* 5–1
flow control, *CallingStandard* 3–1
procedure descriptors, *CallingStandard* 8–1
procedure invocation, *CallingStandard* 7–1
stack limits, *CallingStandard* 6–1
- callrpc routine**, *OncRpcProgram* 3–2
- canonical address**
and Token Ring drivers, *NetProgGde* E–2
- cat command**, *CommandShellGde* 3–5
- CBR**, *AsynchronousTM* 2–13
- CBR circuit**
reserving resources, *AsynchronousTM* 5–4
- cc command**
compilation control options, *ProgGde* 2–12
default behavior, *ProgGde* 2–12
-g and -O options for profiling, *ProgGde* 8–4
- cd command**, *CommandShellGde* 3–1
- CDE**
administration graphical interfaces, *SystemAdmin* 1–11

- Application Manager,
 - SystemAdmin* 1-11
- description, *CDECompanion* 1-1
- Front Panel, *CDECompanion* 1-2
- logging in, *CDECompanion* 1-1
- managing desktop and applications, *CDECompanion* 1-3
- security, *Security* 4-1
- workspaces, *CDECompanion* 1-3
- CDE desktop**
 - navigating, *CDECompanion* 2-1
- CDE documentation set**,
 - CDECompanion* 1-4
 - online viewing with Netscape Navigator, *CDECompanion* 1-5
- CDE online help**, *CDECompanion* 1-6
- CDE reference pages**,
 - CDECompanion* 1-7
 - using the man command, *CDECompanion* 1-8
- CDE window list**, *CDECompanion* 3-11
- CDF**, *SharingSW* 7-1, *TechOver* 2-2
- CDFS**, *ProdKitGde* 6-7, 7-15,
 - SystemAdmin* 6-2
 - managing in a cluster, *ClusAdmin* 9-42
 - restrictions in a cluster, *ClusAvailApp* 7-3
- CD-ROM drive**, *ClusAdmin* 9-10
- CD-ROM File System**,
 - See CDFS
- CDSA**, *Security* 6-7
- CDSL**, *ClusTechOver* 2-11,
 - ProdKitGde* 2-4, *SystemAdmin* 6-11
 - backing up, *ClusAdmin* 9-43
 - Korn shell and, *ClusAdmin* 11-21
 - NFS clients and, *ClusAdmin* 7-9
 - working with, *ClusAdmin* 9-1
- cell**
 - receiving, *AsynchronousTM* 3-2
- century**
 - setting, *SystemAdmin* 2-21
- CFS**, *ClusTechOver* 2-6
 - adjusting memory usage, *ClusAdmin* 9-23
 - EMFILE errors, *ClusAdmin* 9-23
 - errors at boot time, *ClusAdmin* 11-2
 - gathering statistics, *ClusAdmin* 9-10
 - limitations on failover, *ClusAdmin* 9-11
 - managing, *ClusAdmin* 9-10
 - optimizing, *ClusAdmin* 9-13
 - partitioning file systems, *ClusAdmin* 9-26
 - read accesses, *ClusLANInterconnect* 1-3
 - setting the block transfer size, *ClusAdmin* 9-16
 - use of cluster interconnect, *ClusTechOver* 7-1
 - use of the cluster interconnect, *ClusLANInterconnect* 1-2, 1-3
- cfsmgr command**, *ClusAdmin* 9-10
- cfsstat command**, *ClusAdmin* 9-10
- cfs_async_biod_threads attribute**, *ClusAdmin* 9-18
- changes to the documentation set**, *DocOverview* 1-3
- changing**
 - directories, *CommandShellGde* 4-3
 - identity, *CommandShellGde* 5-17
 - owners of files and directories, *CommandShellGde* 5-19
 - permissions, *CommandShellGde* 5-4
 - your shell, *CommandShellGde* 7-4
- chap-secrets file**,
 - NetAdminConnect* 6-15
- character**
 - creating and using a user-defined, *InternatProg* 6-17

character set, *CLangRef* 1–3,
InternatProg 1–2
 coded, *InternatProg* 2–2

characteristic
 printer characteristic for clusters,
ClusAdmin 7–4

Chinese,
 See Asian languages

chmod command,
CommandShellGde 5–4,
 5–8

CI, *SystemAdmin* C–1
 configuration, *SystemAdmin* C–1

circuit
 types of, *AsynchronousTM* 2–13

Classical IP,
 See CLIP

client
 authentication, *OncRpcProgram*
 2–20
 NFS, using cluster alias,
ClusAdmin 7–9
 programming with rpcgen,
OncRpcProgram 2–19
 versions of, *OncRpcProgram* 3–27

client handle used by rpcgen,
OncRpcProgram 2–7

client/server interaction,
NetProgGde 4–8

CLIP, *NetAdminConnect* 4–2
 configuring with ATM,
NetAdminConnect 4–17
 managing the environment,
NetAdminConnect 4–26
 planning configuration with ATM,
NetAdminConnect 4–9

clock
 realtime, *Realtime* 6–1
 setting system, *SystemAdmin* 2–21

Clock application
 accessing, *CDECompanion* 3–1

cloned installation,
InstallGdeAdvTop 6–1
 defined, *InstallGde* 1–3

cloned system configuration,
InstallGdeAdvTop 7–1

cloning
 lack of support in clusters,
ClusAdmin 1–14

cloning a disk, *SystemAdmin* 9–20

CLSM,
 See LSM

clua_services file, *ClusAdmin* 3–5

CLUIF ifconfig flag,
ClusLANInterconnect 3–6

cluster
 administration, *ClusAdmin* 1–2,
ClusTechOver 9–3
 CAA, *ClusAdmin* 8–1,
ClusTechOver 5–1
 CDSL, *ClusAdmin* 9–2,
ClusTechOver 2–11
 CFS, *ClusAdmin* 9–10,
ClusTechOver 2–6
 clusterwide file systems,
ClusTechOver 2–1
 configuring hardware,
ClusHWConfig 4–6
 configuring radially connected
 UltraSCSI hardware,
ClusHWConfig 3–16
 connection manager,
ClusTechOver 3–1
 device request dispatcher,
ClusTechOver 2–8
 DLM, *ClusTechOver* 8–1
 enhanced security in, *Security* F–1
 hard partitions and,
ClusHWConfig 7–2
 hardware requirements and
 restrictions, *ClusHWConfig* 2–1

- installation, *ClusInstall* 1–1,
ClusTechOver 9–1
- installing software on
 - Fibre Channel storage,
ClusHWConfig 6–71
- labeling disks for installation,
ClusHWConfig 6–71
- LAN interconnect, *ClusTechOver* 7–1
- LSM support, *ClusTechOver* 2–17
- Memory Channel, *ClusTechOver* 7–2
- planning hardware configuration,
ClusHWConfig 4–2
- supported file systems,
ClusTechOver 2–3
- using hard partitions,
ClusHWConfig 7–8
- cluster alias**, *ClusTechOver* 6–1
 - aliasd daemon, *ClusAdmin* 3–5,
3–3n
 - application programming
 - interface, *ClusAvailApp* 8–1
 - binding to reserved ports,
ClusAvailApp 8–7
 - configuring, *ClusAdmin* 3–5
 - default, *ClusAdmin* 3–2,
ClusInstall 2–4,
ClusTechOver 6–5
 - extending port space, *ClusAdmin*
3–13
 - handling NFS requests,
ClusAdmin 3–16
 - port attributes, *ClusAvailApp* 8–9
 - properties, *ClusAdmin* 3–2
 - RIS and, *ClusAdmin* 7–19
 - socket options, *ClusAvailApp* 8–8
 - UDP applications and source
addresses, *ClusAvailApp* 8–9
 - use of the cluster interconnect,
ClusLANInterconnect 1–2, 1–5
 - using with multi-instance
applications in a cluster,
ClusAvailApp 3–1
 - vMAC support, *ClusAdmin* 3–13
- cluster alias attribute**
 - router priority, *ClusAdmin* 3–4
- cluster application**, *ClusAvailApp*
1–1
- cluster application availability**,
See CAA
- cluster application migration**,
ClusAvailApp 4–1
 - blocking layered products,
ClusAvailApp 4–8
 - clusterwide and member-specific
files, *ClusAvailApp* 4–1
 - device naming considerations,
ClusAvailApp 4–4
 - DLM parameters, *ClusAvailApp* 4–7
 - expanded PIDs, *ClusAvailApp* 4–7
 - interprocess communication,
ClusAvailApp 4–6
 - licensing, *ClusAvailApp* 4–7
 - member-specific resources,
ClusAvailApp 4–6
 - synchronizing access to shared
data, *ClusAvailApp* 4–6
- cluster configuration**,
ClusHWConfig 1–5
 - cluster alias, *ClusAdmin* 3–5
 - DHCP, *ClusAdmin* 7–1
 - fully redundant LAN,
ClusLANInterconnect
2–2, 2–6, A–1
 - importance of symmetrical,
ClusLANInterconnect 2–3, 2–11
 - inetd daemon, *ClusAdmin* 7–14
 - LSM, *ClusAdmin* 10–3
 - mail, *ClusAdmin* 7–15
 - multi-member using hub or
switch, *ClusLANInterconnect*
2–5
 - NFS, *ClusAdmin* 7–7
 - NIS, *ClusAdmin* 7–3
 - NTP, *ClusAdmin* 7–5
 - printing, *ClusAdmin* 7–4
 - restrictions,
ClusLANInterconnect
2–1
 - supported, *ClusLANInterconnect*
2–3
 - tools, *ClusAdmin* 2–4

- two-member, direct-connect,
 ClusLANInterconnect 2–4
- cluster event**, *ClusAdmin* A–1
- Cluster File System**,
 See CFS
- cluster hang**
 avoiding, *ClusLANInterconnect* 2–9
- cluster interconnect**,
 ClusLANInterconnect 1–1
 IP names and addresses,
 ClusInstall 2–6
 physical interface,
 ClusLANInterconnect
 3–4
 rules and restrictions,
 ClusLANInterconnect
 1–7, *ClusTechOver* 7–1
 selecting, *ClusLANInterconnect* 1–1
 virtual interface,
 ClusLANInterconnect
 3–4
- cluster Logical Storage Manager**,
 See LSM
- cluster member**, *ClusAdmin* 4–2,
 ClusTechOver 3–2
 deleting, *ClusAdmin* 5–9
 managing, *ClusAdmin* 5–1
- cluster membership transition**,
 ClusLANInterconnect 1–1, 1–6
- cluster partition**, *ClusAdmin* 4–2
- cluster port space**
 implications for single-instance
 and multi-instance
 TruCluster Server
 applications, *ClusAvailApp* 8–6
- cluster quorum**, *ClusTechOver* 3–1
 calculating, *ClusAdmin* 4–2,
 ClusTechOver 3–4
 disk, *ClusInstall* 2–12,
 ClusTechOver 3–6
- cluster root**, *ClusAdmin* 1–3
 expanding, *ClusAdmin* 1–4t
 mirroring, *ClusAdmin* 10–2
 specifying the cluster_root device
 at boot time, *ClusAdmin* 11–6
 verify command and, *ClusAdmin*
 9–46
- cluster size**
 cluster interconnect
 bandwidth requirements,
 ClusLANInterconnect 1–6
- cluster-aware application**
 calling scripts from
 /cluster/admin/run,
 ClusAvailApp 7–4
 testing the status of a cluster
 member during a rolling
 upgrade, *ClusAvailApp* 7–5
 UDP applications and source
 addresses, *ClusAvailApp* 8–9
 writing, *ClusAvailApp* 7–1
- clusterwide file system**
 backing up, *ClusAdmin* 9–43
- cluster_root domain**, *ClusAdmin* 1–3
 LSM and, *ClusAdmin* 10–2
- clu_add_member command**,
 ClusInstall 1–4
 configuration checks,
 ClusLANInterconnect
 3–1
 configuring a LAN interconnect
 using, *ClusLANInterconnect* 3–7
 sample log file,
 ClusLANInterconnect
 B–6
- clu_alias.config file**, *ClusAdmin* 3–4
- clu_check_config command**
 configuration checks,
 ClusLANInterconnect
 3–1
- clu_create command**, *ClusInstall* 1–4

- configuration checks,
 - ClusLANInterconnect* 3-1
- configuring a LAN interconnect,
 - ClusLANInterconnect* 3-6
- sample log file,
 - ClusLANInterconnect* B-1
- clu_delete_member command**,
 - ClusAdmin* 5-9
 - sample log file, *ClusAdmin* C-1
- clu_quorum command**
 - defining a quorum disk,
 - ClusAdmin* 4-13
 - displaying quorum configuration information using,
 - ClusAdmin* 4-16
- clu_upgrade command**,
 - ClusInstall* 1-4
- CMM**, *AsynchronousTM* 1-3
- cmx exerciser**, *SystemAdmin* 11-24
- cnx_pinger broadcast error**
 - when booting cluster member,
 - ClusLANInterconnect* 4-13
- code page, PC**, *InternatProg* 2-5
- codeset**, *InternatProg* 2-2
 - Unicode, *CommandShellGde* C-2
- codeset conversion**, *InternatProg* 6-38, *TechOver* 10-8
- coexistence of STREAMS and sockets**, *NetProgGde* 8-1
- collation**, *CommandShellGde* C-3
- command entry aids**
 - filters, *CommandShellGde* 7-6
 - grouping commands,
 - CommandShellGde* 7-6
 - list quoting, *CommandShellGde* 7-6
 - pipes, *CommandShellGde* 7-6
 - running multiple commands,
 - CommandShellGde* 7-6
- commands**
 - cat, *CommandShellGde* 3-5
 - cd, *CommandShellGde* 3-1
 - cluster, *ClusAdmin* 1-2
 - differences with Tru64 UNIX,
 - ClusAdmin* 1-3
 - ln, *CommandShellGde* 3-13, 3-15
 - lpq, *CommandShellGde* 3-10, 3-12
 - lpr, *CommandShellGde* 3-10
 - lprm, *CommandShellGde* 3-10, 3-13
 - ls, *CommandShellGde* 3-2
 - mkdir, *CommandShellGde* 3-1
 - more, *CommandShellGde* 3-5
 - page, *CommandShellGde* 3-5
 - passwd, *CommandShellGde* 1-6, 1-8
 - pg, *CommandShellGde* 3-5
 - that are not cluster-aware,
 - ClusAdmin* 1-12
 - using, *CommandShellGde* 1-4
 - yppasswd, *CommandShellGde* 1-6
- comment**
 - assembly language, *AsmLangGde* 2-1
- common C extensions**, *CLangRef* D-1
- Common Data Security Architecture**,
 - See CDSA
- Common Desktop Environment**,
 - See CDE
- common file**,
 - See header file
- common subnet**
 - when to use, *ClusAdmin* 3-6
- communication bridge**, *TechOver* 3-24
- Compaq Insight Manager**,
 - SystemAdmin* 1-27, *TechOver* 2-19
 - integration with SysMan,
 - ClusAdmin* 2-3
 - invoking, *ClusAdmin* 2-21
 - using in a cluster, *ClusAdmin* 2-20
 - web agents initialized by,
 - ClusAdmin* 2-17

- comparing files,**
 CommandShellGde 3–23
- comparing Memory Channel to LAN interconnect,**
 ClusLANInterconnect 1–2
- compilation option**
 -S option, *AsmLangGde* 6–14
- compilation unit,** *CLangRef* 2–3
- completion handling,** *ProgGde* 11–5
- complex lock,** *KernelModules* 8–1
 declaring data structure,
 KernelModules 8–1
 initializing, *KernelModules* 8–2
 terminating, *KernelModules* 8–20
- component indictment,**
 OnlineAddRem 3–1
- computer virus,**
 CommandShellGde 5–20
- concurrent direct I/O,** *ClusAdmin*
 9–18
 gathering statistics, *ClusAdmin*
 9–20
- condition variable,** *POSIXThreads*
 2–30, 4–3
- conditional compilation,**
 CLangRef 8–7
- config.cdf file,** *InstallGdeAdvTop* 7–1
- configuration,**
 See also cluster configuration
 device names, *SystemAdmin* 5–37
 DMS environment, *SharingSW* 11–9
 fully redundant LAN,
 ClusLANInterconnect
 2–2, 2–6, A–1
 importance of symmetrical,
 ClusLANInterconnect 2–3, 2–11
 kernel, *SystemAdmin* 4–1
 multi-member using hub or
 switch, *ClusLANInterconnect*
 2–5
 network interface,
 NetAdminConnect 2–19
 supported, *ClusLANInterconnect*
 2–3
 two-member, direct-connect,
 ClusLANInterconnect 2–4
- configuration checklist,** *TechOver*
 2–7
- configuration cloning,**
 InstallGdeAdvTop 7–1
 lack of support in clusters,
 ClusAdmin 1–14
- configuration description file,**
 See CDF
- configuration file**
 adding devices to, *SystemAdmin*
 4–20
 entries, *SystemAdmin* 4–32
 keywords, *SystemAdmin* 4–32
 rc.config file, *ClusAdmin* 5–2
- configuration report**
 generating with Compaq Insight
 Manager, *ClusAdmin* 2–22
- configure routine,** *KernelModules*
 2–1
- configuring a volume for a file system,** *StorageManager* 4–15
- connection,**
 See also PPP, SLIP
 accepting, *AsynchronousTM* 6–4
 accepting on a socket, *NetProgGde*
 4–24
 activating, *AsynchronousTM* 4–2
 controlling aging of,
 AsynchronousTM 6–6
 deleting, *AsynchronousTM* 4–3
 making in ATM, *AsynchronousTM*
 6–1
 making to socket, *NetProgGde* 4–22
 outgoing, *AsynchronousTM* 6–1
 point-to-multipoint,
 AsynchronousTM 6–1

- point-to-point, *AsynchronousTM* 6–1
 - receiving notification of,
 - AsynchronousTM* 5–7
 - releasing, *AsynchronousTM* 4–3, 6–7
 - reporting a failure,
 - AsynchronousTM* 4–3
 - requesting endpoint information,
 - AsynchronousTM* 5–6
 - security considerations, *Security* 3–1
 - tearing down, *AsynchronousTM* 5–5
- Connection Management Module,**
See CMM
- connection manager, *ClusAdmin***
4–1, *ClusTechOver* 3–1, 7–1
- monitoring panics from,
 - ClusAdmin* 4–18
 - troubleshooting, *ClusAdmin* 4–20
 - use of the cluster interconnect,
 - ClusLANInterconnect* 1–1, 1–6
- connection mode service**
in DLPI, *NetProgGde* 2–5
- connection-oriented application**
program examples, *NetProgGde* B–2
- sample header files, *NetProgGde* B–33
 - writing, *NetProgGde* 3–22
- connectionless application**
program examples, *NetProgGde* B–18
- sample header files, *NetProgGde* B–33
 - writing, *NetProgGde* 3–30
- connectionless mode service**
in DLPI, *NetProgGde* 2–5
- connectivity**
AdvFS and storage connectivity,
 - ClusAdmin* 9–38
- storage connectivity and LSM,
 - ClusAdmin* 10–3
- console environment variable,**
ClusHWConfig 6–62
- constant, *CLangRef*** 1–13
- and *rpcgen*, *OncRpcProgram* 2–24
 - assembly language, *AsmLangGde* 2–2
- constant bit rate,**
See CBR
- context-dependent symbolic link,**
See CDSL
- controlling access,**
CommandShellGde 5–1
- convergence module**
flow control, *AsynchronousTM* 9–3
- MMI, *AsynchronousTM* 7–7
 - queuing guidelines,
 - AsynchronousTM* 8–3
 - receiving exception notification,
 - AsynchronousTM* 5–2
 - registering with CMM,
 - AsynchronousTM* 5–1
 - requesting interface parameters,
 - AsynchronousTM* 5–3
 - reserving resources,
 - AsynchronousTM* 5–4
 - structures, *AsynchronousTM* 5–9
 - unregistering with CMM,
 - AsynchronousTM* 5–3
- conversion of data types,**
CLangRef 6–27
- copying a CDSL, *ClusAdmin*** 9–2
- copying a directory,**
CommandShellGde 4–8
- copying a disk, *SystemAdmin*** 9–20
- copying a file, *CommandShellGde***
3–18
- to another host,
 - CommandShellGde* 12–1
- cord utility, *ProgGde*** F–4
- cost comparison**
Memory Channel and
LAN interconnect,
 - ClusLANInterconnect* 1–3t
- cp command, *CommandShellGde***
3–18

- cpio command**, *SystemAdmin* 9–5
- CPU**
 - improving performance, *SystemTune* 7–8
 - monitoring, *SystemTune* 7–1
 - performance, *SystemTune* 2–4
- crash**
 - process of, *KernelDebug* 1–5
 - reasons for, *KernelDebug* 1–5
 - using crashdc command to collect data from, *KernelDebug* 2–44
 - using dbx to find the cause of, *KernelDebug* 2–2
 - using kdbx to find the cause of, *KernelDebug* 2–12
- crash data collection**, *KernelDebug* 2–44, A–1
- crash dump**, *ClusAdmin* 11–17, *SystemAdmin* 12–17, 14–1
- crash dump analysis**, *KernelDebug* 1–1
 - collecting data with crashdc, *KernelDebug* 2–44
 - examples of, *KernelDebug* 4–1
 - for SMP systems, *KernelDebug* 4–9
 - guidelines for, *KernelDebug* 4–1
 - specifying location of loadable modules for, *KernelDebug* 2–4
 - viewing user program stack, *KernelDebug* 2–8
- crash dump file**
 - analyzing, *KernelDebug* 1–5
 - guidelines for analyzing, *KernelDebug* 4–1
 - invoking dbx debugger to examine, *KernelDebug* 2–2
 - invoking kdbx debugger to examine, *KernelDebug* 2–12
 - using dbx to examine, *KernelDebug* 4–2
 - using kdbx to examine, *KernelDebug* 4–3
- crash recovery**, *SystemAdmin* 12–17
- crash-data.n file**
 - explanation of contents, *KernelDebug* A–1
- crashdc command**
 - explanation of output from, *KernelDebug* A–1
- crashdc utility**, *KernelDebug* 2–44
- creating a directory**, *CommandShellGde* 4–2
- creating a NSPOF cluster configuration**, *ClusHWConfig* 1–15
- creating a volume**, *StorageManager* 4–1
 - for secondary swap, *StorageManager* 4–14
 - with concatenated plex, *StorageManager* 4–7
- critical voting member**
 - quorum loss and shutdown, *ClusAdmin* 5–6
- crontab command**, *SystemAdmin* 3–14
- crossover cable**, *ClusLANInterconnect* 2–2, 2–4
 - multiple, *ClusLANInterconnect* 2–10
- .cshrc file**, *CommandShellGde* 8–3
- .cshrc login script**, *CommandShellGde* 7–16
 - modifying for System V Habitat, *CommandShellGde* 9–2
- current vote**, *ClusAdmin* 4–3, 4–6
- Curses library**, *InternatProg* 4–1, *TechOver* 10–10
- Custom Setup utility**, *InstallGde* 7–4
- customization**

workstation environment,
 XWinSysEnv 2-1

customizing mailx,
 CommandShellGde D-1

customizing pointer behavior,
 CDECompanion 8-8

Cw mail macros, *ClusAdmin* 7-16

D

daemon

aliasd, *ClusTechOver* 6-3

autofsd, *ClusAdmin* 7-11,
 NetAdminSvcs 4-2

automount, *NetAdminSvcs* 4-2

binlogd, *SystemAdmin* 12-3

bootpd, *TechOver* 3-28

caad, *ClusTechOver* 5-3

gated, *ClusAdmin* 3-3,
 NetAdminConnect 2-14,
 TechOver 3-29

inetd, *ClusAdmin* 7-14,
 NetProgGde 4-69,
 OncRpcProgram 2-18,
 3-25

joind, *NetAdminConnect* 5-17

lockd, *ClusAdmin* 7-7

lpd, *SystemAdmin* 8-34

LSM, *StorageManager* 6-7

mountd, *NetAdminSvcs* 4-11

PC-NFS, *NetAdminSvcs* 4-8

portmap, *Prestoserve* 2-10

pppd, *NetAdminConnect* 6-14

prestockl_svc, *Prestoserve* 2-11

printer, *ClusAdmin* 7-4

routed, *ClusAdmin* 3-3,
 NetAdminConnect 2-13

rsvpd, *NetProgGde* 7-6

rwhod, *NetAdminConnect* 2-13

statdd, *ClusAdmin* 7-7

syslogd, *SystemAdmin* 12-2

xntpd, *NetAdminSvcs* 6-1

data

preserving during installation,
 InstallGde 6-36

receiving on a virtual circuit,
 AsynchronousTM 5-2

recovering, *SystemAdmin* 9-1

data access,
 See JDBC, ODBC

data cache collision
 avoiding, *ProgGde* 8-12

data cache misses
 profiling for, *ProgGde* 8-12

data copying routines,
 KernelModules 5-7

data flow, *TechOver* 3-23

Data Link Interface,
 See DLI

data link interfaces, *NetProgGde* 2-1

Data Link Provider Interface,
 See DLPI

data manipulation,
 CallingStandard 4-1

data structure
 ATM, *AsynchronousTM* 2-14

 displaying value and format
 of with dbx debugger,
 KernelDebug 2-6

 global, *AsynchronousTM* 2-14

 kernel thread, *KernelModules* 9-5

 module, *NetProgGde* 5-13

 simple lock, *KernelModules* 7-1

 sockets, *NetProgGde* 4-16

 STREAMS message, *NetProgGde*
 5-14

 used by kernel thread routines,
 KernelModules 9-5

data transfer
 in DLI, *NetProgGde* F-20

 with sockets, *NetProgGde* 4-26

data type, *CLangRef* 3-1

 alignment in structures, *ProgGde*
 2-5

 converting, *CLangRef* 6-27

- types supported by Tru64 UNIX,
ProgGde 2-4
- types supported in assembly
language, *AsmLangGde* 2-10
- database security**
group, *CommandShellGde* 5-3
- Dataless Management Services,**
See DMS
- date and time**
setting during installation,
InstallGde 6-13
- date command,** *SystemAdmin* 2-21
- date value**
formatting rules in a locale,
InternatProg 7-22
- dbx debugger,** *ProgGde* 5-1,
SystemTune 3-17, *TechOver* 6-3
crash dump analysis with,
KernelDebug 2-2, 4-2, 4-4
debugging kdbx extensions with,
KernelDebug 3-36
debugging kernel threads with,
KernelDebug 4-8
displaying call stack of user
program after kernel crash
with, *KernelDebug* 2-8
displaying preserved message
buffer, *KernelDebug* 2-10
displaying value and format of
variable and data structure
with, *KernelDebug* 2-6
examining exception frames with,
KernelDebug 2-7
identifying cause of crash on SMP
system, *KernelDebug* 4-9
identifying hardware exceptions
with, *KernelDebug* 4-4
kernel debugging with,
KernelDebug 2-2
syntax for examining dump files,
KernelDebug 2-2
- DDR,** *SystemAdmin* 5-49
- DE50x adapter**
configuring autonegotiation,
ClusLANInterconnect 4-9
- DE60x adapter**
configuring autonegotiation,
ClusLANInterconnect 4-9
- debugging an application,**
SystemTune 11-1
- debugging the kernel,** *SystemTune*
3-9
- debugging tools,**
See also dbx debugger,
Laddebug debugger, lint,
Third Degree
crashdc utility, *KernelDebug* 2-44
dbx debugger, *KernelDebug* 2-2
kdbx debugger, *KernelDebug* 2-12
kdebug debugger, *KernelDebug* 2-37
supported by Tru64 UNIX,
ProgGde 1-5
- DECevent event management
utility,** *SystemAdmin* 12-1
- declaration,** *CLangRef* 4-1,
OncRpcProgram 2-24
- DECnet protocol,** *ClusAdmin* 7-15
for X client/server connections,
XWinSysEnv 3-15
- DECterm software**
escape sequences for ruled lines,
InternatProg D-1
- DECwindows Motif**
migrating to CDE,
CDECompanion 6-1
migrating to CDE applications,
CDECompanion 7-6
- default cluster alias,** *ClusAdmin*
3-2, *ClusTechOver* 6-5
IP address, *ClusInstall* 2-4
NFS clients using, *ClusAdmin* 7-9
relationship to out_alias service
attribute, *ClusAdmin* 7-20

- default permissions**
 - setting with umask, *CommandShellGde* 5–13
- DEFAULTALIAS keyword**, *ClusAdmin* 3–3
- deferred mode swapping**, *SystemAdmin* 3–45
- deleting a directory**, *CommandShellGde* 4–10
- desktop session**
 - managing, *CDECompanion* 4–1
- /dev directory**, *SystemAdmin* 5–37
- Developer’s Documentation Kit**, *DocOverview* 1–11
- development environment**, *ProgGde* 1–1
- device**
 - adding to the kernel, *SystemAdmin* 4–20
 - configuring, *SystemAdmin* 5–37
 - determining device location, *ClusAdmin* 9–5
 - direct-access I/O, *ClusAdmin* 9–29
 - managing third-party storage, *ClusAdmin* 9–7
 - single-server, *ClusAdmin* 9–29
- device driver**
 - ATM structures, *AsynchronousTM* 3–3
 - interface, *AsynchronousTM* 3–1
 - MMI, *AsynchronousTM* 7–6
 - queuing guidelines, *AsynchronousTM* 8–1
 - registering with CMM, *AsynchronousTM* 3–1
 - unregistering with CMM, *AsynchronousTM* 3–2
- device driver documentation**
 - books in set described, *DocOverview* 7–1
- device mnemonics**, *SystemAdmin* B–1
- device name**, *SystemAdmin* 5–37
 - naming conventions, *InstallGde* A–1
 - network adapter, *ClusLANInterconnect* 3–2
- device pathname**
 - explanation of, *SystemAdmin* 8–31
 - representation in printcap, *SystemAdmin* 8–31
- device request dispatcher**, *ClusTechOver* 2–8
- device security**, *Security* 8–1
- device special file**, *NetProgGde* 5–25
 - representation in printcap, *SystemAdmin* 8–31
- device special file management utility**, *ClusAdmin* 9–4
- device special file names**
 - converting old-style and new-style, *ProgGde* E–1
- device unit number**
 - setting, *ClusHWConfig* 6–61
- df command**, *ClusAdmin* 1–4t
- DHCP**, *NetAdminConnect* 5–1
 - and security, *NetAdminConnect* 5–19
 - client, cluster not supported as, *ClusInstall* 3–8
 - configuring, *ClusAdmin* 7–1
 - configuring a server, *NetAdminConnect* 5–12
 - monitoring clients, *NetAdminConnect* 5–18
 - planning for configuration, *NetAdminConnect* 5–2
 - server, configuring cluster as, *ClusInstall* 3–8
 - troubleshooting, *NetAdminConnect* 8–29
- dia command**
 - binary event-logging reports, *SystemAdmin* 12–1
- diagnostic utility support**

- adding a diagnostic utility to the TruCluster Server environment, *ClusAvailApp* 7–3
- dial-in connection**,
NetAdminConnect 6–29
- dial-out connection**,
NetAdminConnect 6–32
- Differences application**
 - comparing files with, *CDECompanion* 5–6
- direct I/O**, *ClusAdmin* 9–18
 - gathering statistics on, *ClusAdmin* 9–20
 - Oracle Parallel Server, *ClusLANInterconnect* 1–4
- direct-access I/O device**,
ClusAdmin 9–29
- directive**
 - assembler directives, *AsmLangGde* 5–1
 - pragma assert directives, *ProgGde* 3–2
 - pragma environment, *ProgGde* 3–6
 - pragma extern_model directives, *ProgGde* 3–7
 - pragma extern_prefix, *ProgGde* 3–11
 - pragma function, *ProgGde* 3–14
 - pragma inline, *ProgGde* 3–13
 - pragma intrinsic, *ProgGde* 3–14
 - pragma linkage, *ProgGde* 3–16
 - pragma member_alignment, *ProgGde* 3–19
 - pragma message, *ProgGde* 3–20
 - pragma optimize, *ProgGde* 3–25
 - pragma pack, *ProgGde* 3–27
 - pragma pointer_size, *ProgGde* 3–28
 - pragma use_linkage, *ProgGde* 3–29
 - pragma weak, *ProgGde* 3–30
- directory**, *CommandShellGde* 2–1, 2–7, 4–1
 - backing up, *SystemAdmin* 9–1
 - changing owner of, *CommandShellGde* 5–19
 - recovering, *SystemAdmin* 9–1
 - removing, *CommandShellGde* 4–11
 - renaming, *CommandShellGde* 4–9
- directory permissions**,
CommandShellGde 5–5, 5–10
- dirty-region logging**,
See DRL
- dis (object file tool)**, *ProgGde* 2–26
- disk**
 - availability, *SystemTune* 2–17
 - backup, *SystemAdmin* 9–1
 - cloning, *SystemAdmin* 5–67
 - copying, *SystemAdmin* 5–67
 - deporting, *ClusAdmin* 10–5
 - determining location, *ClusAdmin* 9–6
 - distributing I/O, *SystemTune* 8–1
 - dynamic partitioning during full installation, *InstallGde* 4–2
 - high-performance, *SystemTune* 2–9
 - high-performance configuration, *SystemTune* 2–12
 - LSM, *SystemTune* 8–4
 - managing, *SystemTune* 8–1
 - monitoring, *SystemAdmin* 6–46
 - monitoring I/O distribution, *SystemTune* 8–3
 - preserving data on during installation, *InstallGde* 6–36
 - RAID, *SystemTune* 2–14
 - striping, *SystemTune* 2–13
- disk drive**
 - testing with diskx, *SystemAdmin* 11–22
- disk group**
 - importing LSM, *ClusAdmin* 10–6
 - managing, *StorageManager* 5–5
- disk label**, *SystemAdmin* 5–63, 6–5

- disk partition**, *SystemAdmin* 5–63, 6–4
 - on DMS server, *SharingSW* 10–3
- disk quota**, *SystemAdmin* 6–41
- disk space**
 - DMS, *SharingSW* 10–4
 - planning, *InstallGdeAdvTop* 4–1
 - planning for rolling upgrade, *ClusInstall* 2–17
 - planning, cluster, *ClusInstall* 2–15
 - reallocating, *SystemAdmin* 5–63
 - RIS, *SharingSW* 3–3
- disk storage shelf**
 - BA350, *ClusHWConfig* 10–9
 - BA356, *ClusHWConfig* 10–11
 - UltraSCSI BA356, *ClusHWConfig* 10–13
- disk usage**, *SystemAdmin* 5–68
- disk writes**
 - CFS, *ClusLANInterconnect* 1–2, 1–3
 - Oracle Parallel Server, *ClusLANInterconnect* 1–4
- disklabel command**, *SystemAdmin* 5–65
- diskusg command**, *SystemAdmin* 10–31
- diskx exerciser**, *SystemAdmin* 11–22
- dispatch point callback**, *KernelModules* 4–1
- dispatch table**, *OncRpcProgram* 2–18
- DISPLAY environment variable**
 - setting from different shells, *CDECompanion* 5–3
- Display Manager**, *TechOver* 8–6
- displaying a directory**, *CommandShellGde* 4–7
- displaying information**
 - command status, *CommandShellGde* 6–8
 - differences between files, *CommandShellGde* 3–23
 - disk group, *StorageManager* 4–1
 - job status of uucp, *CommandShellGde* 14–25
 - process information, *CommandShellGde* 6–14
 - variable values, *CommandShellGde* 7–21
- displaying online reference pages**, *CommandShellGde* 1–9
- distance comparison**
 - Memory Channel and LAN interconnect, *ClusLANInterconnect* 1–3t
- distributed application**
 - moving to TruCluster Server, *ClusAvailApp* 6–1
 - running in a cluster, *ClusAvailApp* 1–8
- distributed lock manager**, *See* DLM
- distributed naming services**, *TechOver* 3–32
 - See also* BIND, NIS
- distributed processing**, *ClusLANInterconnect* 1–4
- distributed system services**
 - naming services, *TechOver* 3–32
 - time services, *TechOver* 3–33
- distribution media**
 - producing for kernel products, *ProdKitGde* 7–9
 - producing for user products, *ProdKitGde* 6–2
- division of privileges**, *See* DOP
- DLI**, *NetProgGde* F–1, *TechOver* 3–25
 - and accessing the local area network, *NetProgGde* F–3
 - binding a socket, *NetProgGde* F–17
 - calculating buffer size, *NetProgGde* F–20
 - creating a socket, *NetProgGde* F–16

- deactivating a socket, *NetProgGde* F-21
- filling the sockaddr_dl structure, *NetProgGde* F-17
- services, *NetProgGde* F-2
- setting socket options, *NetProgGde* F-16
- transferring data, *NetProgGde* F-20
- using system calls, *NetProgGde* F-15
- writing programs, *NetProgGde* F-14
- DLI program**
 - including higher-level services, *NetProgGde* F-4
- DLM**, *ClusTechOver* 7-1, 8-1
 - advanced locking techniques, *ClusAvailApp* 9-16
 - canceling a conversion request, *ClusAvailApp* 9-16
 - converting locks, *ClusAvailApp* 9-12
 - deadlock detection, *ClusAvailApp* 9-13
 - dequeuing locks, *ClusAvailApp* 9-15
 - functions, *ClusAvailApp* 9-2
 - identifying resources, *ClusAvailApp* 9-7
 - local buffer caching, *ClusAvailApp* 9-23
 - namespaces, *ClusAvailApp* 9-6
 - resource granularity, *ClusAvailApp* 9-5
 - use of the cluster interconnect, *ClusLANInterconnect* 1-2
 - using locks, *ClusAvailApp* 9-8
 - using to synchronize access to shared resources in a cluster, *ClusAvailApp* 9-1
- DLPI**, *NetProgGde* 2-2, *TechOver* 3-25
 - addressing, *NetProgGde* 2-6
 - connection mode service, *NetProgGde* 2-5
 - connectionless mode service, *NetProgGde* 2-5
 - local management service, *NetProgGde* 2-4
 - modes of communication, *NetProgGde* 2-3
 - supported primitives, *NetProgGde* 2-8, 8-10
 - types of service, *NetProgGde* 2-4
- DMS**, *SharingSW* 1-1, 9-1, *TechOver* 2-26
 - adding software, *SharingSW* 11-6
 - disk space planning, *SharingSW* 10-4
 - installing software, *SharingSW* 11-2
 - lack of support in cluster, *ClusAdmin* 1-13t
 - root area, *SharingSW* 9-2
 - setting up a LAN, *SharingSW* 10-3
 - setting up NFS, *SharingSW* 10-3
 - troubleshooting, *SharingSW* 13-1
 - updating software, *SharingSW* D-1
- DMS area**, *SharingSW* 1-1, 9-2
- DMS area maintenance**, *SharingSW* 12-1
- DMS client**, *SharingSW* 1-1, 9-2, 9-5, 12-1
 - area, *SharingSW* 9-5
 - building an Asian kernel, *SharingSW* 11-13
 - compatibility with server, *SharingSW* 11-1
 - preparing, *SharingSW* 10-1
 - registering, *SharingSW* 10-7
 - requirements, *SharingSW* 10-2
 - WLS setup, *SharingSW* 11-13
- DMS environment**, *SharingSW* 9-3, 12-1
 - configuring, *SharingSW* 11-9
 - on DMS server, *SharingSW* 11-1
 - software sharing environment, *SharingSW* 1-2
- DMS server**, *SharingSW* 1-1, 9-2
 - architecture, *SharingSW* 9-2

- compatibility with client, *SharingSW* 11-1
- creating DMS environment on, *SharingSW* 11-1
- disk partitions, *SharingSW* 10-3
- installing operating system on, *SharingSW* 10-7
- managing, *SharingSW* 12-1
- preparing, *SharingSW* 10-1
- requirements, *SharingSW* 10-1
- WLS setup, *SharingSW* 11-12
- DNS**, *NetAdminSvcs* 2-1
 - configuring a caching-only server, *NetAdminSvcs* 2-15
 - configuring a client, *NetAdminSvcs* 2-20
 - configuring a forward-only server, *NetAdminSvcs* 2-16
 - configuring a master server, *NetAdminSvcs* 2-9
 - configuring a slave server, *NetAdminSvcs* 2-13
 - configuring a stub server, *NetAdminSvcs* 2-18
 - deconfiguring, *NetAdminSvcs* 2-29
 - enabling authentication, *NetAdminSvcs* 2-6, 2-21
 - enabling dynamic updates, *NetAdminSvcs* 2-5, 2-12, 2-21
 - IPv6 data format, *NetAdminConnect* 3-10
 - IPv6 record type, *NetAdminConnect* 3-10
 - named.conf file, *NetAdminSvcs* G-1
 - resource records, *NetAdminSvcs* G-1
 - testing master servers, *NetAdminSvcs* 11-15
 - testing servers, *NetAdminSvcs* 11-1
 - troubleshooting, *NetAdminSvcs* 9-4, 9-5
 - updating server data files, *NetAdminSvcs* 2-5, 2-12, 2-31
- doconfig program**, *SystemAdmin* 4-20, 4-24, 4-26
- documentation**, *See also* online documentation
 - in printed form, *DocOverview* 1-9
 - on line, *DocOverview* 1-6
- Documentation CD-ROM**, *DocOverview* 1-7
 - mounting, *InstallGde* 8-2
- documentation kits**, *See* Developer's
 - Documentation Kit,
 - End User Documentation Kit,
 - General User Documentation Kit,
 - Startup Documentation Kit,
 - System and Network Management Documentation Kit,
 - Tru64 UNIX Documentation Kit
- documentation on the World Wide Web**, *DocOverview* 1-8
- dodisk shell script**, *SystemAdmin* 10-31
- dohash utility**, *NetAdminSvcs* 7-25
- domain**
 - expanding cluster root, *ClusAdmin* 1-4t
- Domain Name System**, *See* DNS
- DOP**, *Security* G-1
- drdmgr command**, *ClusAdmin* 9-16, 9-28
- driver**
 - bridging BSD driver to STREAMS protocol stack, *NetProgGde* 8-9
 - bridging STREAMS driver to sockets protocol stack, *NetProgGde* 8-2
 - Token Ring, *NetProgGde* E-1
- driver program**
 - compiler system, *ProgGde* 2-2
- DRL**
 - size recommendations, *ClusAdmin* 10-9

dsfcvt* routines, *ProgGde* E-1

dsfmgr command, *ClusAdmin* 9-4

dtmail utility, *NetAdminSvcs* 7-42

dtsession, *CDECompanion* 6-2

dump command, *SystemAdmin* 9-5

dump file,
See crash dump file

duplicating a root disk,
SystemAdmin 9-20

DVD-ROM drive, *ClusAdmin* 9-10

dxaccounts utility, *SystemAdmin* 7-6

dxpresto command
 monitoring Prestoserve with,
Prestoserve 3-8

dxpresto software subset
 installing, *Prestoserve* 2-1

Dynamic Device Recognition,
See DDR

dynamic disk partitioning
 during full installation,
InstallGde 4-2

Dynamic Host Configuration Protocol,
See DHCP

dynamically configurable subsystem
 creating, *ProgGde* C-1

E

EBM2n and EBM4n single-board computers, *SysConfigSup* 1-1

EBV10 and EBV12 single-board computers, *SysConfigSup* 1-13

EBV14 and EBV16 single-board computers, *SysConfigSup* 1-10

ed editor, *CommandShellGde* B-1

append (a) subcommand,
CommandShellGde B-2

change (c) subcommand,
CommandShellGde B-20

copying lines, *CommandShellGde* B-23

creating and saving text files,
CommandShellGde B-2

delete (d) subcommand,
CommandShellGde B-17

deleting a specific line,
CommandShellGde B-18

deleting current line,
CommandShellGde B-18

deleting multiple lines,
CommandShellGde B-18

displaying the current line,
CommandShellGde B-9

edit (e) subcommand,
CommandShellGde B-7

edit (ed) command,
CommandShellGde B-7

edit buffer, *CommandShellGde* B-1

global (g) operator,
CommandShellGde B-15

insert (i) subcommand,
CommandShellGde B-21

locating text, *CommandShellGde* B-11

moving text, *CommandShellGde* B-19

print (p) subcommand,
CommandShellGde B-3

quit (q) subcommand,
CommandShellGde B-6

read (r) subcommand,
CommandShellGde B-8

removing characters,
CommandShellGde B-16

substitute (s) subcommand,
CommandShellGde B-13

using system commands,
CommandShellGde B-24

write (w) subcommand,
CommandShellGde B-4

- editor**, *CommandShellGde* 2-1
 - See also ed editor, emacs editor, mule editor, vi editor
- EGP**, *TechOver* 3-4
- egrep**,
 - See grep utility
- eight-node cluster**, *ClusHWConfig* 11-1
- emacs editor**
 - multilingual, *InternatProg* 6-40,
 - TechOver* 10-8
- emxmgr command**, *ClusHWConfig* 6-82
- enabling realtime preemption**
 - after full installation, *InstallGde* 7-10
- encapsulating /usr into LSM**, *ClusAdmin* 10-11
- encapsulating swap into LSM**, *ClusAdmin* 10-11
- End User Documentation Kit**, *DocOverview* 1-10
- endian byte ordering**
 - supported by Tru64 UNIX, *ProgGde* 2-4
- endpoint**
 - adding, *AsynchronousTM* 6-4
 - creating, *AsynchronousTM* 5-5
 - dropping, *AsynchronousTM* 4-3, 5-5
 - requesting connection
 - state information, *AsynchronousTM* 5-6
 - requesting information, *AsynchronousTM* 4-4
- enhanced security**, *ClusAdmin* 1-10
 - in a cluster, *Security* F-1
 - NIS configuration, *ClusAdmin* 7-3
- enumerations and rpcgen**, *OnRpcProgram* 2-23
- environment variable**, *CommandShellGde* 7-13
- error**
 - comparison of XTI and sockets, *NetProgGde* 3-39
 - in sockets, *NetProgGde* 4-43
 - in XTI, *NetProgGde* 3-56
 - logging, *SystemAdmin* 12-1
 - logging in STREAMS, *NetProgGde* 5-26
 - reporting to CMM, *AsynchronousTM* 3-2
 - solving network problem, *NetAdminConnect* 8-1, *NetAdminSvcs* 9-1
- error message**
 - autofs, *NetAdminSvcs* C-10
 - autofsmount, *NetAdminSvcs* C-10
 - automount, *NetAdminSvcs* C-6
 - during member boot, *ClusAdmin* 11-2
 - mail, *NetAdminSvcs* E-1
 - NFS, *NetAdminSvcs* C-1
 - UUCP, *NetAdminSvcs* D-1
- eSNMP**, *NetProgGde* 1-7, 6-2, *TechOver* 3-25
 - application interface, *NetProgGde* 6-4
 - application programming interface routines, *NetProgGde* 6-18
 - architecture, *NetProgGde* 6-3
 - components, *NetProgGde* 6-2
 - implementing a subagent, *NetProgGde* 6-12
 - method routine calling interface, *NetProgGde* 6-44
 - MIB subtree, *NetProgGde* 6-6
 - object tables, *NetProgGde* 6-8
 - SNMP versions, *NetProgGde* 6-4
 - starting, *NetProgGde* 6-15
 - stopping, *NetProgGde* 6-15
 - support routines, *NetProgGde* 6-55
- /etc/clua_services file**, *ClusAdmin* 3-5
- /etc/clu_alias.config file**, *ClusAdmin* 3-4

- /etc/exports.aliases file,**
ClusAdmin 3–5
- /etc/fstab file**
swap entries, *ClusAdmin* 9–44
- /etc/gated.conf file,** *ClusAdmin* 3–5
- /etc/gated.conf.member file,**
ClusAdmin 3–5
- /etc/kitcap file,** *ProdKitGde* 6–3, 7–11
- /etc/rc.config file,** *ClusAdmin* 5–2t,
ClusLANInterconnect 3–4
IFCONFIG variable,
ClusLANInterconnect
3–4
NETDEV variable,
ClusLANInterconnect
3–4
- /etc/sysconfigtab file,**
SystemAdmin 4–14
ics_tcp_ports attribute,
ClusLANInterconnect
4–14
ics_tcp_rendezvous_port
attribute,
ClusLANInterconnect
4–14
kernel attributes set by clu_create
and clu_add_member,
ClusLANInterconnect C–1t
- Ethernet,** *TechOver* 3–18
See also Fast Ethernet,
Gigabit Ethernet
configuring, *NetAdminConnect* 2–19
- Ethernet adapter,**
ClusLANInterconnect 2–1
- Ethernet interface,**
See vb network
- euro currency symbol,**
InternatProg 2–14
- event**
cluster, *ClusAdmin* A–1
reporting, *SystemAdmin* 12–1
tracking in XTI, *NetProgGde* 3–14
- event logging**
crash recovery, *SystemAdmin* 12–17
creating daily files, *SystemAdmin*
12–8
in STREAMS, *NetProgGde* 5–26
- Event Management,**
See EVM
- Event Manager,** *SystemAdmin* 13–1
- event processing,**
CallingStandard 5–1
- EVM,** *ClusAdmin* 1–11,
SystemAdmin 13–1
CAA and, *ClusAdmin* 8–24
- ewx0_mode console variable,**
ClusLANInterconnect 4–10
- exception**
frame-based, *ProgGde* 11–5
receiving, *AsynchronousTM* 5–2
structured, *ProgGde* 11–5
- exception handling**
application development
considerations, *ProgGde* 11–1
header files, *ProgGde* 11–3
POSIX Threads, *POSIXThreads* 5–1
- exception processing,**
CallingStandard 5–1
- executable program**
creating, *ProgGde* 2–3, 2–20
running, *ProgGde* 2–22
- expected vote**
calculating, *ClusAdmin* 4–5
cluster, *ClusAdmin* 4–3, 4–5
member-specific, *ClusAdmin* 4–3,
4–5
- exporting a CDSL,** *ClusAdmin* 9–4
- exporting a file system,**
NetAdminSvcs 4–12
- exports file,** *NetAdminSvcs* 4–11,
4–14

exports.aliases file, *ClusAdmin* 3–5
expression, *CLangRef* 6–1
extended regular expression,
ProgSupTools 1–4
extensible SNMP,
See eSNMP
extensions to kdbx debugger,
KernelDebug 2–15
Exterior Gateway Protocol,
See EGP
External Data Representation,
See XDR routine

F

factory installed software,
See FIS
failover, *ClusLANInterconnect* 4–13
AdvFS requirements, *ClusAdmin*
9–38
boot partition, *ClusAdmin* 11–16
limitations on CFS failover,
ClusAdmin 9–11
network, *ClusAdmin* 6–2
Fast Ethernet, *TechOver* 3–18
fentl.h file, *NetProgGde* 3–6
FDDI, *ClusLANInterconnect* 2–1,
TechOver 3–19
configuring, *NetAdminConnect* 2–19
fddi_config command,
NetAdminConnect 2–35
feedback file
profile-directed optimization,
ProgGde 10–8
FFM, *SystemAdmin* 6–2
fgrep,
See grep utility
Fiber Distributed Data Interface,
See FDDI

Fibre Channel, *ClusHWConfig*
6–2, *ClusLANInterconnect* 2–12
cascaded switches, *ClusHWConfig*
6–21
cluster configurations,
ClusHWConfig 6–8
configuring hardware,
ClusHWConfig 6–26
determining /dev/disk/dskn
for cluster installation,
ClusHWConfig 6–69
displaying available boot devices,
ClusHWConfig 6–66
installation using Fibre Channel
disks, *ClusHWConfig* 6–24
installing BOS on, *ClusHWConfig*
6–69
installing KGPSA on,
ClusHWConfig 6–36
installing software on
Fibre Channel storage,
ClusHWConfig 6–51
labeling disks, *ClusHWConfig* 6–71
setting device unit number,
ClusHWConfig 6–61
switch zoning and SSP,
ClusHWConfig 6–18
file, *CommandShellGde* 2–1, 2–5, 3–1
backing up, *SystemAdmin* 9–1
comparing file differences,
CommandShellGde 3–23
including, *CLangRef* 8–11
listing contents of subset,
InstallGde 9–4
recovering, *SystemAdmin* 9–1
sorting contents of,
CommandShellGde 3–25
file (object file tool), *ProgGde* 2–25
file access, *CommandShellGde* 5–1
file access resilience in a cluster,
ClusAvailApp 7–5
file inclusion, *CLangRef* 8–11
File Manager, *CDECompanion* 4–1
accessing, *CDECompanion* 3–1

- managing directories and files, *CDECompanion* 4-1
- file name**, *CommandShellGde* 2-5
- file permissions**, *CommandShellGde* 5-5
- file synchronization**
 - realtime, *Realtime* 8-2
- file system**, *CommandShellGde*
 - 2-5, *SystemAdmin* 6-1
 - accelerating writes to, *Prestoserve* 3-3
 - avoiding full, *ClusAdmin* 9-25
 - backing up, *ClusAdmin* 9-43
 - checking, *SystemAdmin* 6-45
 - configuring a volume for, *StorageManager* 4-15
 - corrupted, *SystemAdmin* 6-45
 - creating in a cluster, *ClusAdmin* 9-38
 - exercising with fsx, *SystemAdmin* 11-20
 - exporting, *NetAdminSvcs* 4-12
 - free space, *SystemAdmin* 5-68
 - halting export of, *NetAdminSvcs* 4-13
 - managing AdvFS in a cluster, *ClusAdmin* 9-33
 - managing CDFS, *ClusAdmin* 9-42
 - managing in a cluster, *ClusAdmin* 9-10
 - monitoring, *SystemAdmin* 6-46
 - monitoring free space, *SystemAdmin* 5-69
 - mounting, *SystemAdmin* 6-20
 - partitioning, *ClusAdmin* 9-26
 - replicated, *NetAdminSvcs* A-9
 - restoring, *ClusAdmin* 9-43, *InstallGdeAdvTop* 3-1
 - support in a cluster, *ClusTechOver* 2-3
 - tuning, *SystemAdmin* 6-49
 - UFS read/write limited support, *ClusAdmin* 1-14t
- file system layout**
 - cluster, *ClusInstall* 2-14
 - customizing during installation, *InstallGde* 6-30
 - default, *InstallGde* 4-2
 - planning manually, *InstallGdeAdvTop* 4-1
 - specifying during installation, *InstallGde* 6-22
- file system quota**, *SystemAdmin* 6-41
- File Transfer Protocol**, *See* FTP
- file type**
 - determining, *CommandShellGde* 3-28
- File-on-File Mounting File System**, *See* FFM
- finger command**, *CommandShellGde* 10-2
- Finger Protocol (FINGER)**, *TechOver* 3-9
- firmware**
 - release notes, *ClusHWConfig* 4-4
 - updating, *InstallGde* 5-6
 - updating GS80/160/320, *ClusHWConfig* 7-18
- FIS**, *InstallGde* 1-2
 - documentation included on, *DocOverview* 1-6
- floating-point instruction set**
 - assembly language, *AsmLangGde* 4-1
- floating-point range and processing**
 - IEEE standard, *ProgGde* 2-5
- floppy disk**
 - UFS read-only file system and, *ClusAdmin* 9-10
- flow control**, *CallingStandard* 3-1
 - convergence module, *AsynchronousTM* 9-3

- hardware, *AsynchronousTM* 9–1
- software, *AsynchronousTM* 9–2
- focus**
 - considerations in SysMan Menu, *ClusAdmin* 2–9
- font cache**
 - tuning size of, *InternatProg* 6–41
- font renderer**, *InternatProg* 6–44
- font server**, *InternatProg* 6–46
- fonts**
 - bitmap fonts for local languages, *InternatProg* 6–46
 - local-language PostScript, *InternatProg* 6–27
 - PostScript font renderers for X applications, *InternatProg* 6–44
- forced unmounting**
 - AdvFS, *ClusAdmin* 11–15
- foreground processes**, *CommandShellGde* 6–6
- foreign language**,
See Asian languages
- format prefix**, *NetAdminConnect* 3–9
- forward delay**,
ClusLANInterconnect A–4
- frame-based exception handling**,
ProgGde 11–5
- framework**
 - sockets, *NetProgGde* 4–1
 - STREAMS, *NetProgGde* 5–1
- Front Panel**
 - exiting a session, *CDECompanion* 3–1
 - pausing a session, *CDECompanion* 3–1
 - using, *CDECompanion* 3–1
- fsck command**, *SystemAdmin* 6–46
- fsck program**, *SystemAdmin* 6–20
- fstab file**, *SystemAdmin* 6–20
- fsx exerciser**, *SystemAdmin* 11–20

- FTP**, *TechOver* 3–7
- full installation**, *InstallGde* 4–1
 - boot commands, *InstallGde* 6–41
 - building kernel during, *InstallGde* 6–20
 - CD-ROM boot procedures, *InstallGde* 6–4
 - cluster, *ClusInstall* 1–2
 - defined, *InstallGde* 1–3
 - enabling realtime preemption, *InstallGde* 7–10
 - installing LSM during, *InstallGde* 4–3
 - installing WLS, *InstallGde* 4–3
 - preinstallation tasks, *InstallGde* 5–1
 - preserving existing data, *InstallGde* 6–36
 - procedures, *InstallGde* 6–1
 - restarting, *InstallGde* 6–39
 - special processing for LSM, *InstallGde* 6–35
 - system configuration, *InstallGde* 7–1
 - user-supplied files, *InstallGdeAdvTop* 5–1

- full-duplex mode**,
ClusLANInterconnect 2–2n

- fully redundant LAN interconnect**,
ClusLANInterconnect 2–2, 2–6, A–1

- function prototype**, *CLangRef* 5–8

- functions**, *CLangRef* 5–1
 - allowed sequence of in XTI, *NetProgGde* 3–20
 - comparison of XTI and sockets, *NetProgGde* 3–37
 - STREAMS, *NetProgGde* 5–7

G

- gated daemon**, *ClusAdmin* 3–3, *NetAdminConnect* 2–14, *TechOver* 3–29
- configuring, *NetAdminConnect* 2–23

use as routing daemon in a cluster, *ClusInstall* 3–5

gated.conf file, *ClusAdmin* 3–5, *ClusTechOver* 6–3, *NetAdminConnect* 2–15

gated.conf.member file, *ClusAdmin* 3–5

gateways file, *NetAdminConnect* 2–14

General User Documentation Kit, *DocOverview* 1–10

getty command, *SystemAdmin* 2–20, 3–7, 3–8

gettydefs file, *SystemAdmin* 3–4

GetWindowProperty function, *XWinSysEnv* 3–14

GID, *SystemAdmin* 7–10

Gigabit Ethernet, *TechOver* 3–18

GIOC_MMI_GETVERSION command, *AsynchronousTM* 7–3

GIOC_MMI_PATH command, *AsynchronousTM* 7–6

global offset table,
See *GOT*

GOT, *AsmLangGde* 6–2, *CallingStandard* 2–4

gprof,
See *profiling a program*

grep utility, *ProgSupTools* 1–9

group, *SystemAdmin* 7–1

group file, *CommandShellGde* 5–1, *SystemAdmin* 7–9 and NIS, *NetAdminSvcs* 3–25

H

half-duplex mode,
ClusLANInterconnect 2–2n

halt command, *ClusAdmin* 5–6, *SystemAdmin* 2–29

hang
avoiding, *ClusLANInterconnect* 2–9
caused at boot time by adapter failure to autonegotiate, *ClusLANInterconnect* 4–9
caused at boot time by disconnected adapter, *ClusLANInterconnect* 4–10
caused at boot time by incorrect adapter speed and operational mode, *ClusLANInterconnect* 4–9
due to quorum loss, *ClusAdmin* 5–6

hard partition
requirements, *ClusHWConfig* 7–2

hardware
adding to the kernel, *SystemAdmin* 4–20

hardware configuration,
ClusAdmin 9–6
planning, *ClusHWConfig* 4–2
requirements and restrictions for clusters, *ClusHWConfig* 2–1

hardware exception
debugging, *KernelDebug* 4–4

hardware management,
SystemAdmin 5–1

header file, *CLangRef* 1–20, 9–1
including, *ProgGde* 2–9
sockets, *NetProgGde* 4–15
STREAMS, *NetProgGde* 5–6

heap memory analyzer
and profiling, *ProgGde* 8–21

hello time, *ClusLANInterconnect* A–4

help, *CommandShellGde* 1–9

Help Manager
accessing, *CDECompanion* 3–1

hiprof,

- See profiling a program
 - host**
 - configuring for IPv6, *NetAdminConnect* 3–30
 - IPv6 configuration variables, *NetAdminConnect* 3–38
 - Host Resources MIB**, *NetAdminSvcs* F–1
 - hosts file**, *NetAdminConnect* 2–17, 2–26
 - hosts.equiv file**, *NetAdminConnect* 2–18, 2–26
 - HSC**
 - controller failures, *SystemAdmin* C–2
 - host sharing, *SystemAdmin* C–3
 - restrictions, *SystemAdmin* C–3
 - HSG80 controller**
 - adding units and identifiers, *ClusHWConfig* 6–57
 - changing failover modes, *ClusHWConfig* 6–76
 - configuring storagesets for software installation, *ClusHWConfig* 6–53
 - obtaining the worldwide name of, *ClusHWConfig* 6–50
 - setting device unit number, *ClusHWConfig* 6–61
 - setting up for software installation, *ClusHWConfig* 6–42
 - HTML documentation**, *DocOverview* 1–6, *InstallGde* 8–1
 - hub**
 - compared to switch, *ClusLANInterconnect* 2–2n
 - requirements, *ClusLANInterconnect* 2–1
 - hwmgr command**, *ClusAdmin* 1–11t, 9–4, *SystemAdmin* 5–1
 - obtaining network adapter information, *ClusLANInterconnect* 4–4
- I**
- I/O**
 - use of the cluster interconnect, *ClusLANInterconnect* 1–2, 1–3
 - I/O barrier**, *ClusAdmin* 9–7
 - I/O block transfer size**, *ClusAdmin* 9–16
 - I/O data caching**, *ClusAdmin* 9–18
 - ICMP**, *TechOver* 3–17
 - ics0 virtual interface**, *ClusLANInterconnect* 3–4
 - ics_broadcast_setup panic**, *ClusLANInterconnect* 4–11
 - identifier**, *CLangRef* 1–6
 - assembly language, *AsmLangGde* 2–1
 - IEEE floating-point**, See floating-point range and processing
 - ifaccess.conf file**, *NetAdminConnect* 2–35
 - ifconfig command**
 - enabling access filtering with, *NetAdminConnect* 2–35
 - using to monitor active LAN interconnect adapter, *ClusLANInterconnect* 2–11
 - ifconfig ioctl (SIOCIFADD) message**, *ClusLANInterconnect* 4–12
 - IMAP**, *NetAdminSvcs* 7–24, *TechOver* 3–10
 - troubleshooting, *NetAdminSvcs* 9–24
 - immediate mode swapping**, *SystemAdmin* 3–45

- inactive page list**, *TechOver* 5–9
- include file**,
 See header file
- including a file**, *CLangRef* 8–11
- incoming call**
 accepting, *AsynchronousTM* 5–8
 receiving, *AsynchronousTM* 4–2
 rejecting, *AsynchronousTM* 5–8
- inetd daemon**, *NetProgGde* 4–69
 configuring, *ClusAdmin* 7–14
 rpcgen support for,
 OncRpcProgram 2–18
 using to start an RPC server,
 OncRpcProgram 3–25
- init command**, *ClusAdmin* 1–11,
 SystemAdmin 2–7, 2–17
 halt and reboot, *ClusAdmin* 5–6
- init.d directory**, *SystemAdmin* 3–3
- init.d directory structure**,
 SystemAdmin 3–9
- initialization**, *SystemAdmin* 2–6
 Memory Channel API library,
 ClusAvailApp 10–2
 Memory Channel API library for a
 user program, *ClusAvailApp*
 10–10
 tasks, *SystemAdmin* 2–6
- inittab file**, *SystemAdmin* 2–7,
 2–17, 3–2, 3–4, 3–8
 customizing for LAT,
 NetAdminConnect 7–9
 initdefault entry, *SystemAdmin* 2–18
- input method**, *InternatProg* 6–5
 handling in X application,
 InternatProg 5–19
 starting server for, *InternatProg* 6–6
 X resource for, *InternatProg* 6–6
- input mode (vi editor)**,
 CommandShellGde A–9
- input/output multiplexing**,
 NetProgGde 4–70
- Insight Manager**,
 See Compaq Insight Manager
- install.cdf file**, *InstallGdeAdvTop* 6–1
 attribute-value pairs,
 InstallGdeAdvTop A–1
- installation**, *InstallGde* 1–1
 See also full installation,
 update installation
 cluster, *ClusInstall* 1–1,
 ClusTechOver 9–1
 customizing, *InstallGdeAdvTop* 5–1
- installation cloning**,
 InstallGdeAdvTop 6–1,
 SharingSW 7–1
 attribute-value pairs,
 InstallGdeAdvTop A–1
- installation media**, *InstallGde* 1–6
- installing a layered application**,
 ClusAdmin 5–15
- installing the operating system**,
 InstallGde 1–1
- instruction and source line
 profiling**, *ProgGde* 8–11
- instruction set**
 assembly language floating-point,
 AsmLangGde 4–1
 assembly language main
 instruction set, *AsmLangGde*
 3–1
- instructions**
 disassembling using kdbx,
 KernelDebug 2–21
- interconnect address**
 changing for a cluster member,
 ClusAdmin 5–14
- interface**,
 See also network interface
 ATM, *AsynchronousTM* 1–3

- interface parameter**
 - requesting, *AsynchronousTM* 5-3
- international software,**
 - InstallGde* C-20
 - installing, *InstallGdeAdvTop* 2-1
- internationalization,**
 - SystemAdmin* 3-21, *TechOver* 10-1
 - asort command, *InternatProg* 6-34
 - CDE clients, *InternatProg* 6-41
 - codeset conversion, *InternatProg* 6-38
 - creating locales, *InternatProg* 7-1
 - Curses library, *InternatProg* 4-1
 - file command, *InternatProg* 6-40
 - for graphical applications, *InternatProg* 6-41
 - handling cultural data in programs, *InternatProg* 2-13
 - handling text presentation and input, *InternatProg* 2-17
 - implications for software development, *InternatProg* 1-1
 - mail utilities, *InternatProg* 6-32
 - Motif clients, *InternatProg* 6-41
 - Motif widget support, *InternatProg* 5-6
 - mule editor, *InternatProg* 6-40
 - PC code-page format, *InternatProg* 2-5
 - printing subsystem, *InternatProg* 6-19
 - supported languages, *InternatProg* 6-2
 - system administration, *InternatProg* 6-2
 - terminal subsystem, *InternatProg* 6-8
 - Unicode support, *InternatProg* 1-6
 - user-defined characters, *InternatProg* 6-17
 - working in a native-language environment, *InternatProg* 6-1
 - X Library, *InternatProg* 5-7
 - X/Open Worldwide Portability Interfaces, *InternatProg* A-1
- internationalization features,**
 - CDECompanion* 9-1
 - using, *CommandShellGde* C-1
- Internet,**
 - See TCP
- Internet Boot Protocol daemon,**
 - See BOOTP
- Internet Control Message Protocol,**
 - See ICMP
- Internet Message Access Protocol,**
 - See IMAP
- Internet Protocol,**
 - See IP
- Internet Protocol Version 6,**
 - See IPv6
- Internet server daemon,**
 - See inetd daemon
- InterNIC Registration Services**
 - and IP address, *NetAdminConnect* 2-10
- interprocess communications,**
 - See IPC
- interrupt driven socket I/O,**
 - NetProgGde* 4-72
- invocation procedure,**
 - CallingStandard* 7-1
- iostat command,** *ClusAdmin* 1-4
- IP,** *TechOver* 3-2, 3-13
- IP address,** *NetAdminConnect* 2-10
 - and InterNIC Registration Services, *NetAdminConnect* 2-10
 - changing for a cluster, *ClusAdmin* 5-12, 5-13
 - changing for a member, *ClusAdmin* 5-14
 - cluster alias, *ClusAdmin* 3-2, *ClusInstall* 2-4
 - cluster interconnect, *ClusInstall* 2-6

- cluster interconnect
 - physical interface, *ClusLANInterconnect* 3-4
 - cluster interconnect virtual device, *ClusLANInterconnect* 3-4
 - obtaining using DNS, *NetAdminSvc* 2-31
 - IP alias**, *NetAdminConnect* 2-27
 - IP multicasting**, *NetProgGde* 4-58
 - IP name**
 - cluster interconnect
 - physical interface, *ClusLANInterconnect* 3-4
 - cluster interconnect virtual device, *ClusLANInterconnect* 3-4
 - IP router**, *ClusAdmin* 6-2, *NetAdminConnect* 2-15
 - configuring system as, *NetAdminConnect* 2-24
 - IP switching**
 - characteristics, *NetAdminConnect* 4-4
 - configuring with ATM, *NetAdminConnect* 4-22
 - planning configuration with ATM, *NetAdminConnect* 4-13
 - ip6rtrd.conf file**, *NetAdminConnect* 3-40
 - ip6_setup utility**, *NetAdminConnect* 3-30
 - IPC**
 - mechanisms used for, *ProgGde* 1-7
 - iptunnel command**, *NetAdminConnect* 3-36
 - IPv4 multicasting**, *TechOver* 3-14
 - IPv6**
 - 6bone network, *NetAdminConnect* 3-34
 - address autoconfiguration, *NetAdminConnect* 3-9
 - addressing, *NetAdminConnect* 3-2
 - configuring a host, *NetAdminConnect* 3-30
 - configuring a router, *NetAdminConnect* 3-31
 - environment, *NetAdminConnect* 3-13
 - history, *NetAdminConnect* 3-1
 - information required for configuration, *NetAdminConnect* 3-18
 - planning, *NetAdminConnect* 3-17
 - sample configurations, *NetAdminConnect* 3-13
 - support required in kernel, *NetAdminConnect* 3-17
 - terms, *NetAdminConnect* 3-2
 - troubleshooting, *NetAdminConnect* 8-9
 - types of addresses, *NetAdminConnect* 3-3
 - IPv6 subsystem**
 - tuning, *NetAdminConnect* 3-41
 - ISO 10646 standard**, *TechOver* 10-2
 - ISO codesets**, *CommandShellGde* C-2
 - ISO standards**
 - application development considerations, *ProgGde* 1-2
- J**
- Japanese**, *See* Asian languages
 - Java**
 - documentation for, *DocOverview* 4-9
 - SysMan Menu PC application, *ClusAdmin* 2-18

JDBC, *TechOver* 7–2

jobs command, *CommandShellGde*
6–8

joind daemon, *NetAdminConnect*
5–17

K

kdbx debugger, *KernelDebug* 2–12
command aliases, *KernelDebug* 2–15
command syntax, *KernelDebug* 2–12
commands, *KernelDebug* 2–13
compiling custom extensions to,
KernelDebug 3–35
crash dump analysis with,
KernelDebug 4–3, 4–7
debugging extensions to,
KernelDebug 3–36
executing extensions to,
KernelDebug 2–14
extensions to, *KernelDebug* 3–22
identifying hardware exceptions
with, *KernelDebug* 4–4
library functions for extensions
to, *KernelDebug* 3–2
using extensions to, *KernelDebug*
2–15
writing extensions to,
KernelDebug 3–1

kdebug debugger, *KernelDebug*
1–3, 2–37
invoking, *KernelDebug* 2–41
problems with setup of,
KernelDebug 2–42
requirements for, *KernelDebug* 2–38
setting up, *KernelDebug* 2–39

kernel
building during installation,
InstallGde 6–20
configuring, *SystemAdmin* 4–1, 4–24
configuring IPv6 routing in,
NetAdminConnect 3–38
installing ATM options,
NetAdminConnect 4–6

managing attributes, *SystemTune*
3–10
preemptive vs. nonpreemptive,
Realtime 1–4
rebuilding after using *setld*,
InstallGde 9–10
static configuration,
SystemAdmin 4–18
tuning, *SystemTune* 3–10
verifying ATM options,
NetAdminConnect 4–6
vmunix.n file, *SystemAdmin* 14–3

kernel attribute
managing, *ClusAdmin* 5–3,
SystemTune 3–10

kernel build
and */vmunix* CDSL, *ClusAdmin* 9–3

kernel configuration file,
SystemAdmin 4–32
editing during full installation,
InstallGde 6–44

kernel crash
displaying call stack of user
program after, *KernelDebug* 2–8

kernel debugging, *KernelDebug*
1–1, 1–3, *TechOver* 5–2
debugging customized tools,
KernelDebug 3–36
debugging running kernel,
KernelDebug 1–3, 2–37
developing customized tools,
KernelDebug 3–1
linking kernel image for,
KernelDebug 1–1
using *dbx* debugger, *KernelDebug*
2–2
using *kdbx* debugger,
KernelDebug 2–12
using *kdebug* debugger,
KernelDebug 2–37

kernel-level function
STREAMS, *NetProgGde* 5–12

kernel module, *KernelModules* 1–1
attributes, *KernelModules* 3–1

- building, *KernelModules* 10–1
- choosing resources to lock,
 - KernelModules* 6–13
- developing, *KernelModules* 1–6
- dynamically loading,
 - KernelModules* 10–8
- initializing, *KernelModules* 2–1, 2–4
- making safe in SMP environment
 - using complex locks,
 - KernelModules* 8–1
 - multithreaded programming,
 - KernelModules* 9–1
 - statically linking, *KernelModules* 10–6
- kernel product kit**, *ProdKitGde* 7–1
 - kit directory structure,
 - ProdKitGde* 7–3
- kernel program**
 - debugging, *KernelDebug* 1–3
- kernel routine**
 - ATM, *AsynchronousTM* A–1
- kernel subsystem**
 - configuring STREAMS drivers,
 - NetProgGde* 5–20
 - configuring STREAMS modules,
 - NetProgGde* 5–20
- kernel thread**
 - advantages of using,
 - KernelModules* 9–1
 - blocking, *KernelModules* 9–10
 - creating and starting,
 - KernelModules* 9–6
 - setting a timer for current,
 - KernelModules* 9–25
 - terminating, *KernelModules* 9–19
 - unblocking, *KernelModules* 9–17
- kernel thread routine**
 - data structures, *KernelModules* 9–5
- keyboard**
 - customizing settings,
 - CDECompanion* 5–8
 - LK-style with PCXAL,
 - CDECompanion* 8–5
 - LK201/LK401, *CDECompanion* 8–5
 - PC-style with LK201/LK401,
 - CDECompanion* 8–5
 - window emulation of,
 - InternatProg* 6–4
- Keycaps**
 - customizing keyboard,
 - CDECompanion* 5–9
- keyword**, *CLangRef* 1–8
- KGPSA Fibre Channel host bus adapter**
 - obtaining worldwide name,
 - ClusHWConfig* 6–41
 - setting to run on a loop,
 - ClusHWConfig* 6–39
 - setting to run on fabric,
 - ClusHWConfig* 6–37
- kill command**, *ClusAdmin* 1–12t
- Korean**,
 - See* Asian languages
- Korn shell**, *CommandShellGde* 7–1, 8–1
 - .logout script, *CommandShellGde* 7–24
 - pathnames and, *ClusAdmin* 11–21
 - redirecting errors,
 - CommandShellGde* 6–4
- .kshrc login script**,
 - CommandShellGde* 7–16
- KZPBA-CB UltraSCSI host bus adapter**
 - displaying adapter information,
 - ClusHWConfig* 9–9, 9–13
 - displaying information,
 - ClusHWConfig* 4–10
 - installing using external
 - termination, *ClusHWConfig* 9–6
 - installing using internal
 - termination, *ClusHWConfig* 9–3

- setting SCSI ID, *ClusHWConfig* 4-17, 9-16
 - termination resistors, *ClusHWConfig* 4-17, 9-18
 - using with radial configuration, *ClusHWConfig* 4-7
 - KZPSA-BB SCSI bus adapter**
 - displaying adapter information, *ClusHWConfig* 9-9, 9-13
 - installing using external termination, *ClusHWConfig* 9-6
 - installing using internal termination, *ClusHWConfig* 9-3
 - setting bus speed, *ClusHWConfig* 9-17
 - setting SCSI ID, *ClusHWConfig* 9-17
 - setting termination power, *ClusHWConfig* 9-17
 - termination resistors, *ClusHWConfig* 9-18
 - updating firmware, *ClusHWConfig* 9-18
- L**
- lagconfig command**
 - not supported for LAN interconnect, *ClusLANInterconnect* 2-3
 - LAN emulation,** See LANE
 - LAN interconnect,** *ClusTechOver* 7-1
 - comparison to Memory Channel, *ClusLANInterconnect* 1-2
 - ensuring all active adapters are on the same switch, *ClusLANInterconnect* 2-10
 - fully redundant, *ClusLANInterconnect* 2-2, 2-6, A-1
 - hardware requirements, *ClusLANInterconnect* 2-1
 - maintaining, *ClusLANInterconnect* 2-10
 - migrating from Memory Channel to, *ClusLANInterconnect* 4-5, 4-8
 - monitoring, *ClusLANInterconnect* 4-5
 - rules and restrictions, *ClusLANInterconnect* 2-1
 - tuning, *ClusLANInterconnect* 4-3
 - LAN setup for DMS, *SharingSW* 10-3**
 - LAN setup for RIS, *SharingSW* 3-4**
 - LANE**
 - characteristics, *NetAdminConnect* 4-3
 - configuring with ATM, *NetAdminConnect* 4-20
 - managing the environment, *NetAdminConnect* 4-27
 - planning configuration with ATM, *NetAdminConnect* 4-11
 - language announcement in programs, *InternatProg* 1-4**
 - language support**
 - installing, *InstallGdeAdvTop* 2-1
 - lastcomm command,** *SystemAdmin* 10-30
 - LAT, *TechOver* 3-31**
 - configuring with latsetup, *NetAdminConnect* 7-7
 - creating your own service, *NetAdminConnect* 7-17
 - dedicated tty device on a terminal, *NetAdminConnect* 7-18
 - devices, *NetAdminConnect* 7-6
 - gateway service, *NetAdminConnect* 7-16
 - host-initiated connection, *NetAdminConnect* 7-13
 - outgoing connections, *NetAdminConnect* 7-15

printer setup, *NetAdminConnect* 7–10

troubleshooting, *NetAdminConnect* 8–36

latsetup command, *NetAdminConnect* 7–7

layered product
documentation for, *DocOverview* 1–12

installing and deleting, *ClusAdmin* 5–15

layered product kit, *ProdKitGde* 1–1
building subsets and control files, *ProdKitGde* 3–1

directory structure, *ProdKitGde* 2–1

producing distribution media, *ProdKitGde* 6–2, 7–9

ld command, *ProgGde* 2–20

learp command, *NetAdminConnect* 4–27

lex program, *ProgSupTools* 4–1

lexicon, *CLangRef* 1–1

libc.so default C library, *ProgGde* 2–21

libexc exception library, *ProgGde* 11–1

library,
See also shared library

ANSI C standard, *CLangRef* 9–1

linking programs with, *ProgGde* 2–21

run-time, *ProgGde* 2–21

TLI, *NetProgGde* 3–6

XTI, *NetProgGde* 3–6

library call
sockets, *NetProgGde* 4–10

library functions
for extensions to kdbx debugger, *KernelDebug* 3–2

library routines
for writing kdbx extensions, *KernelDebug* 3–2

libtli.a library, *NetProgGde* 3–6

libxti.a library, *NetProgGde* 3–6

license
activity, *LicenseManage* 1–5

availability, *LicenseManage* 1–4

booting without, *ClusAdmin* 11–1

canceling, *LicenseManage* 2–10

cluster requirements, *ClusInstall* 1–5

deleting, *LicenseManage* 2–10

disabling, *LicenseManage* 2–9

enabling, *LicenseManage* 2–9

issuing, *LicenseManage* 2–10

loading, *LicenseManage* 2–6

registering, *LicenseManage* 2–2

unlimited, *LicenseManage* 2–2

unloading, *LicenseManage* 2–8

updating, *LicenseManage* 2–11

license-checking function, *LicenseManage* 1–2

license database for LMF, *LicenseManage* 1–1

License Management Facility,
See LMF

license terms and conditions, *LicenseManage* 1–3

license unit, *LicenseManage* 1–2

License Unit Requirement Table,
See LURT

link aggregation,
ClusLANInterconnect 2–2, A–1, A–2

link resiliency,
ClusLANInterconnect 2–2, A–2

linkage, *CLangRef* 2–11

linking files, *CommandShellGde* 3–13

lint

- coding problem checker, *ProgGde* 6-1
- listing directory contents**,
CommandShellGde 3-2
- .lita section**, *AsmLangGde* 6-5
- literal characters**
 - using backslash,
CommandShellGde 7-11
 - using double quotes,
CommandShellGde 7-12
 - using single quotes,
CommandShellGde 7-12
- little-endian**
 - byte ordering, *AsmLangGde* 1-2
- LMF**, *LicenseManage* 1-1
 - activity license, *LicenseManage* 1-5
 - availability license,
LicenseManage 1-4
 - commands, *LicenseManage* 2-1
 - license-checking function,
LicenseManage 1-2, 1-9
 - license database, *LicenseManage* 1-2
 - license terms and conditions,
LicenseManage 1-3
 - license units, *LicenseManage* 1-2
 - LURT, *LicenseManage* 1-2
 - OSF_USR license, *LicenseManage* 2-2
 - PAAM, *LicenseManage* 1-6, 2-11
- lmf reference page**,
LicenseManage 1-2
- lmf utility**, *LicenseManage* 1-2
- lmfsetup script**, *LicenseManage* 1-2
- ln command**, *CommandShellGde* 3-13, 3-15
- load balancing**, *ClusAdmin* 9-13
 - alias and, *ClusAdmin* 3-4
 - CFS, *ClusAdmin* 9-10
- Local Area Transport**,
See LAT
- local management service**
 - in DLPI, *NetProgGde* 2-4
- locale**, *CommandShellGde* C-1,
InternatProg 1-2, *SystemAdmin* 3-16, *TechOver* 10-3
 - binding to program's run-time environment, *InternatProg* 2-21
 - building and testing, *InternatProg* 7-57
 - categories of, *CommandShellGde* C-8
 - creating, *InternatProg* 7-1,
TechOver 10-7
 - determining which locale is set,
CommandShellGde C-6
 - effect on date and time format,
CommandShellGde C-4
 - effect on messages,
CommandShellGde C-5
 - effect on software,
CommandShellGde C-2
 - numeric and monetary format in,
CommandShellGde C-5
 - setting, *InternatProg* 6-2
 - yes/no response strings,
CommandShellGde C-5
- localization**,
See also internationalization
 - implications for software development, *InternatProg* 1-2
- location and area**
 - setting during full installation,
InstallGde 6-14
- lock**
 - accessing, *CDECompanion* 3-1
 - complex, *KernelModules* 8-1
- locking methods**
 - choosing, *KernelModules* 6-9
 - comparing simple and complex locks, *KernelModules* 6-5
 - complex lock, *KernelModules* 6-1
 - simple lock, *KernelModules* 6-1
- log file**
 - clu_add_member command,
ClusLANInterconnect B-6

- clu_create command,
 - ClusLANInterconnect*
 - B-1
- log subdisk**
 - size differences, *ClusAdmin* 10-2
- logging in**, *CommandShellGde* 1-2,
 - Security* 2-1
 - specifying a language,
 - CDECompanion* 2-7
 - specifying a session,
 - CDECompanion* 2-8
- logging out**
 - of a session, *CommandShellGde* 1-4
- logical partition**
 - configuring, *SystemAdmin* D-2
- Logical Storage Manager**,
 - See LSM
- login account**, *CommandShellGde*
 - 5-2
- .login login script**
 - modifying for System V Habitat,
 - CommandShellGde* 9-2
- Login Manager**, *CDECompanion* 2-7
- login program**, *CommandShellGde*
 - 7-13
- login screen**
 - selecting options, *CDECompanion*
 - 1-1
- login script**
 - .cshrc script, *CommandShellGde*
 - 7-16
 - .kshrc script, *CommandShellGde*
 - 7-16
 - .login script, *CommandShellGde*
 - 7-16
 - .profile script, *CommandShellGde*
 - 7-16
- logout script**, *CommandShellGde*
 - 7-23
- loopback mount**
 - lack of support in cluster,
 - ClusAdmin* 7-10
- lpd daemon**, *SystemAdmin* 8-34
- lpq command**, *CommandShellGde*
 - 3-10, 3-12
- lpr command**, *ClusAdmin* 7-4,
 - CommandShellGde* 3-10
 - printing files, *CommandShellGde*
 - 3-10
- lprm command**,
 - CommandShellGde* 3-13
- lprsetup command**, *ClusAdmin* 1-9
- lprsetup utility**
 - running, *SystemAdmin* 8-19
- lptest command**, *SystemAdmin* 8-42
- ls command**, *CommandShellGde* 3-2
- LSM**, *StorageManager* 1-1,
 - TechOver* 2-11
 - See also Visual Administrator
 - addvol command and, *ClusAdmin*
 - 1-4t
 - bootable tape utility and,
 - StorageManager* 3-9n
 - cluster support for, *ClusTechOver*
 - 2-17
 - configuring, *ClusAdmin* 10-3
 - configuring during full
 installation, *InstallGde*
 - 4-3
 - deported disk groups, *ClusAdmin*
 - 10-6
 - deporting disks, *ClusAdmin* 10-5
 - devices on private buses,
 - ClusAdmin* 10-3
 - dirty-region logging (DRL),
 - ClusAdmin* 10-9
 - encapsulating /usr file system
 into, *ClusAdmin* 10-11
 - encapsulating swap, *ClusAdmin*
 - 10-11
 - error messages, *StorageManager* 7-1

- EVM and, *StorageManager* 6–1
 - growing a volume,
 - StorageManager* 5–31
 - importing disk groups,
 - ClusAdmin* 10–6
 - improving performance,
 - SystemTune* 8–4, 8–6
 - initializing, *StorageManager* 3–5
 - installing, *StorageManager* 3–1
 - interlocking support restriction in a cluster, *ClusAvailApp* 7–2
 - log subdisk size
 - recommendations, *ClusAdmin* 10–9
 - managing objects,
 - StorageManager* 5–1
 - managing plexes,
 - StorageManager* 5–33
 - managing subdisks,
 - StorageManager* 5–38
 - monitoring, *SystemTune* 8–22
 - moving disk groups, *ClusAdmin* 10–6
 - performance, *SystemTune* 2–13
 - quorum disk, *ClusAdmin* 10–2
 - RAID 5, *ClusAdmin* 10–2
 - restrictions on in a cluster,
 - ClusAdmin* 10–2
 - shrinking a volume,
 - StorageManager* 5–32
 - special processing during full installation, *InstallGde* 6–35
 - Storage Administrator,
 - StorageManager* A–1
 - storage connectivity, *ClusAdmin* 10–3
 - troubleshooting, *StorageManager* 6–1
 - uninstalling, *StorageManager* 3–25
 - upgrading, *StorageManager* 3–1
 - verifying initialization,
 - StorageManager* 3–7
 - voldiskadm menu interface,
 - StorageManager* C–1
- LSM daemon**, *StorageManager* 3–23
- monitoring, *StorageManager* 6–7
- LSM device driver**,
 - StorageManager* 3–23
- LSM directory**, *StorageManager* 3–23
- LSM disk**, *StorageManager* 1–2
- LSM file**, *StorageManager* 3–23
- LSM interface**, *StorageManager* 1–15
- LSM object hierarchy**,
 - StorageManager* 1–2
- LSM software subset**,
 - StorageManager* 3–3
- LSM volume**
 - managing, *StorageManager* 5–19
 - migrating legacy, *ClusAdmin* 10–5
- LURT**, *LicenseManage* 1–2
- lvalue**, *CLangRef* 2–23

M

- m4 macro preprocessor**,
 - ProgSupTools* 5–1
- macro**, *CLangRef* 8–1
- See also* m4 macro preprocessor
 - predefined, *CLangRef* 8–15
- magic number**, *ProgGde* 2–25
- magnetic tape drive**
 - testing with tapex, *SystemAdmin* 11–23
- mail**, *NetAdminSvcs* 7–1
- accessing, *CDECompanion* 3–1
 - administering aliases,
 - NetAdminSvcs* 7–40
 - aliases, *CommandShellGde* 11–16
 - and DECnet, *NetAdminSvcs* 7–6
 - configuring, *ClusAdmin* 7–15
 - configuring a client,
 - NetAdminSvcs* 7–15
 - configuring a server,
 - NetAdminSvcs* 7–16
 - configuring a standalone system,
 - NetAdminSvcs* 7–14

- configuring cluster as a server, *ClusInstall* 3–8
- converting to CDE format, *CDECompanion* 10–1
- customizing mail program, *CommandShellGde* 11–15
- Cw macros, *ClusAdmin* 7–16
- differences between dtmail and dxmail, *CDECompanion* A–1
- enhancements for Asian languages, *InternatProg* 6–32
- error messages, *NetAdminSvcs* E–1
- exiting from, *CommandShellGde* 11–15
- files, *ClusAdmin* 7–16
- gateway, *NetAdminSvcs* 7–4
- getting help, *CommandShellGde* 11–14
- IMAP, *NetAdminSvcs* 7–24
- internationalization, *InternatProg* 6–32
- POP, *NetAdminSvcs* 7–18
- troubleshooting, *NetAdminSvcs* 9–22, 9–24
- mail conversion utility**, *CDECompanion* 10–3
- mail protocol**
 - cluster support, *ClusAdmin* 7–15
- mail utility**, *NetAdminSvcs* 7–41
- mailconfig application**, *NetAdminSvcs* 7–13
- mailq command**, *NetAdminSvcs* 7–38
- mailstats command**, *NetAdminSvcs* 7–41
- mailusradm utility**, *NetAdminSvcs* 7–21, 7–25, 7–27
- mailx commands**, *CommandShellGde* F–1
- mailx utility**, *NetAdminSvcs* 7–42
 - escape commands, *CommandShellGde* E–1
- make utility**, *ProgSupTools* 7–1
- makedbm command**, *NetAdminSvcs* 3–21, 3–22
- man command**, *CommandShellGde* 1–9
- management tools**
 - available interfaces, *ClusAdmin* 2–4
 - quick start, *ClusAdmin* 2–2
- manpage**, *See* reference page
- mapping table**, *TechOver* 3–16
- mask**
 - subnet, *ClusLANInterconnect* 3–5n
- maximum age**, *ClusLANInterconnect* A–4
- MC_CABLE command**
 - restrictions on, *ClusAdmin* 11–21
- member**, *ClusAdmin* 4–2
 - changing IP address, *ClusAdmin* 5–14
 - managing, *ClusAdmin* 5–1
 - mounting boot partition, *ClusAdmin* 11–16
 - relocating root domain, *ClusAdmin* 9–11
 - repairing boot disk, *ClusAdmin* 11–3
 - root domain, *ClusAdmin* 1–3
- member boot disk**, *ClusInstall* 2–11
- membership**
 - monitoring, *ClusAdmin* 4–18
- memory**
 - allocating for ATM, *AsynchronousTM* 2–8
 - configuring, *SystemTune* 2–5
 - detecting leaks, *ProgGde* 8–21
 - displaying, *SystemTune* 6–16
 - exercising with memx, *SystemAdmin* 11–20
 - increasing, *SystemTune* 6–24
 - operation, *SystemTune* 6–1

- paging, *SystemTune* 6–12
- reclaiming pages, *SystemTune* 6–9
- requirements, *SystemTune* 2–5
- shared, *SystemTune* 6–34
- swap space, *SystemTune* 2–6
- swapping, *SystemTune* 6–13
- testing shared memory, *SystemAdmin* 11–21
- Memory Channel,**
 - ClusLANInterconnect* 3–4,
 - ClusTechOver* 7–2
 - benefit for latency and distributed processing, *ClusLANInterconnect* 1–7
 - cluster information functions, *ClusAvailApp* 10–31
 - cluster signals, *ClusAvailApp* 10–30
 - clusterwide locks, *ClusAvailApp* 10–27
 - comparison to LAN, *ClusLANInterconnect* 1–2
 - installing adapter, *ClusHWConfig* 5–6
 - installing cables, *ClusHWConfig* 5–7
 - installing hub, *ClusHWConfig* 5–7
 - installing optical converter, *ClusHWConfig* 5–6
 - migrating from LAN interconnect to, *ClusLANInterconnect* 4–8
 - migrating to LAN interconnect from, *ClusLANInterconnect* 4–5
 - multirail model, *ClusAvailApp* 10–2
 - running diagnostics, *ClusHWConfig* 5–12
 - setting jumpers, *ClusHWConfig* 5–2
- Memory Channel adapter**
 - upgrading, *ClusHWConfig* 5–14
- Memory Channel API,** *ClusAvailApp* 10–33
- Memory Channel API library**
 - developing applications, *ClusAvailApp* 10–1
- Memory File System,**
 - See* MFS
- memory locking**
 - realtime, *Realtime* 4–1
- memory mapped file,** *ClusAdmin* 9–25
- memory mapped file support,**
 - See* mmap
- memory trolling**
 - model, *OnlineAddRem* 6–1
- memx exerciser,** *SystemAdmin* 11–20
- message**
 - realtime, *Realtime* 10–1
 - sending, using write command, *CommandShellGde* 11–21
- message buffer, preserved**
 - examining with dbx debugger, *KernelDebug* 2–10
- message catalog**
 - creating source files for, *InternatProg* 3–1
 - design and maintenance considerations, *InternatProg* 3–20
 - editing and translating, *InternatProg* 3–15
 - generating from message sources, *InternatProg* 3–16
- message handler (mh),** *NetAdminSvcs* 7–42
- message passing model**
 - for developing applications based on the cluster Memory Channel API library, *ClusAvailApp* 10–33
- message queue**
 - realtime, *Realtime* 10–1
- Message Transport System,**
 - See* MTS
- MFS,** *SystemAdmin* 6–2, 6–17
 - cluster support, *ClusAdmin* 9–26
- MIB**
 - Host Resources, *NetAdminSvcs* F–1
- MIB subtree**

- eSNMP, *NetProgGde* 6–6
- Microsoft NT RAS server**,
NetAdminConnect 6–25
- migration**
 - from DECwindows Motif to CDE,
CDECompanion 7–1
 - LAN interconnect to
 - Memory Channel,
ClusLANInterconnect 4–8
 - Memory Channel to
LAN interconnect,
ClusLANInterconnect 4–5
- mkcdsl command**, *ClusAdmin* 9–2
- mkdir command**,
CommandShellGde 3–1
- mmap**, *TechOver* 6–9
- MMI**
 - calling conventions,
AsynchronousTM 7–5
 - connecting convergence module
to, *AsynchronousTM* 5–3
 - convergence module,
AsynchronousTM 7–7
 - creating path, *AsynchronousTM* 7–2
 - defining ioctl commands,
AsynchronousTM 7–4
 - device driver, *AsynchronousTM* 7–6
 - signaling module,
AsynchronousTM 7–7
 - verifying ioctl version,
AsynchronousTM 7–3
- modem**
 - guidelines, *NetAdminConnect* 6–16, 6–29
 - using with SLIP,
NetAdminConnect 6–3
- Module Management Interface**,
See MMI
- monetary value**
 - formatting rules in a locale,
InternatProg 7–19
- monitoring membership**,
ClusAdmin 4–18
- monitoring the system**,
SystemAdmin 11–1, 11–10,
SystemTune 3–1
- more command**,
CommandShellGde 3–5
- Motif**, *TechOver* 8–8
 - internationalization,
InternatProg 5–4
- Motif graphical user interface**
 - enhancements for native
languages, *InternatProg* 6–41
 - widget support, *InternatProg* 5–6
- mount command**, *SystemAdmin* 6–20
 - CFS server and, *ClusAdmin* 9–11
 - loopback mounts lack of support,
ClusAdmin 7–10
 - mounting NFS file systems on
cluster members, *ClusAdmin* 7–9
 - NFS clients using cluster alias,
ClusAdmin 7–9
 - partitioning file systems,
ClusAdmin 9–26
 - server_only option, *ClusAdmin* 9–26
- mountd daemon**, *NetAdminSvcs* 4–11
- mounting a remote file system**,
NetAdminSvcs 4–18
- mounting the online
documentation CD-ROM**,
InstallGde 8–2
- moving a file**, *CommandShellGde* 3–21
- MPH**, *TechOver* 2–21
- msghdr data structure**,
NetProgGde 4–18
- MTS**, *ClusAdmin* 7–15

mule editor, *InternatProg* 6–40

multi-instance application

running in a cluster,
ClusAvailApp 1–5

multicasting, *NetProgGde* 4–58

multihead graphic support,

TechOver 8–3

multilanguage program

compiling, *ProgGde* 2–16
include files for, *ProgGde* 2–11

multiple adapter support,

NetAdminConnect 2–3, 2–28

multiple windows

managing, *CDECompanion* 2–4

multiplexing, *NetProgGde* 4–70

multiprocessor system

enabling unattended reboots,
InstallGde 7–10

multithreaded application,

See also POSIX Threads

Library

building, *ProgGde* 12–11

debugging, *POSIXThreads* C–1

developing, *KernelModules* 9–1,
POSIXThreads 1–1

developing libraries for, *ProgGde*
12–1

profiling, *ProgGde* 8–29

multiuser boot, *SystemAdmin* 2–6

mutex, *POSIXThreads* 2–26, 4–3

N

name

changing for a cluster, *ClusAdmin*
5–12

changing for a member,

ClusAdmin 5–14

IP, *ClusLANInterconnect* 3–4

name services configuration file,

See *svc.conf* file

name space, *CLangRef* 2–24

Name/Finger Protocol,

See Finger Protocol (FINGER)

namei cache

tuning, *SystemTune* 9–1

naming services

DNS, *NetAdminSvcs* 2–1

NIS, *NetAdminSvcs* 3–1

naming your system

during installation, *InstallGde* 6–12

national language support,

SystemAdmin 3–16

netconfig application,

NetAdminConnect 2–19

netconfig command, *ClusAdmin* 6–3

NetRAIN, *ClusAdmin* 6–2

configuring an interface,
NetAdminConnect 2–28

configuring as LAN cluster

interconnect in existing
cluster, *ClusLANInterconnect*
4–1

doubly defined device,

ClusLANInterconnect
4–12

monitoring the interface,

NetAdminConnect 2–32

tuning as a LAN interconnect,

ClusLANInterconnect 4–3

NetRAIN failover

consequences,

ClusLANInterconnect
2–10

manual, *ClusLANInterconnect* 4–13

Netscape Navigator

using to view online

documentation, *InstallGde* 8–2

netstat command,

NetAdminConnect 9–6,

A–1

network

administering, *NetAdminConnect*

1–1, *NetAdminSvcs* 1–1

- bandwidth management,
 - NetProgGde* 7-1
- failover, *ClusAdmin* 6-2
- monitoring, *SystemTune* 10-1
- QoS, *NetProgGde* 7-1
- QoS architecture, *NetProgGde* 7-2
- QoS component operation,
 - NetProgGde* 7-3
- reporting problems,
 - NetAdminConnect* 10-1,
 - NetAdminSvcs* 12-1
- troubleshooting, *ClusAdmin*
 - 11-17, *NetAdminConnect*
 - 8-1, 9-1, *NetAdminSvcs* 9-1,
 - 10-1
- tuning, *SystemTune* 10-6
- vb, *SysConfigSup* 3-1
- network adapter,**
 - See also* network interface
 - device names,
 - ClusLANInterconnect*
 - 3-2
 - obtaining operational information
 - about, *ClusLANInterconnect* 4-4
 - setting mode during installation,
 - InstallGde* 5-8
- network addresses**
 - and sockets, *NetProgGde* 4-41
- network administration,**
 - NetAdminConnect* 1-1,
 - NetAdminSvcs* 1-1
- network availability,** *SystemTune*
 - 2-18
- network configuration**
 - broadcasting and determining,
 - NetProgGde* 4-66
- Network File System,**
 - See* NFS
- Network Information Service,**
 - See* NIS
- network installation,**
 - InstallGdeAdvTop* 1-1
- network interface,**
 - NetAdminConnect* 2-1
 - adding an IPv6 address to,
 - NetAdminConnect* 3-36
 - configuring, *NetAdminConnect* 2-19
 - configuring multiple for failover,
 - NetAdminConnect* 2-28
 - deconfiguring, *NetAdminConnect*
 - 2-21
 - deleting an IPv6 address from,
 - NetAdminConnect* 3-37
 - initializing for IPv6,
 - NetAdminConnect* 3-35
 - monitoring, *NetAdminConnect*
 - A-1, *TechOver* 3-32
 - multiple in same subnetwork,
 - NetAdminConnect* 2-3, 2-27
 - removing IPv6 from,
 - NetAdminConnect* 3-35
- Network Interface Failure Finder,**
 - See* NIFF
- network port**
 - alias and, *ClusAdmin* 3-3
 - extending number in cluster,
 - ClusAdmin* 3-13
- network programming environment,** *TechOver*
 - 6-10
 - application programming
 - interfaces, *TechOver* 6-10
 - data link interface, *TechOver* 6-10
- network security,** *Security* 3-1
- network sockets application**
 - AF_INET programming
 - examples, *NetProgGde* C-1
 - AF_INET6 programming
 - examples, *NetProgGde* C-7
- Network Time Protocol,**
 - See* NTP
- network time synchronization,**
 - ClusAdmin* 7-5

- networks file**, *NetAdminConnect* 2–18, 2–27
- net_wizard command**, *ClusAdmin* 6–3
- newfs command**, *SystemAdmin* 6–16
- NFS**, *ClusLANInterconnect* 1–2, 1–5, *NetAdminSvcs* 4–1, *TechOver* 3–8 and BIND, *NetAdminSvcs* 4–1 and NIS, *NetAdminSvcs* 4–1 and superuser mail, *NetAdminSvcs* 4–15 autofs, *NetAdminSvcs* 4–2 automount, *NetAdminSvcs* 4–2 configuring, *ClusAdmin* 7–7 configuring cluster as client or server, *ClusInstall* 3–7 displaying, *SystemTune* 9–38 environment, *Prestoserve* 1–3 error messages, *NetAdminSvcs* C–1 forcibly unmounting file systems, *ClusAdmin* 7–12, 7–13 improving file security, *NetAdminSvcs* 4–11 interaction with cluster aliases, *ClusAdmin* 3–16 limitations on, *ClusAdmin* 7–10 loopback mount, *ClusAdmin* 7–10 monitoring system load, *NetAdminSvcs* 4–16 mounting a remote file system, *NetAdminSvcs* 4–18 mounting file systems, *ClusAdmin* 7–12, 7–13 network problems, *Prestoserve* 1–4 Prestoserve impact on performance, *Prestoserve* 1–8 troubleshooting, *NetAdminSvcs* 9–12, 9–15 tuning, *SystemTune* 9–40 unmounting a remote file system, *NetAdminSvcs* 4–28 using in a cluster, *ClusAdmin* 7–11
- NFS client**
 - configuring, *NetAdminSvcs* 4–9
 - managing, *NetAdminSvcs* 4–17
 - mounting a remote file system, *NetAdminSvcs* 4–18
 - problems, *Prestoserve* 1–5
 - unmounting a remote file system, *NetAdminSvcs* 4–28
 - using correct alias, *ClusAdmin* 7–9
- NFS file system**
 - mounting via CDSLs, *ClusAdmin* 7–9
- NFS mounted RIS area**, *SharingSW* 4–10
- NFS server**
 - configuring, *NetAdminSvcs* 4–8
 - exporting file systems, *NetAdminSvcs* 4–12
 - halting export of file systems, *NetAdminSvcs* 4–13
 - managing, *NetAdminSvcs* 4–11
 - monitoring ports, *NetAdminSvcs* 4–16
 - problems, *Prestoserve* 1–6
- NFS setup for DMS**, *SharingSW* 10–3
- nfsconfig application**, *NetAdminSvcs* 4–8
- nfsstat command**, *NetAdminSvcs* 4–16
- NIFF**, *ClusAdmin* 6–2
- nifd daemon**, *NetAdminConnect* 9–1
- NIS**, *ClusAdmin* 7–3, *NetAdminSvcs* 3–1
 - adding groups to a domain, *NetAdminSvcs* 3–25
 - adding users to a domain, *NetAdminSvcs* 3–23
 - changing a password, *NetAdminSvcs* 3–31
 - configuring, *ClusAdmin* 7–3
 - configuring cluster as client or server, *ClusInstall* 3–7
 - databases distributed by, *NetAdminSvcs* 3–2
 - enhanced security and NIS configuration, *ClusAdmin* 7–3

- modifying *svc.conf*,
NetAdminSvcs 3-19
 - obtaining map information,
NetAdminSvcs 3-31
 - security, *NetAdminSvcs* 3-29
 - troubleshooting, *NetAdminSvcs*
9-6, 9-9
 - updating maps, *NetAdminSvcs* 3-25
 - Yellow Pages, *ClusAdmin* 7-3
 - NIS client**
 - configuring, *NetAdminSvcs* 3-17
 - managing, *NetAdminSvcs* 3-31
 - NIS server**
 - configuring a master server,
NetAdminSvcs 3-11
 - configuring a slave server,
NetAdminSvcs 3-15
 - managing, *NetAdminSvcs* 3-20
 - update scripts, *NetAdminSvcs* B-1
 - nissetup command**, *NetAdminSvcs*
3-10
 - nm (object file tool)**, *ProgGde* 2-24
 - no-single-point-of-failure**,
See NSPOF
 - node vote**, *ClusAdmin* 4-3
 - nr interface**, *NetAdminConnect* 2-4
 - nslookup command**,
NetAdminSvcs 2-32, 11-20
 - NSPOF**, *ClusLANInterconnect* 4-2,
A-1
 - NTP**
 - authentication, *NetAdminSvcs* 6-6
 - configuring, *ClusAdmin* 7-5,
NetAdminSvcs 6-6
 - configuring cluster as client or
server, *ClusInstall* 3-6
 - displaying status, *NetAdminSvcs*
6-9
 - external servers, *ClusAdmin* 7-6
 - Internet time servers,
NetAdminSvcs 6-4
 - reference clock, *NetAdminSvcs* 6-4
 - troubleshooting, *NetAdminSvcs*
9-20
 - ntp command**, *NetAdminSvcs* 6-10
 - ntpdate command**, *NetAdminSvcs*
6-10
 - ntpq command**, *NetAdminSvcs* 6-8
 - ntpsetup command**,
NetAdminSvcs 6-6
 - numeric value**
 - formatting rules in a locale,
InternatProg 7-21
- ## O
- object file**
 - determining section sizes,
ProgGde 2-25
 - disassembling into machine code,
ProgGde 2-26
 - dumping selected parts of,
ProgGde 2-24
 - object file tools**, *ProgGde* 2-23
 - object hierarchy**
LSM, *StorageManager* 1-2
 - object tables**
eSNMP, *NetProgGde* 6-8
 - ODBC**, *TechOver* 7-2
 - odump (object file tool)**, *ProgGde*
2-24
 - OEM platforms**, *SysConfigSup* 1-1
 - vb network configuration,
SysConfigSup 3-1
 - VMEbus configuration,
SysConfigSup 2-1
 - ogated daemon**
 - not supported in a cluster,
ClusAdmin 3-3, *ClusInstall* 3-5
 - on-link prefix**

- adding a route for,
NetAdminConnect 3–37
 - ONC RPC**,
See *RPC*
 - online addition and removal**,
OnlineAddRem 1–1
 - online documentation**, *InstallGde*
8–1
copying to disk, *InstallGde* 8–6
 - Open Shortest Path First**,
See *OSPF*
 - OpenMP directive**, *ProgGde* 13–1
 - OpenVMS**
enabling display, *CDECompanion*
5–3
 - operating system**
overview of, *CommandShellGde* 1–1
 - operating system patches**,
See *patches*
 - operating system processes**,
CommandShellGde 6–1
 - operator**, *CLangRef* 1–9, 6–1
 - optimization**
CFS, *ClusAdmin* 9–13
compilation options, *ProgGde* 2–20
profile-directed, *ProgGde* 10–8, F–2
techniques, *ProgGde* 10–1
with -om and cord, *ProgGde* F–1
with spike, *ProgGde* 10–6
 - options**
XTI, *NetProgGde* 3–43
 - options file**, *NetAdminConnect*
6–21, 6–27
 - Oracle Parallel Server**
direct-I/O disk writes,
ClusLANInterconnect
1–4
moving to TruCluster Server,
ClusAvailApp 6–3
running on TruCluster Server,
ClusAvailApp 6–2
 - orderly release**, *NetProgGde* 3–9
 - OSF_USR license**, *LicenseManage*
2–2
 - OSPF**, *ClusAdmin* 6–2, *TechOver* 3–6
 - out-of-band data**
handling in the socket framework,
NetProgGde 4–56
 - overlapping disk partitions**
checking for, *SystemAdmin* 5–68
- ## P
- PAAM**, *LicenseManage* 1–6
current business policy,
LicenseManage 2–11
 - pac command**, *SystemAdmin* 10–34
 - page command**,
CommandShellGde 3–5
 - page faulting**, *SystemTune* 6–7
 - paging**, *SystemTune* 6–12
 - PAK**, *LicenseManage* 1–6
fields on, *LicenseManage* 1–7e
obtaining, *LicenseManage* 1–6
 - PALcode**
instruction summaries,
AsmLangGde D–1
 - panic**
accessing boot partition after,
ClusAdmin 11–16
caused at boot time by
nonexistent adapter,
ClusLANInterconnect 4–11
from connection manager,
ClusAdmin 4–19
when boot partition is already
mounted, *ClusAdmin* 11–17
 - pap-secrets file**, *NetAdminConnect*
6–15
 - parallel processing**
OpenMP directives, *ProgGde* 13–1
pre-OpenMP style, *ProgGde* D–1

partition

- cluster, *ClusAdmin* 4-2
- network, *ClusLANInterconnect* 2-9

passwd command,

CommandShellGde 1-6

passwd file, *SystemAdmin* 7-9

and NIS, *NetAdminSvcs* 3-23

password, *CommandShellGde* 1-6,

SystemAdmin 7-1

changing in NIS, *NetAdminSvcs* 3-31

common, *CommandShellGde* 1-6

file, *CommandShellGde* 5-1

security tips, *Security* 2-3

setting with enhanced security enabled, *Security* 2-3

patches

cluster, *ClusInstall* 7-3

lists of for operating system versions, *DocOverview* 5-2

PATH environment variable,

CommandShellGde 7-23

setting for System V habitat, *CommandShellGde* 9-2

pathname, *CommandShellGde* 2-8**pathname conventions (UUCP),**

CommandShellGde 14-1

pax command, *SystemAdmin* 9-5**PC code page,**

See also codeset conversion

locale, *InternatProg* 2-5

PC-NFS daemon, *NetAdminSvcs* 4-8**PCI/ISA (DMCC) Alpha**

single-board computer,

SysConfigSup 1-1

PCI/ISA Alpha 21264

single-board computer,

SysConfigSup 1-1

PCMCIA card

configuring, *SystemAdmin* D-1

PDF documentation, *DocOverview*

1-6, *InstallGde* 8-1

performance,

See also tuning

application, *SystemAdmin* 11-10,

SystemTune 11-4

availability, *SystemTune* 1-14

avoiding nearly full file systems, *ClusAdmin* 9-25

CFS load balancing, *ClusAdmin* 9-10

characterizing a workload,

SystemTune 2-1

configuration and tuning steps,

SystemTune 4-1

CPU, *SystemTune* 7-8

diagnosing problems, *SystemTune* 3-1

hardware, *SystemTune* 2-3, 2-9

improving, *SystemTune* 4-1

measuring, *SystemTune* 1-1

memory operation, *SystemTune* 6-1

modifying the kernel, *SystemTune* 3-10

monitoring, *SystemTune* 3-1, 3-4, 3-7

network, *SystemTune* 10-1

optimizing CFS, *ClusAdmin* 9-13

system resources, *SystemTune* 5-1

performance history

monitoring, *SystemAdmin* 11-13

permanent virtual circuit,

See PVC

permissions, *CommandShellGde* 5-1

changing, *CommandShellGde* 5-4

setting default,

CommandShellGde 5-13

setting file and directory,

CommandShellGde 5-8

setting with octal numbers,

CommandShellGde 5-11

Personal Application subpanel,

CDECompanion 3-4

PFS, *TechOver* 4–9

pg command, *CommandShellGde* 3–5

ping command, *NetAdminConnect* 9–4
troubleshooting with, *ClusAdmin* 11–17

pipe character,
CommandShellGde 7–8

pipeline
using, *CommandShellGde* 7–8

pixie,
See profiling a program

point-to-multipoint,
See connection

point-to-point,
See connection

Point-to-Point Protocol,
See PPP

pointer size
conversion, *ProgGde* A–1

POP, *NetAdminSvcs* 7–18, *TechOver* 3–10
troubleshooting, *NetAdminSvcs* 9–24

port
application inability to map to,
ClusLANInterconnect 4–14
broadcast, *ClusLANInterconnect* 4–14
cluster alias and network,
ClusAdmin 3–3
extending number in cluster,
ClusAdmin 3–13
nonbroadcast,
ClusLANInterconnect 4–14

port monitoring, *NetAdminSvcs* 4–16

port trunking,
See link aggregation

portable application
developing applications to
run either in a cluster or
on a standalone system,
ClusAvailApp 7–2

Portable Character Set (PCS),
InternatProg 1–5

porting applications to XTI,
NetProgGde 3–33

portmap daemon
Prestoserve, *Prestoserve* 2–10

portmap network service,
OncRpcProgram 1–3

POSIX shell, *CommandShellGde* 7–1, 8–1
.logout script, *CommandShellGde* 7–24
redirecting errors,
CommandShellGde 6–4

POSIX signal functions, *Realtime* 5–2

POSIX standards
application development
considerations, *ProgGde* 1–2
realtime, *Realtime* 1–17

**POSIX Threads exception
package**, *POSIXThreads* 5–1

POSIX Threads Library,
KernelModules 9–1,
POSIXThreads 1–1
condition variables,
POSIXThreads 2–30,
4–3
considerations for Tru64 UNIX
systems, *POSIXThreads* A–1
error reporting, *POSIXThreads* 3–23
exceptions, *POSIXThreads* 5–1
mutexes, *POSIXThreads* 2–26, 4–3
objects, *POSIXThreads* 2–1
operations, *POSIXThreads* 2–1
programming, *POSIXThreads* 3–1
pthread routines, *POSIXThreads*
pthread–1
thread-safe libraries,
POSIXThreads 4–1

- tis routines, *POSIXThreads* tis-1
- POSIX Threads Library**
 - debugger**, *POSIXThreads* C-1
- Post Office Protocol**,
See POP
- postload file**, *InstallGdeAdvTop* 5-1
- postreboot file**, *InstallGdeAdvTop* 5-1
- power management**,
SystemAdmin 3-37
- PPA**
 - adding, *AsynchronousTM* 4-4
 - binding to, *AsynchronousTM* 5-6
 - data structure, *AsynchronousTM* 2-35
 - deleting, *AsynchronousTM* 4-4
 - unbinding, *AsynchronousTM* 5-8
- PPP**, *NetAdminConnect* 6-11
See also connection, SLIP
and gateways, *NetAdminConnect* 6-27
 - configuring dial-in system,
NetAdminConnect 6-26
 - configuring dial-out system,
NetAdminConnect 6-19
 - guidelines for running pppd,
NetAdminConnect 6-24
 - Microsoft NT RAS server,
NetAdminConnect 6-25
 - security, *NetAdminConnect* 6-15
 - troubleshooting,
NetAdminConnect 8-34
- pppd daemon**, *NetAdminConnect* 6-14
- pragma**
 - assert directive, *ProgGde* 3-2
 - environment, *ProgGde* 3-6
 - extern_model directive, *ProgGde* 3-7
 - extern_prefix, *ProgGde* 3-11
 - function, *ProgGde* 3-14
 - inline, *ProgGde* 3-13
 - intrinsic, *ProgGde* 3-14
 - linkage, *ProgGde* 3-16
 - member_alignment, *ProgGde* 3-19
 - message, *ProgGde* 3-20
 - optimize, *ProgGde* 3-25
 - pack, *ProgGde* 3-27
 - pointer_size, *ProgGde* 3-28
 - preprocessor directive, *CLangRef* 8-12
 - use_linkage, *ProgGde* 3-29
 - weak, *ProgGde* 3-30
- prdaily shell script**, *SystemAdmin* 10-40
- preinstall file**, *InstallGdeAdvTop* 5-1
- preprocessing**, *CLangRef* 2-24, 8-1
- preprocessor directive**, *CLangRef* 2-24, 8-1
- preserved message buffer**
 - examining with dbx debugger,
KernelDebug 2-10
- presto command**, *Prestoserve* 3-3
- prestoctl_svc daemon**
Prestoserve, *Prestoserve* 2-11
- Prestoserve**
 - adding kernel support,
Prestoserve 2-4
 - creating generic control device,
Prestoserve 2-9
 - improving NFS server
performance, *Prestoserve* 1-6
 - installing dxpresto subset,
Prestoserve 2-1
 - lack of support in cluster,
ClusAdmin 1-6t
 - managing, *Prestoserve* 3-3
 - monitoring, *Prestoserve* 3-3, 3-8
 - pseudodevice driver, *Prestoserve* 1-2, 3-1
 - recovering from failures,
Prestoserve 4-1
 - setting up, *Prestoserve* 2-6
 - speeding up synchronous writes,
Prestoserve 1-1

prestosetup command
 setting up Prestoserve,
Prestoserve 2–6

Print Manager
 accessing, *CDECompanion* 3–1

print server
 configuring cluster as, *ClusInstall*
 3–8

printed documentation,
See Tru64 UNIX
 Documentation Kit

printer, *SystemAdmin* 8–1
 device special file name,
SystemAdmin 8–31
 lpc command, *SystemAdmin* 8–24
 setting up, *SystemAdmin* 8–12
 support for local languages,
InternatProg 6–19
 troubleshooting, *SystemAdmin* 8–42
 using with LAT,
NetAdminConnect 7–10

printer daemon, *ClusAdmin* 7–4

printf routine, *KernelModules* 5–15

printing
 configuring, *ClusAdmin* 7–4
 internationalized, *InternatProg* 6–19
 reference pages,
CommandShellGde 1–9
 spool file, *ClusAdmin* 7–4

priority
 realtime, *Realtime* 2–1

privileges,
See DOP

/proc File System,
See PFS

procedure descriptor,
CallingStandard 8–1

procedure invocation,
CallingStandard 7–1

process, *CommandShellGde* 6–1
 initializing, *SystemAdmin* 2–6

process control
 kill command, *ClusAdmin* 1–12t

process information,
CommandShellGde 6–14

processing text files,
See awk utility, m4 macro
 preprocessor

**Product Authorization
 Amendment,**
See PAAM

Product Authorization Key,
See LMF, PAK

prof,
See profiling a program

.profile login script,
CommandShellGde 7–16
 modifying for System V Habitat,
CommandShellGde 9–2

profile set, *SharingSW* 7–1

profiling a program, *ProgGde* 8–1

profiling an application,
SystemTune 11–1

profiling the kernel, *SystemTune* 3–9

program number assignment,
OncRpcProgram 1–5

**programming languages
 supported by Tru64 UNIX,**
ProgGde 1–4

protocol
 selecting in sockets, *NetProgGde*
 4–53

prototype, *CLangRef* 5–8

prtacct shell script, *SystemAdmin*
 10–40

pseudodevice driver
 Prestoserve, *Prestoserve* 1–2, 3–1

pseudoterminal, *NetProgGde* 4–74
 and sockets, *NetProgGde* 4–74

pthread routine, *POSIXThreads*
 pthread–1

punctuator, *CLangRef* 1–10

PVC

creating, *AsynchronousTM* 6–9

Q

QoS, *NetAdminConnect* 2–40,
NetProgGde 7–1

component operation, *NetProgGde*
7–3

components, *NetProgGde* 7–2

modifying, *AsynchronousTM* 5–6

quality of service,

See QoS

queue

convergence module guidelines,

AsynchronousTM 8–3

device driver guidelines,

AsynchronousTM 8–1

Quick Setup utility, *InstallGde*

7–3, *TechOver* 2–7

QuickSpec, *DocOverview* 5–2

quickstart, *TechOver* 6–5

quit (q) command

vi editor, *CommandShellGde* A–4

quorum, *ClusTechOver* 3–4

calculating, *ClusAdmin* 4–5

single-user mode and, *ClusAdmin*
4–4, 5–9

quorum algorithm, *ClusAdmin* 4–5

quorum disk, *ClusInstall* 2–12,

ClusLANInterconnect 2–5,

ClusTechOver 3–6

configuring, *ClusAdmin* 4–14,

ClusLANInterconnect 2–10

LSM and, *ClusAdmin* 4–14, 10–2

replacing, *ClusAdmin* 4–15

trusted, *ClusAdmin* 4–15

using, *ClusAdmin* 4–11

votes, *ClusAdmin* 4–4

quorum information

displaying, *ClusAdmin* 4–16

quorum loss, *ClusAdmin* 4–6

preventing during member

shutdown, *ClusAdmin* 5–6

quorum vote, *ClusAdmin* 4–6

calculating, *ClusAdmin* 4–5

quota

supported in a cluster, *ClusAdmin*
9–36

UFS, *SystemAdmin* 6–41

quoting conventions,

CommandShellGde 7–11

R

RAID, *SystemTune* 1–7

improving performance,

SystemTune 8–28

mirroring, *SystemTune* 2–17

parity, *SystemTune* 2–14

striping, *SystemTune* 2–13

RAID 5

LSM, *ClusAdmin* 10–2

RAPI, *NetProgGde* 7–6

debugging applications,

NetProgGde 7–8

routines, *NetProgGde* 7–7

support for, *NetProgGde* 7–1

testing applications, *NetProgGde*
7–8

raw I/O, *ClusAdmin* 9–18

raw RPC, *OncRpcProgram* 3–14

rc directory structure,

SystemAdmin 3–9

rc.config file, *ClusAdmin* 5–2t

IPv6 variables, *NetAdminConnect*
3–38

rc0 script, *SystemAdmin* 3–3

rc2 script, *SystemAdmin* 3–3

- rc3 script**, *SystemAdmin* 3–3
- rcmgr command**, *ClusAdmin* 5–2t, *SystemAdmin* 3–3
- rcn.d directory**, *SystemAdmin* 3–3
- rcp command**, *ClusAdmin* 5–5
- RCS**, *ProgSupTools* 6–1
- rdump command**, *SystemAdmin* 9–5
- read accesses**
 - CFS, *ClusLANInterconnect* 1–3
- read-ahead threads**, *ClusAdmin* 9–18
- realtime**, *Realtime* 1–1
 - asynchronous I/O, *Realtime* 7–1
 - capabilities of the operating system, *Realtime* 1–4, A–1
 - clocks, *Realtime* 6–1
 - environments, *TechOver* 6–9
 - memory locking, *Realtime* 4–1
 - message queues, *Realtime* 10–1
 - messages, *Realtime* 10–1
 - performance tuning, *Realtime* 11–1
 - POSIX standards, *Realtime* 1–17
 - preemptive kernel, *Realtime* 1–4
 - priorities, *Realtime* 2–1
 - scheduling, *Realtime* 2–1
 - semaphores, *Realtime* 9–1
 - shared memory, *Realtime* 3–1
 - signal handling, *Realtime* 5–1
 - synchronized I/O, *Realtime* 8–2
 - system tuning, *Realtime* 11–3
 - timers, *Realtime* 6–1
- realtime preemption**
 - enabling after full installation, *InstallGde* 7–10
- reboot**
 - enabling unattended, *InstallGde* 7–10
- reboot command**, *ClusAdmin* 5–6
- recovering objects**
 - failed boot disk, *StorageManager* 6–27
- redirecting input/output**, *CommandShellGde* 6–2
- redundancy**
 - LAN interconnect compared to Memory Channel, *ClusLANInterconnect* 1–3t
- Redundant Array of Independent Disks**, *See* RAID, RAID 5
- redundant array of independent network adapters**, *See* NetRAIN
- redundant LAN interconnect**, *ClusLANInterconnect* 2–2, 2–6, A–1
- reference page**,
 - CommandShellGde* 1–9
 - in printed books, *DocOverview* 6–2
 - overview of sections, *DocOverview* 6–3
 - processing a translated, *InternatProg* 6–35
 - reading on line, *DocOverview* 6–1
- registerrpc routine**, *OnRpcProgram* 3–4
- regular expression**, *ProgSupTools* 1–1
- remote debugging**, *KernelDebug* 2–37
- remote file**, *NetAdminConnect* 6–33
- remote file system**
 - accessing through cluster interconnect, *ClusLANInterconnect* 1–2
- remote host**
 - working on, *CommandShellGde* 13–1
- Remote Installation Services**, *See* RIS
- remote procedure call**, *See* RPC
- remote system**
 - requesting connection to, *AsynchronousTM* 5–5

- removing a directory,**
 - CommandShellGde* 4–10, 4–11
 - current directory, *CommandShellGde* 4–12
- removing a file,**
 - CommandShellGde* 3–26
- removing LSM software,**
 - StorageManager* 3–25
- renaming a directory,**
 - CommandShellGde* 3–21, 4–9
- renaming a file,**
 - CommandShellGde* 3–21
- rendezvous port,**
 - ClusLANInterconnect* 4–14
- replicated file system,**
 - NetAdminSvcs* A–9
- resilient link,**
 - ClusLANInterconnect* 2–2, A–1
- resource**
 - checking status of, *ClusAdmin* 8–2
 - releasing, *AsynchronousTM* 5–4
 - reserving, *AsynchronousTM* 5–4
- resource name,** *ClusAdmin* 8–2
- Resource ReSerVation Protocol,**
 - See RSVP
- restart completion**
 - reporting to CMM, *AsynchronousTM* 4–4
- restart installation,** *InstallGde* 6–39
- restart nogui command,**
 - InstallGde* 6–39
- restore command,** *SystemAdmin* 9–5
- restore configuration**
 - using config.cdf file, *InstallGdeAdvTop* 7–1
- Restricted Bourne shell,**
 - CommandShellGde* 7–1, 7–4
- Revision Control System,**
 - See RCS
- /.rhosts file,** *ClusAdmin* 5–5
- RIP,** *TechOver* 3–5
- RIS,** *ClusAdmin* 7–19, *SharingSW* 1–1
 - architecture, *SharingSW* 2–1
 - planning disk space, *SharingSW* 3–3
 - product environment, *SharingSW* 2–3
 - setting default alias, *ClusAdmin* 7–19
 - setting up a LAN, *SharingSW* 3–4
 - software sharing environment, *SharingSW* 1–2
- RIS area,** *SharingSW* 1–1
 - existing area software installation, *SharingSW* 4–5
 - mounting on NFS, *SharingSW* 4–10
 - new area software installation, *SharingSW* 4–1
- RIS client,** *SharingSW* 1–1
 - booting, *SharingSW* 5–1
 - characteristics, *SharingSW* 2–4
 - compatibility with server, *SharingSW* 3–1
 - managing, *SharingSW* 6–1
 - registering, *SharingSW* 2–5
- RIS server,** *SharingSW* 1–1
 - compatibility with client, *SharingSW* 3–1
 - installing from, *InstallGdeAdvTop* 1–1
 - installing operating system on, *SharingSW* 3–3
 - preparing, *SharingSW* 3–1
 - setting up, *SharingSW* 4–1
- RIS troubleshooting,** *SharingSW* 8–1

- rlogin command**, *ClusAdmin* 5–5,
CommandShellGde 13–1
- troubleshooting, *ClusAdmin* 11–17
- using, *CommandShellGde* 13–1
- rmvol command**
 - CFS warning message,
ClusAdmin 11–13
 - clusters and, *ClusAdmin* 9–34
- rolling upgrade**, *ClusInstall* 7–1
 - disk space requirements,
ClusInstall 2–17
- root file system**, *ClusAdmin* 1–3
 - backing up clusterwide,
ClusAdmin 9–43
 - relocating member, *ClusAdmin* 9–11
- root mirroring**, *ClusAdmin* 10–2
- root password**
 - setting during installation,
InstallGde 6–14
- root user**
 - tasks performed by,
CommandShellGde 5–18
- route**
 - adding for an on-link prefix,
NetAdminConnect 3–37
 - static, *NetAdminConnect* 2–16, 2–25
- routed daemon**, *NetAdminConnect* 2–13
 - configuring, *NetAdminConnect* 2–22
 - not supported in a cluster,
ClusAdmin 3–3, *ClusInstall* 3–5
- router**
 - configuring for IPv6,
NetAdminConnect 3–31
 - IPv6 configuration variables,
NetAdminConnect 3–38
- router priority attribute**,
ClusAdmin 3–4
- routes file**, *NetAdminConnect* 2–16,
2–25
- routine**
 - commonly used by kernel
modules, *KernelModules* 5–1
 - data copying, *KernelModules* 5–7
 - kernel-related, *KernelModules* 5–14
- routing**, *NetAdminConnect* 2–13,
2–14, 2–16, 2–25
 - alias and virtual subnet,
ClusAdmin 3–9
 - cluamgr and, *ClusAdmin* 3–5
 - IP, *ClusAdmin* 6–2
- Routing Information Protocol**,
See RIP
- routing loop**
 - mechanisms for avoiding,
ClusLANInterconnect A–1
- routing protocols**, *TechOver* 3–4
- RPC**, *OncRpcProgram* 1–1, 3–1
 - See also* rpcgen protocol
compiler
 - broadcast, *OncRpcProgram* 2–21,
3–17
 - debugging, *OncRpcProgram* 2–16
 - language, *OncRpcProgram* 2–22
 - layers, *OncRpcProgram* 3–1
 - raw, *OncRpcProgram* 3–14
 - registration, *OncRpcProgram*
1–5, 1–6
 - supported transports,
OncRpcProgram 1–4
 - using TCP transport,
OncRpcProgram 3–28
- RPC language**, *OncRpcProgram* 1–1
- RPC messages**
 - batching, *OncRpcProgram* 3–18
- RPC program**
 - modifications required to run in a
cluster, *ClusAvailApp* 7–1
- RPC programming**,
OncRpcProgram 3–1
- rpcgen protocol compiler**,
OncRpcProgram 2–1
 - declarations, *OncRpcProgram* 2–24
 - programming with,
OncRpcProgram 2–17

rrestore command, *SystemAdmin* 9–5

rsh command, *ClusAdmin* 5–5

RSVP, *NetAdminConnect* 2–40,
NetProgGde 7–5, *TechOver* 3–10
 application programming
 interface, *NetProgGde* 7–6
 implementing in applications,
 NetProgGde 7–8
 system roles, *NetProgGde* 7–3

RSVP application programming interface,
 See RAPI

rsvpd daemon, *NetProgGde* 7–6

rsvpstat command, *NetProgGde* 7–8

rt_post_callout routine,
SysConfigSup 2–27, 2–66

run level, *SystemAdmin* 2–17
 defaults, *SystemAdmin* 3–5

run-time library, supported,
TechOver 6–6

runacct shell script, *SystemAdmin* 10–35

ruptime command,
CommandShellGde 10–5

rvalue, *CLangRef* 2–23

rwhod daemon, *NetAdminConnect* 2–13
 configuring, *NetAdminConnect* 2–21

S

-S compilation option,
AsmLangGde 6–14

.s file, *AsmLangGde* 6–14

sa command, *SystemAdmin* 10–26

SAS
 bootable tape, *SystemAdmin* 9–34

savecore command, *SystemAdmin* 14–3

SCCS, *ProgSupTools* 6–1

sccs command, *ProgSupTools* 6–17
 -d option, *ProgSupTools* 6–8

scheduling
 realtime, *Realtime* 2–1

scope, *CLangRef* 2–3

SCSI, *SystemTune* 1–9
 See also shared SCSI bus
 device name, *SystemAdmin* 5–37
 standards supported,
 SystemAdmin 5–50

searching for text with grep,
ProgSupTools 1–9

security, *ClusAdmin* 1–10, *Security* 1–1,
TechOver 9–1
 administering accounts, *Security* 9–1
 administering ACLs, *Security* 11–1
 administering devices, *Security* 8–1
 and DHCP, *NetAdminConnect* 5–19
 audit subsystem, *Security* 10–1
 authentication database integrity,
 Security 12–1
 C2 configuration, *Security* E–1
 CDE, *Security* 4–1
 cluster, *Security* F–1
 connecting to other systems,
 Security 3–1
 considerations,
 CommandShellGde 5–20
 DOP privileges, *Security* G–1
 group, *CommandShellGde* 5–2
 logging in, *Security* 2–1
 NIS configuration with enhanced
 security, *ClusAdmin* 7–3
 programming concerns with
 ACLs, *Security* 21–1
 programming concerns with
 discretionary access control,
 Security 21–1

- programming with the authentication databases, *Security* 17–1
- security integration architecture (SIA), *Security* 13–1
- setting passwords, *Security* 2–3
- setup, *Security* 7–1
- system administration, *Security* 6–16
- troubleshooting, *Security* 14–1
- user, *CommandShellGde* 5–2
- using ACLs, *Security* 5–1
- select system call**
 - using on the server side, *OncRpcProgram* 3–16
- selection weight attribute**, *ClusAdmin* 3–4
- semaphore**
 - realtime, *Realtime* 9–1
- sendmail utility**, *NetAdminSvcs* 7–41
- Serial Line Internet Protocol**, *See* SLIP
- server**
 - NFS daemons, *NetAdminSvcs* 4–4
 - programming of, *OncRpcProgram* 2–21
 - versions of, *OncRpcProgram* 3–25
- server process**, *OncRpcProgram* 1–1
- server/client interaction**, *NetProgGde* 4–8
- server_only option to mount command**, *ClusAdmin* 9–26
- service tools**, *OnlineAddRem* 5–1
- service types in DLPI**, *NetProgGde* 2–4
- service, quality of**, *See* QoS
- session**
 - ending, *CDECompanion* 2–9
 - pausing, *CDECompanion* 2–8
 - restoring settings, *CDECompanion* 8–9
 - specifying a language, *CDECompanion* 8–8
- Session Manager**
 - customizing in CDE, *CDECompanion* 8–1
- setld utility**, *InstallGde* 9–1
 - building a new kernel after using, *InstallGde* 9–10
 - removing software, *InstallGde* 9–4, 9–5
 - removing software from a cluster, *InstallGde* 9–5
 - testing subsets with, *ProdKitGde* 5–10
- setting a locale**, *CommandShellGde* C–6
- setup utilities**, *TechOver* 2–7
- shared file**
 - memory mapping, *ClusAdmin* 9–25
- shared library**, *ProgGde* 4–1, *TechOver* 6–5
 - and TLI, *NetProgGde* 3–6
 - and XTI, *NetProgGde* 3–6
 - loading at run time, *ProgGde* 4–15
 - profiling, *ProgGde* 8–5, 8–26
 - quickstart, *ProgGde* 4–9
- shared memory**
 - realtime, *Realtime* 3–1
 - testing with shm, *SystemAdmin* 11–21
- shared memory model**
 - for developing applications based on the cluster Memory Channel API library, *ClusAvailApp* 10–33
- shared SCSI bus**
 - configuration requirements, *ClusHWConfig* 3–2
 - configuring for shared tape, *ClusHWConfig* 8–1
 - daisy-chaining storage shelves, *ClusHWConfig* 10–18
 - DS-BA35X-DA personality module, *ClusHWConfig* 10–4

- DWZZA signal converter, *ClusHWConfig* 10–2
- DWZZB signal converter, *ClusHWConfig* 10–2
- externally terminated with RAID array controller, *ClusHWConfig* 10–25
- preparing storage for use with external termination, *ClusHWConfig* 10–14
- radial configurations with non-UltraSCSI RAID array controllers, *ClusHWConfig* 10–1
- radial installation using internal termination, *ClusHWConfig* 9–3
- terminating, *ClusHWConfig* 10–5
- terminating when using UltraSCSI hubs, *ClusHWConfig* 3–7
- using external termination, *ClusHWConfig* 10–1
- using UltraSCSI hardware, *ClusHWConfig* 3–1
- sharing software on a local area network**, *SharingSW* 1–1
- shell**, *CommandShellGde* 8–1
 - default shell, *CommandShellGde* 7–1
- shell script**, *CommandShellGde* 7–25
 - compatibility with System V, *CommandShellGde* 9–4
 - internationalizing, *InternatProg* 3–23
- shmx exerciser**, *SystemAdmin* 11–21
- showfssets command**, *ClusAdmin* 1–6t
- shutdown**, *ClusAdmin* 5–6, *SystemAdmin* 2–1
 - CAA applications and, *ClusAdmin* 8–22
 - member failure to shut down, *ClusAdmin* 11–1
 - stopping cluster shutdown, *ClusAdmin* 5–6
 - to single-user mode, *ClusAdmin* 5–9
- shutdown command**, *ClusAdmin* 5–6, *SystemAdmin* 2–23
- SIA (security integration architecture)**, *Security* 13–1
- signal**
 - process groups and IDs, *NetProgGde* 4–73
- signal converter**
 - termination, *ClusHWConfig* 10–3
- signaling module**
 - MMI, *AsynchronousTM* 7–7
 - registering with CMM, *AsynchronousTM* 4–2
- simple lock**
 - asserting exclusive access on resource, *KernelModules* 7–4
 - declaring data structure, *KernelModules* 7–1
 - initializing, *KernelModules* 7–2
 - releasing previously asserted, *KernelModules* 7–6
 - terminating, *KernelModules* 7–12
 - trying to obtain, *KernelModules* 7–9
 - using spl routines, *KernelModules* 7–15
- simple lock routine**, *KernelModules* 7–1
- Simple Mail Transfer Protocol**, *See* SMTP
- Simple Network Management Protocol**, *See* SNMP
- single sign on**, *Security* 6–8
- single-instance application**
 - running in a cluster, *ClusAvailApp* 1–2
 - using CAA for application availability, *ClusAvailApp* 2–1

- single-server device**, *ClusAdmin* 9–29
- single-user boot**, *SystemAdmin* 2–6
- single-user mode**, *ClusAdmin* 4–4
 - shutting down to, *ClusAdmin* 5–9
- size**
 - cluster, *ClusLANInterconnect* 1–6, 1–3t
- size (object file tool)**, *ProgGde* 2–25
- slhosts file**, *NetAdminConnect* 6–7
- SLIP**, *NetAdminConnect* 6–1
 - See also* connection, PPP
 - and gateways, *NetAdminConnect* 6–8
 - configuring dial-in system, *NetAdminConnect* 6–8
 - configuring dial-out system, *NetAdminConnect* 6–9
 - modem guidelines, *NetAdminConnect* 6–3
 - troubleshooting, *NetAdminConnect* 8–32
- SMARTengine/Alpha 21264 PCI/ISA single-board computer**, *SysConfigSup* 1–1
- SMP**, *SystemAdmin* 2–20
 - rebooting failed processor, *SystemAdmin* 2–20
 - unattended reboots, *SystemAdmin* 2–20
- SMP environment**, *KernelModules* 6–1
 - locking, *KernelModules* 5–28, 6–4
 - making kernel module safe using complex locks, *KernelModules* 8–1
- SMP system**
 - debugging on, *KernelDebug* 2–10
 - determining on which CPU a panic occurred, *KernelDebug* 4–9
- SMTP**, *ClusAdmin* 7–15, *TechOver* 3–9
- SNMP**, *NetAdminSvcs* 8–1, *TechOver* 3–9
 - See also* eSNMP
 - Host Resources MIB, *NetAdminSvcs* F–1
 - supported versions, *NetProgGde* 6–4
- SNMP agent**, *TechOver* 3–28
- sockaddr data structure**, *NetProgGde* 4–16, 4–48
- sockaddr_dl data structure**, *NetProgGde* F–6
 - and the 802.2 substructure, *NetProgGde* F–10
 - and the Ethernet substructure, *NetProgGde* F–7
- sockaddr_in6 data structure**, *NetProgGde* 4–18
- sockaddr_storage data structure**, *NetProgGde* 4–17, 4–48
- sockaddr_un data structure**, *NetProgGde* 4–17
- socket interface**
 - supported types, *NetProgGde* 4–1
- sockets**
 - advanced topics, *NetProgGde* 4–44
 - and handling out-of-band data, *NetProgGde* 4–56
 - application programming interface, *NetProgGde* 4–6
 - binding in DLI, *NetProgGde* F–17
 - binding names to, *NetProgGde* 4–22
 - BSD, *NetProgGde* 4–40
 - calculating buffer size in DLI, *NetProgGde* F–20
 - closing, *NetProgGde* 4–30
 - coexistence with STREAMS, *NetProgGde* 8–1
 - common errors, *NetProgGde* 4–43
 - communication properties, *NetProgGde* 4–3
 - comparison with XTI, *NetProgGde* 3–36
 - creating, *NetProgGde* 4–19

- creating in DLI, *NetProgGde* F-15
- deactivating in DLI, *NetProgGde* F-21
- establishing client connections, *NetProgGde* 4-22
- establishing new server connections, *NetProgGde* 4-24
- filling the sockaddr_dl structure, *NetProgGde* F-17
- getting socket options, *NetProgGde* 4-25
- header files, *NetProgGde* 4-15
- I/O multiplexing, *NetProgGde* 4-70
- increasing buffer size limit, *NetProgGde* D-2
- library calls, *NetProgGde* 4-10
- modes of communication, *NetProgGde* 4-7
- process groups and IDs, *NetProgGde* 4-73
- programming TCP socket buffer sizes, *NetProgGde* D-1
- rewriting applications for XTI, *NetProgGde* 3-36
- selecting protocols, *NetProgGde* 4-53
- setting DLI options, *NetProgGde* F-16
- setting socket options, *NetProgGde* 4-25
- shutting down, *NetProgGde* 4-30
- system calls, *NetProgGde* 4-9
- TCP-specific programming information, *NetProgGde* D-1
- transferring data, *NetProgGde* 4-26
- sockets client**
 - connection-oriented program, *NetProgGde* B-6
 - connectionless program, *NetProgGde* B-22
- sockets framework**, *NetProgGde* 1-4, 4-1
 - components, *NetProgGde* 4-2
 - interaction with STREAMS, *NetProgGde* 1-7
 - relationship to XTI, *TechOver* 4-1
- sockets I/O**
 - interrupt driven, *NetProgGde* 4-72
- sockets protocol stack**
 - bridging to STREAMS driver, *NetProgGde* 8-2
- sockets server**
 - connection-oriented program, *NetProgGde* B-2
 - connectionless program, *NetProgGde* B-18
- software**
 - base operating system subsets, *InstallGde* C-1
 - installing, *InstallGde* 6-16
 - installing after an installation, *InstallGde* 9-1
 - listing files in a subset, *InstallGde* 9-4
 - listing installed, *InstallGde* 9-3
 - managing with setld utility, *InstallGde* 9-1
 - managing with SysMan Menu, *InstallGde* 9-1
 - removing after an installation, *InstallGde* 9-4, 9-5
 - removing from a cluster, *InstallGde* 9-5
 - worldwide language support, *InstallGde* C-20
- Software Product Description**, *See* QuickSpec
- sort (asort) utility**, *TechOver* 10-8
- sorting file contents**, *CommandShellGde* 3-25
- Source Code Control System**, *See* SCCS
- source file**
 - controlling access to, *ProgGde* 1-5
- source line and instruction profiling**, *ProgGde* 8-11

source routing
enabling, *NetProgGde* E-1

Spanning Tree Protocol,
See STP

SPD,
See QuickSpec

specifying default run shell,
CommandShellGde 7-27

srconfig command,
NetAdminConnect 2-37

SSO, *Security* 6-8

stack limit, *CallingStandard* 6-1

stack of user program
examining in crash dump,
KernelDebug 2-8

stack organization, *AsmLangGde* 6-7

standalone system
restoring from a cluster,
ClusAdmin 5-12

standard error,
CommandShellGde 6-1

standard input,
CommandShellGde 6-1

standard library, ANSI C,
CLangRef 9-1

standard output,
CommandShellGde 6-1

standards,
See also X/Open standards
and XTI, *NetProgGde* 3-1
programming considerations,
ProgGde 1-2

startppp command,
NetAdminConnect 6-27

startslip command,
NetAdminConnect 6-5

startup, *SystemAdmin* 2-6

Startup Documentation Kit,
DocOverview 1-10

state
comparing XTI and sockets,
NetProgGde 3-39
managing in XTI, *NetProgGde* 3-22

statement
assembly language, *AsmLangGde*
2-5

static route, *NetAdminConnect*
2-16, 2-25

status enquiry
reporting to CMM,
AsynchronousTM 4-4

stdump (object file tool), *ProgGde*
2-27

stopping a command,
CommandShellGde 1-6

storage
managing third-party devices,
ClusAdmin 9-7

Storage Administrator
managing disk groups,
StorageManager A-15
managing disks, *StorageManager*
A-7
managing subdisks,
StorageManager A-22
managing volumes,
StorageManager A-26

storage class, *CLangRef* 2-13

storage connectivity
AdvFS requirements, *ClusAdmin*
9-38
LSM requirements, *ClusAdmin* 10-3

STP, *ClusLANInterconnect* 2-2,
A-1, A-3
problems when enabled
on NetRAIN ports,
ClusLANInterconnect
4-13

strcmp routine, *KernelModules* 5-2

strcpy routine, *KernelModules* 5-4

STREAMS

- application programming
 - interface, *NetProgGde* 5–6
- coexistence with sockets,
 - NetProgGde* 8–1
- components, *NetProgGde* 5–2
- configuring drivers, *NetProgGde* 5–20
- configuring modules, *NetProgGde* 5–20
- device special files, *NetProgGde* 5–25
- driver and module processing
 - routines, *NetProgGde* 5–15
- error logging, *NetProgGde* 5–26
- event logging, *NetProgGde* 5–26
- functions, *NetProgGde* 5–7
- header files, *NetProgGde* 5–6
- kernel-level functions,
 - NetProgGde* 5–12
- message data structures,
 - NetProgGde* 5–14
- messages, *NetProgGde* 5–5
- module data structures,
 - NetProgGde* 5–13
- synchronization mechanism,
 - NetProgGde* 5–19
- STREAMS driver**, *NetProgGde* 8–3
 - bridging to sockets protocol stack, *NetProgGde* 8–2
- STREAMS framework**,
 - NetProgGde* 1–4, 5–1, *TechOver* 3–24
 - interaction with sockets, *NetProgGde* 1–7
- STREAMS protocol stack**
 - bridging to BSD driver, *NetProgGde* 8–9
- string literal**, *CLangRef* 1–12
- string routine**, *KernelModules* 5–1
- strlen routine**, *KernelModules* 5–6
- strncmp routine**, *KernelModules* 5–3
- strncpy routine**, *KernelModules* 5–5
- strong symbol**, *ProgGde* 2–27
- structured exception handling**,
 - ProgGde* 11–5
- Style Manager**, *CDECompanion* 4–1
 - accessing, *CDECompanion* 3–1
 - customizing environment, *CDECompanion* 4–6
- subagent**
 - implementing, *NetProgGde* 6–12
- subdirectory**, *CommandShellGde* 2–7
- subnet**
 - common, *ClusAdmin* 3–6
 - virtual, *ClusAdmin* 3–6, 3–9, 3–15
- subnet mask**, *ClusLANInterconnect* 3–5n, *NetAdminConnect* 2–11
- subset control program**,
 - ProdKitGde* 4–1
- substitution, global**
 - in vi editor, *CommandShellGde* A–19
- subsystem**
 - configuring, *SystemAdmin* 4–1
 - traffic control, *NetProgGde* 7–2
- superuser**, *CommandShellGde* 5–17
- superuser authority**
 - tasks, *CommandShellGde* 5–18
- Supplementary Documentation**,
 - DocOverview* 5–1
- svc.conf file**, *NetAdminSvcs* 3–19, *TechOver* 3–32
- svcsetup command**,
 - NetAdminSvcs* 2–30
- svrcfstok_max_percent kernel attribute**, *ClusAdmin* 9–23
- swap**
 - configuring, *ClusAdmin* 9–44
 - encapsulating into LSM, *ClusAdmin* 10–11
 - member boot disk, *ClusAdmin* 11–3
- swap space**

- deferred mode allocation,
 - SystemAdmin* 3–45
- displaying with *kdbx*,
 - KernelDebug* 2–31
- estimating, *SystemAdmin* 3–43
- immediate mode allocation,
 - SystemAdmin* 3–45
- swap space planning**,
 - InstallGdeAdvTop* 4–1
- swapping**, *SystemTune* 6–13
- switch**
 - compared to hub,
 - ClusLANInterconnect* 2–2n
 - multiple in fully redundant LAN interconnect,
 - ClusLANInterconnect* A–1
 - requirements,
 - ClusLANInterconnect* 2–1
 - using a single,
 - ClusLANInterconnect* 2–5
 - using multiple in fully redundant LAN interconnect,
 - ClusLANInterconnect* 2–2, 2–6
- symbol table**
 - ANSI name space cleanup,
 - ProgGde* 2–27
- symmetric multiprocessing**,
 - See SMP*
- synchronization**
 - hardware issues related to,
 - KernelModules* 6–1
- synchronization mechanism**
 - in STREAMS, *NetProgGde* 5–19
- synchronized I/O**
 - realtime, *Realtime* 8–2
- synchronous writes**
 - speeding up with Prestoserve,
 - Prestoserve* 1–1
- sysconfig command**,
 - SystemAdmin* 4–6, *SystemTune* 3–10
- sysconfigdb command**,
 - SystemAdmin* 4–15
- syslogd daemon**, *SystemAdmin* 12–2
- SysMan**, *CDECompanion* 5–9,
 - SystemAdmin* 1–1, 1–11
 - accessing, *CDECompanion* 3–1
 - available interface options,
 - ClusAdmin* 2–6
 - utilities, *SystemAdmin* A–6
- SysMan command line**,
 - ClusAdmin* 2–8
 - using in a cluster, *ClusAdmin* 2–19
- SysMan Java Applet**
 - using in a cluster, *ClusAdmin* 2–16
- SysMan Menu**, *ClusAdmin* 2–6,
 - SystemAdmin* 1–15, *TechOver* 2–12
 - installing software using,
 - InstallGde* 9–1
 - using in a cluster, *ClusAdmin* 2–8
- SysMan Station**, *ClusAdmin* 2–7,
 - SystemAdmin* 1–1, 1–21
 - compatibility issues, *ClusAdmin* 2–18
 - using, *SystemAdmin* 1–23
 - using in a cluster, *ClusAdmin* 2–11
 - views, *SystemAdmin* 1–23
- sysman_clone command**
 - lack of support in clusters,
 - ClusAdmin* 1–14
- system**
 - crash dump information created during reboot, *SystemAdmin* 14–3
 - customizing environment,
 - SystemAdmin* 3–1
 - displaying information about
 - with *kdbx*, *KernelDebug* 2–30
 - initialization, *SystemAdmin* 2–18
 - initialization files, *SystemAdmin* 3–2
 - monitoring, *SystemAdmin* 11–1, 11–10

- monitoring utilities,
 - SystemAdmin* 11-3
 - requesting connection to remote,
 - AsynchronousTM* 5-5
 - startup files, *SystemAdmin* 3-2
 - testing, *SystemAdmin* 11-1
 - system administration**
 - cluster, *ClusAdmin* 1-2
 - I18N Configuration tool, *TechOver* 10-11
 - internationalization and,
 - InternatProg* 6-2
 - methods, *SystemAdmin* 1-1
 - security considerations, *Security* 6-16
 - SysMan, *SystemAdmin* 1-1
 - tools, *SystemAdmin* 1-1
 - tools and utilities, *SystemAdmin* A-2
 - System and Network Management Documentation Kit**, *DocOverview* 1-11
 - system call**
 - and DLI, *NetProgGde* F-15
 - sockets, *NetProgGde* 4-9
 - system clock**
 - setting, *SystemAdmin* 2-21
 - System Communication Architecture (SCA)**, *SystemAdmin* C-1
 - system configuration**
 - after full installation, *InstallGde* 7-1
 - dynamic, *SystemAdmin* 4-6, *TechOver* 2-26
 - restoring with config.cdf file, *InstallGdeAdvTop* 7-1
 - static, *SystemAdmin* 4-18
 - system crash**,
 - See crash
 - system event**
 - reporting, *SystemAdmin* 12-1
 - system exerciser**, *SystemAdmin* 11-19
 - system memory**, *SystemAdmin* 11-20
 - system partition**, *SystemAdmin* D-2
 - system setup**
 - after full installation, *InstallGde* 7-1
 - System Setup utility**, *InstallGde* 7-1
 - system shutdown**, *SystemAdmin* 2-1
 - system startup**, *SystemAdmin* 2-6
 - system time**
 - working with, *KernelModules* 5-23
 - System V habitat**,
 - CommandShellGde* 9-1
 - accessing, *CommandShellGde* 9-2
 - command summary, *CommandShellGde* 9-4
 - location of, *CommandShellGde* 9-3
 - modifying .cshrc file for, *CommandShellGde* 9-2
 - modifying .login file for, *CommandShellGde* 9-2
 - modifying .profile file for, *CommandShellGde* 9-2
 - setting PATH for, *CommandShellGde* 9-2
 - System V IPC**, *ProgGde* 1-7
- ## T
- tape**
 - backup, *SystemAdmin* 9-1
 - bootable, *SystemAdmin* 9-5
 - tape device**, *ClusAdmin* 9-8
 - tape drive**
 - configuring for shared SCSI bus, *ClusHWConfig* 8-1
 - tapex exerciser**, *SystemAdmin* 11-23
 - tar command**, *SystemAdmin* 9-5
 - target state**, *ClusAdmin* 8-3

taso, *ProgGde* A-2

TCP, *TechOver* 3-2, 3-8, 3-12
 and RPC, *OncRpcProgram* 3-28
 error recovery, *NetProgGde* D-3
 PAWS option, *NetProgGde* D-3
 programming information,
NetProgGde D-1
 round-trip time, *NetProgGde* D-3
 SACK option, *NetProgGde* D-3
 sequence numbers, *NetProgGde* D-3
 throughput, *NetProgGde* D-1
 timestamp option, *NetProgGde* D-3
 window size, *NetProgGde* D-1

tcpdump command,
NetAdminConnect 9-10

TELNET, *TechOver* 3-8
 using, *CommandShellGde* 13-3

telnet command
 troubleshooting, *ClusAdmin* 11-17

terminal communications system
 testing with cmx, *SystemAdmin*
 11-24

terminal driver subsystem,
TechOver 10-7

terminal emulator,
CDECompanion 9-2

terminal interface
 enhancements for Asian
 languages, *InternatProg* 6-8

termination handler
 how to code, *ProgGde* 11-12

TERMINFO environment
 variable, *SystemAdmin* 3-8

testing kernel programs,
KernelDebug 2-37

testing subsets with the setld
 utility, *ProdKitGde* 5-10

testing the system, *SystemAdmin*
 11-1

text editor, *CommandShellGde* 2-1
 accessing, *CDECompanion* 3-1

TFTP, *SharingSW* 5-1, *TechOver* 3-9

Thai,
 See Asian languages

Third Degree, *ProgGde* 7-1

Thread Independent Services,
ProgGde 12-6

thread operation, *POSIXThreads* 2-1

thread-safe code
 how to write, *ProgGde* 12-5

thread-safe library,
POSIXThreads 4-1

thread-safe routine
 characteristics, *ProgGde* 12-3

threads, *ProgGde* 12-1
 See also POSIX Threads
 Library
 profiling multithreaded
 applications, *ProgGde*
 8-29
 programming with,
POSIXThreads 3-1
 visual, *TechOver* 6-8

tic command, *SystemAdmin* 3-8

time
 setting, *SystemAdmin* 2-21

time drift
 managing NTP, *ClusAdmin* 7-6

time synchronization, *ClusAdmin*
 7-5

time value
 formatting rules in a locale,
InternatProg 7-22

time zone, *SystemAdmin* 3-21
 setting during full installation,
InstallGde 6-14
 SVID, *SystemAdmin* 3-21

timeout change, *OncRpcProgram*
 2-20

timeout routine, *KernelModules* 5-17

timer
 realtime, *Realtime* 6-1

- tip command**, *NetAdminConnect* 6–20, 6–30
- tis routine**, *POSIXThreads* tis–1
- tiuser.h file**, *NetProgGde* 3–6
- TLI**
 - and XTI, *NetProgGde* 3–1
 - compatibility with XTI, *NetProgGde* 3–35
 - contrast with XTI, *NetProgGde* 3–35
 - library and header files, *NetProgGde* 3–6
- /tmp file**, *ClusAdmin* 11–20
- Token Ring**
 - configuring, *NetAdminConnect* 2–19
- Token Ring driver**
 - and canonical addresses, *NetProgGde* E–2
 - enabling source routing, *NetProgGde* E–1
- tools for managing a cluster**, *ClusAdmin* 2–1
 - See also* Compaq Insight Manager, SysMan Menu, SysMan Station
 - available tools and interfaces, *ClusAdmin* 2–4
 - Compaq Insight Manager, *ClusAdmin* 2–3, 2–20
 - Compaq Insight Manager XE, *ClusAdmin* 2–3
 - configuration report, *ClusAdmin* 2–22
 - configuration tools and interfaces, *ClusAdmin* 2–4
 - PC application, *ClusAdmin* 2–18
 - quick start, *ClusAdmin* 2–2
 - SysMan command line, *ClusAdmin* 2–8
 - SysMan command-line interface, *ClusAdmin* 2–19
 - SysMan Java applets, *ClusAdmin* 2–16
 - SysMan Menu, *ClusAdmin* 2–6
 - SysMan Station, *ClusAdmin* 2–7, 2–11
 - SysMan Station compatibility issues, *ClusAdmin* 2–18
- traceroute command**, *NetAdminConnect* 9–8
- traffic control**, *NetAdminConnect* 2–41
- traffic control subsystem**, *NetProgGde* 7–2
 - tasks, *NetProgGde* 7–5
- transfer size for CFS**, *ClusAdmin* 9–16
- translation**
 - of message text, *InternatProg* 3–16
- Transmission Control Protocol**, *See* TCP
- Transport Layer Interface**, *See* TLI
- Transport-Level Protocols**, *TechOver* 3–11
- Trash Can**
 - accessing, *CDECompanion* 3–1
- Trivial File Transfer Protocol**, *See* TFTP
- troubleshooting**
 - a cluster, *ClusAdmin* 11–1
 - ATM, *NetAdminConnect* 8–21
 - cluster Memory Channel configurations, *ClusAvailApp* 10–7
 - DHCP, *NetAdminConnect* 8–29
 - DMS, *SharingSW* 13–1
 - DNS client, *NetAdminSvcs* 9–5
 - DNS server, *NetAdminSvcs* 9–4
 - IMAP, *NetAdminSvcs* 9–24
 - IPv6, *NetAdminConnect* 8–9
 - LAT, *NetAdminConnect* 8–36
 - LSM, *StorageManager* 6–1
 - mail, *NetAdminSvcs* 9–22, 9–24, E–1

- network, *NetAdminConnect* 8–1, 9–1, *NetAdminSvcs* 9–1, 10–1
 - NFS client, *NetAdminSvcs* 9–15, C–1
 - NFS server, *NetAdminSvcs* 9–12, C–1
 - NIS client, *NetAdminSvcs* 9–9
 - NIS server, *NetAdminSvcs* 9–6
 - NTP, *NetAdminSvcs* 9–20
 - POP, *NetAdminSvcs* 9–24
 - PPP, *NetAdminConnect* 8–34
 - printer, *SystemAdmin* 8–42
 - RIS, *SharingSW* 8–1
 - security, *Security* 14–1
 - SLIP, *NetAdminConnect* 8–32
 - UUCP, *NetAdminSvcs* 9–17, D–1
 - Tru64 UNIX Documentation Kit**, *DocOverview* 1–9
 - TruCluster Server application**, *See* cluster application
 - TruCluster Server Memory Channel**, *See* Memory Channel
 - truncated address support option**, *See* taso
 - trunking**, *See* link aggregation
 - try...except statement**
 - use in exception handler, *ProgGde* 11–5
 - try...finally statement**
 - use in termination handler, *ProgGde* 11–13
 - tty subsystem**, *TechOver* 10–7
 - tunefs command**, *SystemAdmin* 6–49
 - tuning**
 - class scheduler, *SystemAdmin* 3–24
 - cluster Memory Channel configurations, *ClusAvailApp* 10–5
 - Internet servers, *SystemTune* 4–3
 - LAN interconnect, *ClusLANInterconnect* 4–3
 - large-memory systems, *SystemTune* 4–3
 - memory, *SystemTune* 6–1
 - namei cache, *SystemTune* 9–1
 - networks, *SystemTune* 10–6
 - NFS, *SystemTune* 9–40
 - port space, *ClusAdmin* 3–13
 - realtime performance, *Realtime* 11–1
 - UBC, *SystemTune* 9–1
 - UFS, *SystemTune* 9–32
 - tunnel**
 - creating, *NetAdminConnect* 3–36
 - type conversion**, *CLangRef* 6–27
 - typedef**
 - using with rpcgen, *OncRpcProgram* 2–23
- ## U
- UBC**, *TechOver* 5–9
 - least recently used page list, *TechOver* 5–9
 - tuning, *SystemTune* 9–1
 - UBR**, *AsynchronousTM* 2–13
 - UCS-4 encoding format**, *TechOver* 10–2
 - See also* Unicode
 - UDP**, *TechOver* 3–2, 3–8, 3–11
 - uerf command**
 - using with system exercisers, *SystemAdmin* 11–20
 - UFS**, *SystemAdmin* 6–1
 - cluster support, *ClusAdmin* 9–26
 - creating a file system, *SystemAdmin* 6–1
 - displaying, *SystemTune* 9–30
 - floppy disks and, *ClusAdmin* 9–10
 - improving performance, *SystemTune* 9–27

- setting file system quotas, *SystemAdmin* 6–41
 - tuning, *SystemTune* 9–32
- UID**, *SystemAdmin* 7–10
- UIL compiler**, *TechOver* 10–12
- uiomove routine**, *KernelModules* 5–13
- UltraSCSI hub**, *ClusHWConfig* 3–9
- umount command**, *SystemAdmin* 6–20
- Unicode**, *InternatProg* 1–6, 2–5, *TechOver* 10–9
- Unified Buffer Cache**,
See *UBC*
- Universal Character Set**,
InternatProg 1–6
- UNIX File System**,
See *UFS*
- UNIX shell**, *InstallGdeAdvTop* 3–1
- UNIX-to-UNIX Copy Program**,
See *UUCP*
- unlimited license**
 - registering after installation or upgrade, *LicenseManage* 2–2
- unspecified bit rate**,
See *UBR*
- unsupported features**, *ClusAdmin* 1–13
- untimeout routine**, *KernelModules* 5–17
- upadmin utility**, *InstallGde* 3–22
- update installation**, *InstallGde* 2–1
 - cluster, *ClusInstall* 7–1
 - defined, *InstallGde* 1–3
 - layered products, *InstallGde* 3–11
 - procedures, *InstallGde* 3–1
 - update paths, *InstallGde* 2–3
 - user-supplied files, *InstallGdeAdvTop* 5–1
- update installation cleanup utility**, *InstallGde* 3–22
- update_postload file**,
InstallGdeAdvTop 5–1
- update_preinstall file**,
InstallGdeAdvTop 5–1
- uprofile**,
See profiling a program
- User Datagram Protocol**,
See *UDP*
- user environment**,
CommandShellGde 7–12
- user information**
 - preserving data on during installation, *InstallGde* 6–36
- User Interface Language compiler**,
See *UIL compiler*
- user mask**, *CommandShellGde* 5–13
- user product kit**, *ProdKitGde* 6–1
- user-defined character**,
InternatProg 6–17
- user-supplied file**
 - customizing an installation, *InstallGdeAdvTop* 5–1
- using commands**,
CommandShellGde 1–4
- using mailx commands**,
CommandShellGde F–1
- using variables**,
CommandShellGde 7–18
- /usr file system**
 - encapsulating into LSM, *ClusAdmin* 10–11
- UTF-8 encoding format**, *TechOver* 10–2
See also *Unicode*

utilupdate utility, *SharingSW* C-1

uucico command, *NetAdminSvcs* 5-15

UUCP, *ClusAdmin* 7-15,
NetAdminSvcs 5-1, *TechOver* 3-31

cleaning spooling directories,
NetAdminSvcs 5-19

cleaning system log files,
NetAdminSvcs 5-22

configuring, *NetAdminSvcs* 5-12

error messages, *NetAdminSvcs* D-1

initiating calls to remote hosts,
NetAdminSvcs 5-24

limiting remote executions,
NetAdminSvcs 5-23

monitoring the transfer queue,
NetAdminSvcs 5-17

polling remote hosts,
NetAdminSvcs 5-25

required hardware,
NetAdminSvcs 5-2

scheduling jobs, *NetAdminSvcs* 5-23

transmitting files,
CommandShellGde 14-20

troubleshooting, *NetAdminSvcs* 9-17

viewing log files, *NetAdminSvcs* 5-21

uucpsetup command,
NetAdminSvcs 5-12

uudemon.admin script,
NetAdminSvcs 5-18

uudemon.cleantu script,
NetAdminSvcs 5-20

uudemon.hour script,
NetAdminSvcs 5-23, 5-24

uudemon.poll script,
NetAdminSvcs 5-25

uulog command,
CommandShellGde 14-28,
NetAdminSvcs 5-22

uumonitor command,
CommandShellGde 14-29

uusched command, *NetAdminSvcs* 5-23

uustat command,
CommandShellGde 14-25,
NetAdminSvcs 5-17

uuto command
 using with uupick,
CommandShellGde 14-23

uutry command, *NetAdminSvcs* 10-1

uux command
 run from remote host (UUCP),
CommandShellGde 14-16

V

variable
 displaying with dbx debugger,
KernelDebug 2-6

VAX C extension, *CLangRef* E-1

vb interface,
 See vb network

vb network
 configuration, *SysConfigSup* 3-1
 driver, *SysConfigSup* 3-1
 Ethernet interface, *SysConfigSup* 3-1

VC

activating, *AsynchronousTM* 4-2

controlling aging of,
AsynchronousTM 5-6

creating permanent,
AsynchronousTM 6-9

creating signaling,
AsynchronousTM 6-10

modifying parameters,
AsynchronousTM 5-6

modifying QoS parameters,
AsynchronousTM 5-6

requesting status for,
AsynchronousTM 4-5

restarting, *AsynchronousTM* 4-3

transmitting data on,
AsynchronousTM 5-6

- VC status**
 - reporting to CMM, *AsynchronousTM* 4-4
- verify command**, *ClusAdmin* 9-45
- versioning**,
 - See shared library
- vi editor**, *CommandShellGde* 2-2, A-1
 - customizing your environment, *CommandShellGde* A-21
 - editing text, *CommandShellGde* A-12
 - ex line editor commands, *CommandShellGde* A-18
 - global substitution, *CommandShellGde* A-19
 - moving within a file, *CommandShellGde* A-6
 - opening text files, *CommandShellGde* A-4
 - quit (q) command, *CommandShellGde* A-4, A-15
 - saving part of a file, *CommandShellGde* A-20
 - saving your customizations, *CommandShellGde* A-23
 - undo (u) command, *CommandShellGde* A-14
 - using advanced techniques, *CommandShellGde* A-15
- viewing documents**, *CDECompanion* 5-7
- virtual address space**, *SystemTune* 6-5
- virtual circuit**,
 - See VC
- virtual memory subsystem**,
 - See VM subsystem
- virtual private network**,
 - See VPN
- virtual subnet**
 - alias and, *ClusAdmin* 3-9
 - using same for more than one cluster, *ClusAdmin* 3-15n
 - when to use, *ClusAdmin* 3-6
- virus**, *CommandShellGde* 5-20
- visibility**, *CLangRef* 2-6
- visible vote**, *ClusAdmin* 4-3
- Visual Administrator**, *StorageManager* D-1
 - analysis, *StorageManager* E-43
 - disk group management, *StorageManager* E-36
 - disk management, *StorageManager* E-27
 - plex management, *StorageManager* E-16
 - projection analysis, *StorageManager* E-40
 - subdisk management, *StorageManager* E-21
 - UFS management, *StorageManager* E-46
 - volume management, *StorageManager* E-1
- Visual Threads**, *ProgGde* 8-29
- VM subsystem**, *TechOver* 5-8
 - paging operation, *TechOver* 5-10
 - swapping operation, *TechOver* 5-11
- vMAC**, *ClusAdmin* 3-13
- vmcore.n file**, *SystemAdmin* 14-5
- VMEbus**
 - configuring, *SysConfigSup* 2-2, 2-28
 - interrupt handling with
 - rt_post_callout, *SysConfigSup* 2-27, 2-66
 - master block transfers, *SysConfigSup* 2-24, 2-63
 - networking over, *SysConfigSup* 3-1
 - operating system support, *SysConfigSup* 2-1
 - slave block transfers, *SysConfigSup* 2-23, 2-63

VMEbus backplane network,

See vb network

vmunix.n file, *SystemAdmin* 14–5

voldiskadm menu

managing disk groups,

StorageManager C–12

managing disks, *StorageManager*

C–2

managing volumes,

StorageManager C–14

volume

creating, *StorageManager* 4–5

for secondary swap,

StorageManager 4–14

recovering, *StorageManager* 6–8

recovering RAID 5 plex,

StorageManager 6–14

vote

configuring for fully redundant

LAN interconnect,

ClusLANInterconnect

2–10

current, *ClusAdmin* 4–6

expected, *ClusAdmin* 4–3

node, *ClusAdmin* 4–3

quorum, *ClusAdmin* 4–6

quorum disk, *ClusAdmin* 4–4

visible, *ClusAdmin* 4–3

VPN, *ClusLANInterconnect* 2–1

W

wakeup routine, *KernelModules* 5–16

wall command, *ClusAdmin* 1–7

WAN, *ClusLANInterconnect* 2–3

wchar_t data type, *TechOver* 10–2

weak symbol, *ProgGde* 2–27

WEBES service applications,

OnlineAddRem 5–1

what command, *ProgSupTools* 6–21

who command, *CommandShellGde*

10–1

whois command, *NetAdminSvcs* 2–32

wide area network,

See WAN

wide character and

wide-character string,

InternatProg 1–5

wildcard character

removing multiple directories

using, *CommandShellGde* 4–11

window

using, *CDECompanion* 2–3

windowing environment,

See CDE

Windows 2000 Single Sign-On,

SystemAdmin 7–41

Windows NT for Alpha

migrating to Tru64 UNIX,

InstallGde 5–4

wired page list, *TechOver* 5–9

WLS

DMS client setup for, *SharingSW*

11–13

DMS server setup for, *SharingSW*

11–12

installing, *InstallGdeAdvTop* 2–1

installing during full installation,

InstallGde 4–3

software subsets, *InstallGde* C–20

working on a remote host,

CommandShellGde 13–1

workspace

accessing, *CDECompanion* 3–1

World Wide Web,

See documentation on the

World Wide Web

worldwide language support,

See WLS

Worldwide Portability Interfaces

(WPI), *InternatProg* A–1

write accesses

CFS, *ClusLANInterconnect* 1–3

write-behind threads, *ClusAdmin*

9–18

wwidmgr command,

ClusHWConfig 6–62

WWW,

See documentation on the
World Wide Web

X**X client, *CDECompanion* 6–1,**

TechOver 8–8

X client library, *TechOver* 8–3**X environment**

bypassing the login manager,

XWinSysEnv 2–19

greeter module, *XWinSysEnv* 3–12

programming updates,

XWinSysEnv 3–14

resource definitions, *XWinSysEnv*
2–1

using an X session script,

XWinSysEnv 2–16

using command-line flags,

XWinSysEnv 2–4

using resource definitions,

XWinSysEnv 2–6

using utilities for customization,

XWinSysEnv 2–9

X server, *CDECompanion* 6–1,

TechOver 8–3

font-cache tuning, *InternatProg* 6–41

X server extensions, *TechOver*

8–3, *XWinSysEnv* 3–1

locations of, *XWinSysEnv* 1–14

X window

configuration, *XWinSysEnv* 1–1

managing the environment,

XWinSysEnv 1–1

X Window application

displaying remotely, *ClusAdmin*
7–20

X Window System,

CDECompanion 6–1

choosing xdm or dtlogin,

XWinSysEnv 1–1

documentation for developers,

DocOverview 4–11

graphics adapters, *XWinSysEnv*
1–18

location of files on Tru64 UNIX
systems, *XWinSysEnv* 1–3

managing the font server,

XWinSysEnv 1–21

managing the X server,

XWinSysEnv 1–13

managing X terminals,

XWinSysEnv 1–25

security and xdm authorization,

XWinSysEnv 1–10

solving login problems,

XWinSysEnv 1–12

X server memory utilization,

XWinSysEnv 1–26

X.25, *ClusAdmin* 7–15**X/Open standards**

and internationalization,

InternatProg 1–1

application development

considerations, *ProgGde* 1–2

X/Open Transport Interface,

See XTI

X11 shared libraries, *TechOver* 6–5**X11R6 software**

internationalization features in,

InternatProg 5–1

X11R6.3

internationalization,

InternatProg 5–7

XAPPLRESDIR environment

variable, *XWinSysEnv* 2–3

- Xauthority file**
security, *XWinSysEnv* 1–11
- XChangeProperty function**,
XWinSysEnv 3–14
- Xdefaults file**
location for resource definitions,
XWinSysEnv 2–3
- xdm display manager**,
XWinSysEnv 1–1
- xdm utility**, *XWinSysEnv* 1–6
- XDM-AUTHORIZATION-1**
Display Manager, *TechOver* 8–7
- xdm-config file**, *XWinSysEnv* 1–10
- XDR library**, *OncRpcProgram* A–5
- XDR library primitive**,
OncRpcProgram A–7, A–18
- XDR routine**, *OncRpcProgram* 2–9,
A–1
enumerations, *OncRpcProgram*
2–23
generating with *rpcgen*,
OncRpcProgram 2–9
- XDR stream**, *OncRpcProgram* A–19
- XDR structure**, *OncRpcProgram* 2–25
- XDR union**, *OncRpcProgram* 2–26
- XENVIRONMENT environment variable**
pointer to resource definition file,
XWinSysEnv 2–3
- XFILESEARCHPATH environment variable**,
XWinSysEnv 2–3
- xhost program**
using to enable access to display,
CDECompanion 5–2
- xjoin utility**, *NetAdminConnect* 5–12
- xmodmap keymap format**
Display Manager, *TechOver* 8–6
- xntpd daemon**, *NetAdminSvcs* 6–1
- xntpd command**, *NetAdminSvcs* 6–9
- Xserver.conf file**
specifying X server extensions in,
XWinSysEnv 1–14
- Xsession**, *CDECompanion* 6–2
- xsession-errors file**, *XWinSysEnv*
1–12
- XTI**, *NetProgGde* 3–1, *ProgGde* 1–7,
TechOver 3–22
and network programming
environment, *NetProgGde* 3–2
and standards, *NetProgGde* 3–1
and TLI, *NetProgGde* 3–1
application programming
interface, *NetProgGde* 3–4
code migration XNS4.0 to XNS5.0,
NetProgGde 3–41
code migration XPG3 to XNS4.0,
NetProgGde 3–41
configuring *xtiso*, *NetProgGde* 3–57
contrast with TLI, *NetProgGde* 3–35
differences between XNS4.0 and
XNS5.0, *NetProgGde* 3–39
differences between XPG3 and
XNS4.0, *NetProgGde* 3–39
execution modes, *NetProgGde* 3–4
handling errors, *NetProgGde* 3–56
interoperability of XNS4.0 and
XNS5.0, *NetProgGde* 3–43
interoperability of XPG3 and
XNS4.0, *NetProgGde* 3–43
library and header files,
NetProgGde 3–6
phase-independent functions,
NetProgGde 3–32
porting applications to,
NetProgGde 3–33
rewriting socket applications for,
NetProgGde 3–36
sequencing functions,
NetProgGde 3–20
service modes, *NetProgGde* 3–4
synchronization of multiple
processes, *NetProgGde* 3–19
writing connection-oriented
applications, *NetProgGde* 3–22
- XTI client**

- connection-oriented program,
NetProgGde B-14
- connectionless program,
NetProgGde B-29
- XTI event**, *NetProgGde* 3-10
 - map of, *NetProgGde* 3-16
 - tracking, *NetProgGde* 3-14
- XTI functions**, *NetProgGde* 3-7
 - map of, *NetProgGde* 3-16
- XTI options**, *NetProgGde* 3-43
- XTI server**
 - connection-oriented program,
NetProgGde B-9
 - connectionless program,
NetProgGde B-25
- XTI states**, *NetProgGde* 3-13
 - management by transport
providers, *NetProgGde* 3-22
 - map of, *NetProgGde* 3-16
- xti.h header file**, *NetProgGde* 3-6
 - and `t_errno` variable, *NetProgGde*
3-56

- xtiso option**
 - configuring, *NetProgGde* 3-57

Y

- yacc program**, *ProgSupTools* 4-16

- year**
 - setting, *SystemAdmin* 2-21

- Yellow Pages**,
See NIS

- ypcat command**, *NetAdminSvcs* 3-31

- ypmatch command**,
NetAdminSvcs 3-31

- yppasswd command**,
CommandShellGde 1-6,
NetAdminSvcs 3-31

- ypwhich command**,
NetAdminSvcs 3-31