

# Radio Dot System LTE RAN

## Commercial Product Description

## **Copyright**

© Ericsson AB 2017, 2018. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

## **Disclaimer**

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

## **Trademark List**

All trademarks mentioned herein are the property of their respective owners. These are shown in the document [Trademark Information](#).



# Contents

<b>1</b>	<b>Radio Dot System Identity</b>	<b>1</b>
<b>2</b>	<b>Benefits of Radio Dot System</b>	<b>2</b>
<b>3</b>	<b>Included Functions</b>	<b>3</b>
3.1	Radio Dot System Overview	3





# 1 Radio Dot System Identity

Value Package Identity: FAJ 801 0565, R5, Rev B  
Introduced in: LTE RAN L17A



## 2 Benefits of Radio Dot System

With the Radio Dot System feature, Ericsson redefines the concept of indoor small cells with the most cost-effective and modular high performance indoor radio system. The system lets operators to address a wide range of indoor environments with a common solution. This has clear operational benefits for the operator, However, it is also important to CIOs, IT Managers, building owners and building managers who are responsible for multi-location businesses and campuses where individual buildings can vary greatly in size and user traffic.



## 3 Included Functions

### 3.1 Radio Dot System Overview

Identity:	FAJ 121 4162
Licensing:	Licensed feature. One RDS license is required for every 5 MHz sector carrier.
Introduced in:	DU: L14B, Baseband: L16B
Replaces:	N/A
Belongs to:	Radio Dot System, FAJ 801 0565

#### Summary

The Radio Dot System feature provides mobile broadband coverage for medium to large indoor areas in a cost-effective way as indoor traffic increases. The feature provides the following benefits:

- A high-capacity indoor small-cell solution
  - Scalable to meet current and future service and device needs
  - Flexible and simple to add frequency, capacity, and other technologies
  - Optimal capacity distribution enabled by macro cell-based architecture with pooled baseband resources
- Quick and easy deployment
  - Uses RD, which is ultra-compact and simple to install with minimal visual impact
  - Uses standard LAN cabling, which reduces cost, complexity, and power consumption
  - Enables one network with extension of the existing network and simplified RF design
- Feature parity and evolution with Ericsson leading radio portfolio
  - An indoor solution fully coordinated with an outdoor network in terms of features, functions, and interoperability

[Figure 1](#) shows the different preferred deployments depending on building size. It highlights a large opportunity for medium-large buildings and venues ideal for the RDS solution.




Figure 1 Indoor Network Deployment Options