

TOOLS


BRUSHES—DESCRIPTION

1. GENERAL

- 1.01 This section covers coded and noncoded brushes.
- 1.02 This section is reissued to add the 351 brush. The Equipment Test List is not affected.
- 1.03 The information contained in this section supersedes the corresponding information in Sections 074-103-101, 074-115-101, and 074-530-101.


2. DESCRIPTION OF TOOLS

133—A&M ONLY




Order this tool for replacement purposes only.
Replaced by, but not interchangeable with, the KS-6916 wire brush.

351




For use in cleaning protector blocks, and designed to mount on the end of the No. 3A carrying case by means of a screw which is provided.

389A



For use on 197- and 198-type switches.

KS-2993




A soft hair brush with a wooden handle and a plastic ferrule. For general use.

NOTICE


Not for use or disclosure outside the Bell System except under written agreement

KS-3093



A bristle brush for use in conjunction with the KS-2629 vacuum cleaner attachment on 153-type interrupters. For general use.


KS-6916



Replaces, but not interchangeable with, the 133 tool (spring cleaning tool). For use in conjunction with 1495 WE all-angle drill.


The information covered herein replaces the part of Section 076-190-801 applying to this brush.

KS-13604



A soft nylon bristle brush. Replaces the R-2448 treating brush. For cleaning sequence switches and panel multiple banks.

KS-14162
KS-14164



BRUSH	SIZE	DIMENSIONS	
		A (INCH)	B (INCH)
KS-14162	2	1/16	17/32
KS-14164	4	3/32	11/16


Red sable round artist show card brushes.

The KS-14162 brush replaces the Devoe & Reynolds Co. 251, No. 2, artist show card brush.

The KS-14164 brush replaces the No. 4 artist show card brush, R-1575.

For general use.

KS-14208



Red sable round artist brush. Furnished in cellulose acetate case. For general use.

R-1021

A 1/2-inch flat varnish brush with a wooden handle and a rubber ferrule having bristles 1-3/8 inch long. General appearance similar to the KS-2993 brush. For general use.

R-1575

Replaced by the KS-14164 brush.

R-2119

A 3/16-inch flat artist brush. Overall length is approximately 7 inches. For applying cement to cables.


R-2448

Treating brush. Replaced by the KS-13604 brush.

R-2919


A round pointed camel hair brush. Outside diameter of ferrule at brush end is approximately 11/64 inch and length of hair outside of ferrule is 3/4 inch. Overall length of brush is approximately 8 inches. For use in touching up scratches and small marred areas on smooth finished equipment.

R-2966




A flat stiff artist brush, No. 5. For use on precision-type interrupters, KS-13834 perforator, and 1-type translators.

R-2969



A stiff bristle typewriter-type brush 6 inches long. For general use.

BRUSH AND FILE CARD, HENRY DISSTON & SONS, NO. 2 (OR EQUIVALENT)



For use on operator chairs.

BRUSH, ARTIST SABLE RIGGER, NO. 4

Replaced by brush, R-1575, No. 4.


BRUSH, DEVOE & RAYNOLDS COMPANY, 251, NO. 2

Replaced by brush, KS-14162.

BRUSH, BRONZING, RADIATOR, 1-INCH, 2-INCH, AND 3-INCH

A medium soft brush. For use in applying aluminum enamels.

BRUSH, OSBORN MANUFACTURING COMPANY, NO. 816 (OR EQUIVALENT)




A bristle brush having a twisted wire handle. For use on operator chairs.

BRUSH, SASH, DEVOE & RAYNOLDS COMPANY, 5340, NO. 5 (OR EQUIVALENT)

Replaced by Brush, Sash, Devoe & Reynolds Company, 65272, No. 4.

BRUSH, SASH, DEVOE & RAYNOLDS COMPANY (In ordering, specify size and number of brush desired.)




Chiseled-edge sash brushes.

SIZE	NUMBER	DIMENSIONS	
		A (INCHES)	B (INCHES)
No. 4	65272	13/16 x 9/16	1-3/4
No. 8	65274	1-1/16 x 7/8	2-1/4

The No. 4 sash brush replaces the No. 5 sash brush and is for use in cleaning A- and B-type sequence switches, 157-type interrupters, and plug cleaning machines.


The No. 8 sash brush is for use in applying soap solution to detect leaks in waveguide runs.

BRUSH, SIGN-PAINTER, DEVOE & RAYNOLDS COMPANY, 244 (OR EQUIVALENT), 1 INCH



A 1-inch flat or oxhair brush having soft hair bristles vulcanized in rubber. For general use in retouching light finishes.

BRUSH, TYPEWRITER, LONG HANDLE



A bottle-type typewriter brush having a twisted wire handle 12 inches long. For use on friction roll drives and plunger-primary and secondary line and out-trunk switches.