


NONCODED TOOLS

WRENCHES, (BOX, SPANNER AND MISCELLANEOUS)

DESCRIPTION

→ WRENCH In ordering, specify number of wrench, and manufacturer's name when given.



12-point offset box wrench

	Dim. "A"	Dim. "B"	Dim. "C"
J. H. Williams & Co. No. 8725	7/16"	1/2"	8-1/4"
→ KS-8097	7/16"	5/8"	6


The J. H. Williams & Co. No. 8725 wrench is for use on some clutches when the KS-8097 wrench is unsatisfactory.

The KS-8097 wrench replaces the 305 tool.

For general use.

WRENCH, R-2702
Replaced by the R-3613 and R-3615 insulated box wrenches.

WRENCH In ordering, specify number of wrench, and manufacturer's name when given.




12-point box wrench

	Dim. "A"	Dim. "B"	Dim. "C"
J. H. Williams & Co. No. 7731A	3/4"	7/8"	12"
R-2698	1/2"	9/16"	8-1/4"

The J. H. Williams & Co. No. 7731A wrench is for use on friction roll drives.

The R-2698 wrench is for general use.

WRENCH, BOX, INSULATED, R-3613 AND R-3615




ITEM	DIM. A	DIM. B	DIM. C
R-3613	1"	8-3/4"	5/8"
R-3615	1-1/8"	10"	23/32"

12-point box wrench

The R-3613 and R-3615 wrenches are for use on 28A valves of pneumatic ticket distributing systems.


WRENCH, J. H. WILLIAMS & CO. NO. 1160 (OR EQUIVALENT)



3/8" 12-point offset box and 3/8" open-end wrench.

For use on KS-13834 perforators.

WRENCH, KS-14334




3/4" 12-point box wrench

For use on KS-13834 perforators.


SECTION 074-880-101

WRENCH, KS-14335




7/16" open offset box wrench
For use on KS-13834 perforators.

WRENCH, R-1952




Ratchet tap wrench
Takes up to 5/16" taps and 3/8" taps with shanks smaller than root diameter of threads.
For general use.

WRENCH, PLIER, R-2718




An adjustable 0 to 1-3/4" slip joint plier-type wrench with thin narrow jaws for use in close spaces.
For use on locknuts of lamp housings of the KS-14778 Photo Processor.

WRENCH, R-2895




Adjustable hook spanner wrench, 3/4" to 2" diameter.
For use on 659A tools.

WRENCH, R-6440




3/8" square box wrench
For use on gear reduction and friction roll drives, 155A interrupters, and 153-type interrupters.

WRENCH, SPANNER, AMERICAN INSTRUMENT CO.
CATALOG NO. 4-4896A



For use on compressor-dehydrators, dehydrators and air dryers.


WRENCH, J. H. WILLIAMS & CO. NO. 482 OR EQUIVALENT



Adjustable face spanner wrench, Max. 2" diameter.

For use on mercury-type interrupters.

WRENCH, WIPER, AECO. H-7057



Wiper-shaft aligning wrench

For use on 197- and 198-type switches.