

**DISTRIBUTING FRAMES
AND ASSOCIATED EQUIPMENT
ALPHABETICAL INDEX**

1. GENERAL

1.01 This index lists sections associated with various types of main distributing frames, combined distributing frames, and associated protector frames commonly used in central office buildings. ESS and COSMIC modular interconnecting frames and protector frames are also listed.

1.02 This section will be revised annually.

1.03 Miscellaneous apparatus sections not listed in this index can be found in the Master Alphabetical Index for all divisions, Section 000-000-001.

NOTICE

Not for use or disclosure outside the
Bell System except under written agreement

SECTION 201-200-001

AMA OR ANI TRANSLATOR LINE VERIFICATION			
Tests Using Circuit SD-27632-01 (J24759)			
<i>No. 5 Crossbar Offices</i>	218-727-501		
ANI TRANSLATOR LINE VERIFICATION; AMA OR			
Tests Using Circuit SD-27632-01 (J24759)			
<i>No. 5 Crossbar Offices</i>	218-727-501		
ASSOCIATED CORDS AND PLUGS			
C-, E-, and Similar Type Protectors Including 444-Type Jacks (301-Type Connectors)	201-206-102		
300-Type Connectors and Associated Protectors Including 121-type Protectors	201-207-102		
302- and 303-Type Connectors and Associated Protectors	201-208-102		
ASSOCIATING CONNECTOR TERMINALS WITH INTERCEPTING TRUNKS			
Step-By-Step and Community Dial Offices	226-165-300		
B PAIR IDENTIFIER	106-315-103		
B TEST POINT			
Description and Use	106-315-102		
B, C, AND F TEST CONNECTORS			
Description and Installation	106-315-120		
BAG; DISTRIBUTING FRAME			
Care and Use	075-143-302		
BLOCK RELAY FRAME AND LINE DISTRIBUTING FRAME			
Cross-Connections	216-719-301		
<i>No. 1 Crossbar Offices</i>	216-719-301		
BLOCK RELAY FRAMES; LINE DISTRIBUTING FRAME AND			
Cross-Connections	216-719-801		
<i>No. 1 Crossbar Offices</i>	216-719-801		
C-, E-, AND SIMILAR TYPE PROTECTORS			
Heat coil and Protector Spring Contact tests	201-206-501		
Maintaining Protectors	201-206-301		
C-, E-, AND SIMILAR TYPE PROTECTORS INCLUDING 444-TYPE JACKS (301-TYPE CONNECTORS)			
Associated Cords and Plugs	201-206-102		
Description	201-206-101		
Piece Part Data and Replacement Procedures	201-206-801		
C, AND F TEST CONNECTORS; B,			
Description and Installation	106-315-120		
CLASS-OF-SERVICE, MESSAGE REGISTER, ANI LINE VERIFICATION AND MESSAGE TIMING; LINE CROSS-CONNECTIONS, TESTS			
<i>No. 1 Crossbar Offices</i>	216-112-501		
COMMON SYSTEMS MAIN INTER-CONNECTING FRAME (COSMIC)			
Description	201-222-101		
Method of Making Connections	201-222-301		
Types of Protection	201-222-102		
Warning Markers and Guards	201-222-103		
CONNECTIONS USING SOLDERING COPPERS; SOLDERED			
Methods of Making and Removing	069-140-811		
		CONNECTIONS; METHOD OF MAKING	
		Common Systems Main Inter-Connecting Frame (COSMIC)	201-222-301
		Conventional Distributing Frames	201-220-301
		ESS-Type Modular Distributing Frames	201-221-301
		CONNECTOR TERMINALS WITH INTERCEPTING TRUNKS; ASSOCIATING	
		Step-By-Step and Community Dial Offices	226-165-300
		CONNECTORS AND ASSOCIATED PROTECTORS INCLUDING 121-TYPE PROTECTORS; 300-TYPE	
		Associated Cords and Plugs	201-207-102
		Description	201-207-101
		Maintaining Protectors	201-207-301
		Piece Part Data and Replacement Procedures	201-207-801
		CONNECTORS AND ASSOCIATED PROTECTORS; 302- AND 303-TYPE	
		Associated Cords and Plugs	201-208-102
		Description	201-208-101
		Maintaining Protectors	201-208-301
		Piece Part Data and Replacement Procedures	201-208-802
		Protector Unit tests Using KS-20100 L1 and L2 Test Sets	201-208-501
		CONNECTORS; B, C, AND F TEST	
		Description and Installation	106-315-120
		CONNECTORS; D, G, AND H TEST	
		Description and Installation	106-315-121
		CONNECTORS; SOLDERLESS	
		Inspection	069-135-501
		CONVENTIONAL DISTRIBUTING FRAMES	
		Description	201-220-101
		Inspections	201-220-501
		Method of Making Connections	201-220-301
		Types of Protection	201-220-102
		Warning Markers and Guards	201-220-103
		COPPERS AND IRONS; ELECTRIC SOLDERING	
		Tests and Inspections	075-190-501
		COPPERS AND KS-14768 HEAT UNITS; KS-14582 L1 AND L2 SOLDERING	
		Handling and Maintenance	075-190-811
		COPPERS AND KS-16436 SOLDERING IRON (INCLUDING KS-16368 TRANSFORMER); KS-8740, KS-14440, AND KS-14582 SOLDERING	
		Piece-Part Data and Replacement Procedures	075-191-812
		CORDS AND PLUGS; ASSOCIATED	
		C-, E-, and Similar Type Protectors Including 444-Type Jacks (301-Type Connectors)	201-206-102
		300-Type Connectors and Associated Protectors Including 121-type Protectors	201-207-102
		302- and 303-Type Connectors and Associated Protectors	201-208-102
		CROSS CONNECTION AND OPERATION TESTS	
		Line Message Registers associated With Line Finder Equipment	
		<i>Using Test Set SD-30490-01 (J34706A) and Test Line SD-31610-01 or Equivalent</i>	
		Step-By-Step Systems	226-705-500

CROSS-CONNECTION AND OPERATION TESTS		DIAGONAL PLIERS PER SPECIFICATION	
Line Message Registers Associated With		6433; V NOTCH	
Line Finder Equipment Arranged for		Sharpening External Notches	075-110-301
Overtime Charging		DISTRIBUTING FRAME BAG	
Using Test Set SD-30490-01		Care and Use	075-143-302
(J34706A) and Test Line SD-31610-01		ELECTRIC SOLDERING COPPERS AND IRONS	
or Equivalent		Tests and Inspections	075-190-501
Step-By-Step Systems	226-705-501	ESS-TYPE MODULAR DISTRIBUTING FRAMES	
Low Resistance Line Message Register		Description	201-221-101
Using Test Set SD-32150-01		Inspections	201-221-501
(J34725A) and Test Line SD-31610-01		Method of Making Connections	201-221-301
or Equivalent		Warning Markers and Guards	201-221-108
Step-By-Step Systems	226-705-502	ESS-TYPE MODULATOR DISTRIBUTING FRAME	
CROSS-CONNECTION METHODS		Types of Protection	201-221-102
Number Group Frame Non-Wire-Relay		FAULT LOCATOR TEST SET J94730A; 1A	
Type		Description and Application	100-150-101
No. 5 Crossbar Offices	218-165-304	Method of Using	100-150-301
CROSS-CONNECTIONS		GLOVES; INSULATING	
Block Relay Frame and Line		Leather Protectors, Fabric Liners and	
Distributing Frame		Glove Bag	081-710-200
No. 1 Crossbar Offices	216-719-301	Tests and Inspections	075-141-501
Line Distributing Frame and Block		GUARDS; WARNING MARKERS AND	
Relay Lines		Common Systems Main Inter-Connecting	
No. 1 Crossbar Offices	216-719-801	Frame (COSMIC)	201-222-103
Translators SD-26901-01 and		Conventional Distributing Frames	201-220-103
SD-25754-01		ESS-Type Modular Distributing Frames	201-221-103
No. 5 Crossbar Offices	218-726-301	HEAT COIL AND PROTECTOR SPRING	
CROSS-CONNECTIONS AND ASSOCIATED		CONTACTS	
CROSS-CONNECTIONS AT THE MAIN		Cleaning	069-315-801
DISTRIBUTING FRAME		IDENTIFIER; B PAIR	106-315-103
Number Group Frame		INSPECTIONS	
Nonwire-Spring-Relay Type		Conventional Distributing Frames	201-220-501
No. 5 Crossbar Offices	218-165-301	ESS-Type Modular Distributing Frames	201-221-501
CROSS-CONNECTIONS, CLASS-OF-SERVICE,		INSULATING GLOVES	
MESSAGE REGISTER, ANI LINE		Leather Protectors, Fabric Liners and	
VERIFICATION AND MESSAGE TIMING; LINE		Glove Bag	081-710-200
Tests		Tests and Inspections	075-141-501
No. 1 Crossbar Offices	216-112-501	INTERCEPTING TRUNKS; ASSOCIATING	
CROSS-CONNECTIONS, SOLDERLESS WRAPPED		CONNECTOR TERMINALS WITH	
CONNECTIONS; STRAPS AND		Step-By-Step and Community Dial	
Method of Placing	069-133-801	Offices	226-165-300
CUSTOMER LINES VERIFICATION TESTS		IRON (INCLUDING KS-16368 TRANSFORMER);	
Step-By-Step Offices		KS-8740, KS-14440, AND KS-14582	
Arranged for ANI-Type B	227-520-500	SOLDERING COPPERS AND KS-16436	
Using Test and Line Verification		SOLDERING	
Circuit SD-32379-01		Piece-Part Data and Replacement	
Step-By-Step Offices Arranged for		Procedures	075-191-812
ANI-Type C	227-572-500	IRONS; ELECTRIC SOLDERING COPPERS AND	
Using Test and Line Verification Test		Tests and Inspections	075-190-501
Circuit SD-35019-01		JACKS (301-TYPE CONNECTOR); C-, E-,	
Step-By-Step Offices Arranged for		AND SIMILAR TYPE PROTECTORS INCLUDING	
ANI-Type D	227-582-500	444-TYPE	
D, G, AND H TEST CONNECTORS		Description	201-206-101
Description and Installation	106-315-121	JACKS (301-TYPE CONNECTORS); C-, E-,	
DENYING AND RESTORING SERVICE ON		AND SIMILAR TYPE PROTECTORS INCLUDING	
CUSTOMER LINES; METHOD OF		444-TYPE	
Step-By-Step and Community Dial		Associated Cords and Plugs	201-206-102
Offices	226-155-300	JACKS; C-, E-, AND SIMILAR TYPE	
No. 1 Crossbar Offices	216-200-301	PROTECTORS INCLUDING 444-TYPE	
No. 5 Crossbar Offices	218-701-301	Piece Part Data and Replacement	
DESCRIPTION		Procedures	201-206-801
Common Systems Main Inter-connecting		JACKS; 444 TYPE	
Frame (COSMIC)	201-222-101	Requirements and Adjustment	
Conventional Distributing Frames	201-220-101	Procedures	201-206-701
ESS-Type Modular Distributing Frames	201-221-101		

SECTION 201-200-001

KS-14582 L1 AND L2 SOLDERING COPPERS AND KS-14768 HEAT UNITS Handling and Maintenance	075-190-811	LINE VERIFICATION AND MESSAGE TIMING; LINE CROSS-CONNECTIONS, CLASS-OF-SERVICE, MESSAGE REGISTER, ANI Tests <i>No. 1 Crossbar Offices</i>	216-112-501
KS-16363 L1 WIRE-WRAPPING TOOL AND ASSOCIATED WRAPPING BITS AND STATIONARY SLEEVES- Piece Part Data and Replacement Procedures	075-120-801	LINE VERIFICATION; AMA OR ANI TRANSLATOR Tests Using Circuit SD-27632-01 (J24759) <i>No. 5 Crossbar Offices</i>	218-727-501
Requirements and Adjustment Procedures	075-120-701	LINES VERIFICATION TESTS; CUSTOMER Step-By-Step Offices <i>Arranged for ANI-Type B</i>	227-520-500
KS-16492 WIRE-UNWRAPPING TOOL— Piece Part Data and Replacement Procedures	075-121-801	Using Test and Line Verification Circuit SD-32379-01 <i>Step-By-Step Offices Arranged for ANI-Type C</i>	227-572-500
KS-8740, KS-14440, AND KS-14582 SOLDERING COPPERS AND KS-16436 SOLDERING IRON (INCLUDING KS-16368 TRANSFORMER) Piece-Part Data and Replacement Procedures	075-191-812	Using Test and Line Verification Test Circuit SD-35019-01 <i>Step-By-Step Offices Arranged for ANI-Type D</i>	227-582-500
LADDERS AND LADDER SEATS Piece Part Data, Replacement Procedures, and Minor Repairs	065-105-801	LINES VERIFICATION TESTS; SUBSCRIBER Step-By-Step Offices Arranged for AMA	227-206-500
Tests and Inspections	065-105-501	LINES; METHOD OF DENYING AND RESTORING SERVICE ON CUSTOMER <i>Step-By-Step and Community Dial Offices</i>	226-155-300 216-200-301
LETTERING AND NUMBERING General Requirements and Methods	069-399-201	No. 1 Crossbar Offices	
LINE CROSS-CONNECTIONS, CLASS-OF-SERVICE, MESSAGE REGISTER, ANI LINE VERIFICATION AND MESSAGE TIMING Tests <i>No. 1 Crossbar Offices</i>	216-112-501	LINES; METHODS OF DENYING AND RESTORING SERVICE ON CUSTOMER No. 5 Crossbar Offices	218-701-301
LINE DISTRIBUTING FRAME AND BLOCK RELAY FRAMES Cross-Connections	216-719-801	LINES; VERIFICATION TEST OF SUBSCRIBER No. 1 Crossbar Offices Arranged for AMA	216-114-501
No. 1 Crossbar Offices	216-719-801	LOW RESISTANCE LINE MESSAGE REGISTER Cross-Connection and Operation Tests <i>Using Test Set SD-32150-01 (J34725A) and Test Line SD-31610-01 or Equivalent</i>	226-705-502
LINE DISTRIBUTING FRAME; BLOCK RELAY FRAME AND Cross-Connections	216-719-301	<i>Step-By-Step Systems</i>	
No. 1 Crossbar Offices	216-719-301	L1 AND L2 SOLDERING COPPERS AND KS-14768 HEAT UNITS; KS-14582 Handling and Maintenance	075-190-811
LINE MESSAGE REGISTER; LOW RESISTANCE Cross-Connection and Operation Tests <i>Using Test Set SD-30490-01 (J34706A) and Test Line SD-31610-01 or Equipment</i>	226-705-502	L1 WIRE-WRAPPING TOOL AND ASSOCIATED WRAPPING BITS AND STATIONARY SLEEVES;- KS-16363 Piece Part Data and Replacement Procedures	075-120-801
<i>Step-By-Step Systems</i>		Requirements and Adjustment Procedures	075-120-701
LINE MESSAGE REGISTERS ASSOCIATED WITH LINE FINDER EQUIPMENT Cross-Connection and Operation Tests <i>Using Test Set SD-30490-01 (J34706A) and Test Line SD-31610-01 or Equipment</i>	226-705-500	L1; WIRE-UNWRAPPING TOOL—HEATED—KS-16450 Piece Part Data and Replacement Procedures	075-121-802
<i>Step-By-Step Systems</i>		L2 SOLDERING COPPERS AND KS-14768 HEAT UNITS; KS-14582 L1 AND Handling and Maintenance	075-190-811
LINE VERIFICATION Tests Using Line Verification Circuit SD-26181-01 <i>No. 5 Crossbar Offices</i>	218-102-502	MAKING CONNECTIONS; METHOD OF Common Systems Main Inter-Connecting Frame (COSMIC)	201-222-301
Tests Using Office Test Frame Circuit SD-27633-01 (H-595-950) <i>No. 5 Crossbar Offices</i>	218-400-501	MARKERS AND GUARDS; WARNING Common Systems Main Inter-Connecting Frame (COSMIC)	201-222-103 201-220-103
Tests Using Office Test Frame Test Circuit SD-27633-01 (J23260) <i>No. 5 Crossbar Offices</i>	218-401-501	Conventional Distributing Frames	
Tests Using Test Circuit SD-26319-05 <i>No. 5 Crossbar Offices</i>	218-960-502		
Tests Using Test Circuit SD-26411-01 <i>No. 3 Crossbar Offices</i>	218-985-502		

MARKERS AND GUARDS; WARNING (Cont)			
ESS-Type Modular Distributing Frames	201-221-103		
MESSAGE REGISTER; LOW RESISTANCE LINE			
Cross-Connection and Operation Tests			
Using Test Set SD-32150-01			
(J34725A) and Test Line SD-31610-01			
or Equivalent			
Step-By-Step Systems	226-705-502		
MESSAGE REGISTER, ANI LINE			
VERIFICATION AND MESSAGE TIMING; LINE			
CROSS-CONNECTIONS, CLASS-OF-SERVICE,			
Tests			
No. 1 Crossbar Offices	216-112-501		
MESSAGE REGISTERS ASSOCIATED WITH LINE			
FINDER EQUIPMENT; LINE			
Cross-Connection and Operation Tests			
Using Test Set SD-30490-01			
(J34706A) and Test Line SD-31610-01			
or Equipment			
Step-By-Step Systems	226-705-500		
MESSAGE TIMING; LINE			
CROSS-CONNECTIONS, CLASS-OF-SERVICE,			
MESSAGE REGISTER, ANI LINE			
VERIFICATION AND			
Tests			
No. 1 Crossbar Offices	216-112-501		
METHOD OF DENYING AND RESTORING			
SERVICE ON CUSTOMER LINES			
Step-By-Step and Community Dial			
Offices	226-155-300		
No. 1 Crossbar Offices	216-200-301		
METHOD OF MAKING CONNECTIONS			
Common Systems Main Inter-Connecting			
Frame (COSMIC)	201-222-301		
Conventional Distributing Frames	201-220-301		
ESS-Type Modular Distributing Frames	201-221-301		
METHODS OF DENYING AND RESTORING			
SERVICE ON CUSTOMER LINES			
No. 5 Crossbar Offices	218-701-301		
NUMBER GROUP FRAME NONWIRE-SPRING			
RELAY TYPE			
Cross-Connections and Associated			
Cross-Connections at the Main			
Distributing Frame			
No. 5 Crossbar Offices	218-165-301		
NUMBER GROUP FRAME			
NONWIRE-SPRING-RELAY TYPE			
Cross Connection Methods			
No. 5 Crossbar Offices	218-165-304		
NUMBERING; LETTERING AND			
General Requirements and Methods	069-399-201		
PAIR IDENTIFIER; B	106-315-103		
PLIERS PER SPECIFICATION 6433; V NOTCH			
DIAGONAL			
Sharpening External Notches	075-110-301		
PLUGS; ASSOCIATED CORDS AND			
C-, E-, and Similar Type Protectors			
Including 444-Type Jacks (301-Type			
Connectors)	201-206-102		
300-Type Connectors and Associated			
Protectors Including 121-type			
Protectors	201-207-102		
302- and 303-Type Connectors and			
Associated Protectors	201-208-102		
PROTECTION; TYPES OF			
Common Systems Main Inter-Connecting			
Frame (COSMIC)	201-222-102		
Conventional Distributing Frames	201-220-102		
ESS-Type Modular Distributing Frames	201-221-102		
PROTECTOR SPRING CONTACTS; HEAT COIL			
AND			
Cleaning	069-315-801		
PROTECTORS INCLUDING 121-TYPE			
PROTECTORS; 300-TYPE CONNECTORS AND			
ASSOCIATED			
Associated Cords and Plugs	201-207-102		
Description	201-207-101		
Maintaining Protectors	201-207-301		
Piece Part Data and Replacement			
Procedures	201-207-801		
PROTECTORS INCLUDING 444-TYPE JACKS			
(301-TYPE CONNECTORS); C-, E-, AND			
SIMILAR TYPE			
Associated Cords and Plugs	201-206-102		
Description	201-206-101		
PROTECTORS INCLUDING 444-TYPE JACKS;			
C-, E-, AND SIMILAR TYPE			
Piece Part Data and Replacement			
Procedures	201-206-801		
PROTECTORS; C-, E-, AND SIMILAR TYPE			
Heat coil and Protector Spring Contact			
tests	201-206-501		
Maintaining Protectors	201-206-301		
PROTECTORS; 300-TYPE CONNECTORS AND			
ASSOCIATED PROTECTORS INCLUDING			
121-TYPE			
Associated Cords and Plugs	201-207-102		
Description	201-207-101		
Maintaining Protectors	201-207-301		
Piece Part Data and Replacement			
Procedures	201-207-801		
PROTECTORS; 302- AND 303-TYPE			
CONNECTORS AND ASSOCIATED			
Associated Cords and Plugs	201-208-102		
Description	201-208-101		
Maintaining Protectors	201-208-301		
Piece Part Data and Replacement			
Procedures	201-208-802		
Protector Unit tests Using KS-20100 L1			
and L2 Test Sets	201-208-501		
PUNCHED- OR WIRE-TYPE TERMINALS (NOT			
HAVING NOTCHES OR PERFORATIONS)			
Method of Making and Removing Wrapped			
Connections	069-132-811		
REELS, KS-8047; WIRE			
Piece Part Data	075-147-801		
RESTORING SERVICE ON CUSTOMER LINES;			
METHOD OF DENYING AND			
Step-By-Step and Community Dial			
Offices	226-155-300		
No. 1 Crossbar Offices	216-200-301		
No. 5 Crossbar Offices	218-701-301		
SCREWDRIVERS			
Selection, Use, and Maintenance	075-160-301		
SKINNING AND PREPARING WIRE FOR			
CROSS-CONNECTION ON DISTRIBUTING			
FRAMES AND CROSS-CONNECTION FIELDS	069-120-811		
SOLDERED CONNECTIONS USING SOLDERING			
COPPERS			
Methods of Making and Removing	069-140-811		

SECTION 201-200-001

SOLDERING COPPERS AND IRONS; ELECTRIC		TYPES OF PROTECTION (Cont)	
Tests and Inspections	075-190-501	Conventional Distributing Frames	201-220-102
SOLDERING COPPERS AND KS-14768 HEAT UNITS; KS-14582 L1 AND L2		ESS-Type Modular Distributing Frames	201-221-102
Handling and Maintenance	075-190-811	V NOTCH DIAGONAL PLIERS PER SPECIFICATION 6433	
SOLDERING COPPERS AND KS-16436		Sharpening External Notches	075-110-301
SOLDERING IRON (INCLUDING KS-16368 TRANSFORMER); KS-8740, KS-14440, AND KS-14582		VERIFICATION AND MESSAGE TIMING; LINE CROSS-CONNECTIONS, CLASS-OF-SERVICE, MESSAGE REGISTER, ANI LINE	
Piece-Part Data and Replacement Procedures	075-191-812	Tests	
SOLDERLESS CONNECTORS		<i>No. 1 Crossbar Offices</i>	216-112-501
Inspection	069-135-501	VERIFICATION TEST OF SUBSCRIBER LINES	
SPLIT TERMINALS		No. 1 Crossbar Offices Arranged for AMA	216-114-501
Method of connecting wires	069-130-811	VERIFICATION TESTS; CUSTOMER LINES	
STRAPS AND CROSS-CONNECTIONS, SOLDERLESS WRAPPED CONNECTIONS		Step-By-Step Offices	
Method of Placing	069-133-801	<i>Arranged for ANI-Type B</i>	227-520-500
SUBSCRIBER LINES VERIFICATION TESTS		Using Test and Line Verification Circuit SD-32379-01	
Step-By-Step Offices Arranged for AMA	227-206-500	<i>Step-By-Step Offices Arranged for ANI-Type C</i>	227-572-500
TERMINALS (NOT HAVING NOTCHES OR PERFORATIONS); PUNCHED- OR WIRE-TYPE		Using Test and Line Verification Test Circuit SD-35019-01	
Method of Making and Removing Wrapped Connections	069-132-811	<i>Step-By-Step Offices Arranged for ANI-Type D</i>	227-582-500
TERMINALS WITH INTERCEPTING TRUNKS; ASSOCIATING CONNECTOR		VERIFICATION TESTS; SUBSCRIBER LINES	
Step-By-Step and Community Dial Offices	226-165-300	Step-By-Step Offices Arranged for AMA	227-206-500
TERMINALS; SPLIT		VERIFICATION; AMA OR ANI TRANSLATOR LINE	
Method of connecting wires	069-130-811	Tests Using Circuit SD-27632-01 (J24759)	
TEST CONNECTORS; B, C, AND F		<i>No. 5 Crossbar Offices</i>	218-727-501
Description and Installation	106-315-120	VERIFICATION; LINE	
TEST CONNECTORS; D, G, AND H		Tests Using Line Verification Circuit SD-26181-01	
Description and Installation	106-315-121	<i>No. 5 Crossbar Offices</i>	218-102-502
TEST POINT; B		Tests Using Office Test Frame Circuit SD-27633-01 (H-595-950)	
Description and Use	106-315-102	<i>No. 5 Crossbar Offices</i>	218-400-501
TEST SET J94730A; 1A FAULT LOCATOR		Tests Using Office Test Frame Test Circuit SD-27633-01 (J23260)	
Description and Application	100-150-101	<i>No. 5 Crossbar Offices</i>	218-401-501
Method of Using	100-150-301	Tests Using Test Circuit SD-26319-05	
TEST SETS; 108A AND 109A	106-310-120	<i>No. 5 Crossbar Offices</i>	218-960-502
TOOL AND ASSOCIATED WRAPPING BITS AND STATIONARY SLEEVES; KS-16363 L1		Tests Using Test Circuit SD-26411-01	
WIRE-WRAPPING		<i>No. 3 Crossbar Offices</i>	218-985-502
Piece Part Data and Replacement Procedures	075-120-801	WARNING MARKERS AND GUARDS	
Requirements and Adjustment Procedures	075-120-701	Common Systems Main Inter-Connecting Frame (COSMIC)	201-222-103
TOOL—; KS-16492 WIRE-UNWRAPPING		Conventional Distributing Frames	201-220-103
Piece Part Data and Replacement Procedures	075-121-801	ESS-Type Modular Distributing Frames	201-221-103
TOOL—HEATED—KS-16450 L1; WIRE-UNWRAPPING		WIRE FOR CROSS-CONNECTION ON DISTRIBUTING FRAMES AND CROSS-CONNECTION FIELDS; SKINNING AND PREPARING	
Piece Part Data and Replacement Procedures	075-121-802		069-120-811
TRANSLATOR LINE VERIFICATION; AMA OR ANI		WIRE REELS, KS-8047	
Tests Using Circuit SD-27632-01 (J24759)		Piece Part Data	075-147-801
<i>No. 5 Crossbar Offices</i>	218-727-501	WIRE TYPES	
TRANSLATORS SD-26901-01 AND SD-25754-01		No. 1 Crossbar Offices	216-701-301
Cross-Connections		WIRE-TYPE TERMINALS (NOT HAVING NOTCHES OR PERFORATIONS); PUNCHED- OR	
<i>No. 5 Crossbar Offices</i>	218-726-301	Method of Making and Removing Wrapped Connections	069-132-811
TYPES OF PROTECTION		WIRE-UNWRAPPING TOOL—; KS-16492	
Common Systems Main Inter-Connecting Frame (COSMIC)	201-222-102	Piece Part Data and Replacement Procedures	075-121-801

WIRE-UNWRAPPING TOOL—HEATED—KS-16450	
L1	
Piece Part Data and Replacement Procedures	075-121-802
WIRE-WRAPPING TOOL AND ASSOCIATED WRAPPING BITS AND STATIONARY SLEEVES-; KS-16363 L1	
Piece Part Data and Replacement Procedures	075-120-801
Requirements and Adjustment Procedures	075-120-701
1A FAULT LOCATOR TEST SET J94730A	
Description and Application	100-150-101
Method of Using	100-150-301
108A AND 109A TEST SETS	
	106-310-120
300-TYPE CONNECTORS AND ASSOCIATED PROTECTORS INCLUDING 121-TYPE PROTECTORS	
Associated Cards and Plugs	201-207-102
Description	201-207-101
Maintaining Protectors	201-207-301
Piece Part Data and Replacement Procedures	201-207-801
302- AND 303-TYPE CONNECTORS AND ASSOCIATED PROTECTORS	
Associated Cords and Plugs	201-208-102
Description	201-208-101
Maintaining Protectors	201-208-301
Piece Part Data and Replacement Procedures	201-208-802
Protector Unit tests Using KS-20100 L1 and L2 Test Sets	201-208-501
444 TYPE JACKS	
Requirements and Adjustment Procedures	201-206-701