

ALPHABETICAL INDEX
COMPLETING MARKER TESTS—USING OFFICE TEST
FRAME TEST CIRCUIT SD-27633-01 (J23260)
NO. 5 CROSSBAR OFFICES

1. GENERAL

1.01 This section provides an alphabetically arranged list of tests for completing marker circuits

covered in Sections 218-423-501, 502, 503, etc. This issue does not affect Equipment Test Lists.

SECTION 218-423-001

ADVANCE FEATURE ORIGINATING ROUTE; ROUTE—SEE ROUTE ADVANCE FEATURE ORIGINATING ROUTE		
ADVANCE FEATURE—TANDEM ROUTE; ROUTE—SEE ROUTE ADVANCE FEATURE—TANDEM ROUTE		
ALL-LINES BUSY FEATURE; ALLOTTED PBX OR LINE CIRCUIT GROUP—NG PREFERENCE AND—SEE ALLOTTED PBX OR LINE CIRCUIT GROUP—NG PREFERENCE AND ALL-LINES BUSY FEATURE		
ALLOTTED IAO TRUNKS; FAILURE-TO-MATCH USING—SEE FAILURE-TO-MATCH USING ALLOTTED IAO TRUNKS		
ALLOTTED PBX OR LINE CIRCUIT GROUP—NG PREFERENCE AND ALL-LINES BUSY FEATURE		
<i>Test Q</i>	218-423-504	
ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR PARTICULAR ROUTE; TWO STEP—SEE TWO STEP ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR PARTICULAR ROUTE		
AUTOMATIC INTERCEPT SERVICE FEATURE A & M VERSION		
<i>Test BB</i>	218-423-513	
AUTOMATIC INTERCEPT SERVICE FEATURE STANDARD VERSION		
<i>Test BC</i>	218-423-513	
BLANK AND UNEQUIPPED NUMBER FEATURE		
<i>Test AG</i>	218-423-507	
BUSY FEATURE; ALLOTTED PBX OR LINE CIRCUIT GROUP—NG PREFERENCE AND ALL-LINES—SEE ALLOTTED PBX OR LINE CIRCUIT GROUP—NG PREFERENCE AND ALL-LINES BUSY FEATURE		
BUSY TEST FEATURE; LINE—SEE LINE BUSY TEST FEATURE		
CALL CLASS MARKS TO TSPS SYSTEM NO. 1		
<i>Test AW</i>	218-423-510	
CALL FEATURE; INCOMING—SEE INCOMING CALL FEATURE		
CALL FEATURE; INTRAOFFICE—SEE INTRAOFFICE CALL FEATURE		
CALL FEATURE; REVERTING—SEE REVERTING CALL FEATURE		
CALL FEATURE; SERVICE—SEE SERVICE CALL FEATURE		
CALL FEATURE; SUBSCRIBER OUTGOING—SEE SUBSCRIBER OUTGOING CALL FEATURE		
CALLED LINE GROUND TEST—GT RELAY HOLD TEST		
<i>Test L</i>	218-423-503	
CALLING LINE IDENTIFICATION FEATURE		
<i>Test AZ</i>	218-423-512	
CHANNEL PREFERENCE FEATURE		
<i>Test H</i>	218-423-502	
CHECK FEATURE; PARTY—SEE PARTY CHECK FEATURE		
CLASS MARKS TO TSPS SYSTEM NO. 1; CALL—SEE CALL CLASS MARKS TO TSPS SYSTEM NO. 1		
CLASS SCREENING FEATURES; SUBSCRIBER—SEE SUBSCRIBER CLASS SCREENING FEATURES		
CODE FEATURE; VACANT—SEE VACANT CODE FEATURE		
COIN RETURN FEATURE; TRUNK—SEE TRUNK COIN RETURN FEATURE		
CONTINUITY TEST—GT RELAY OPERATE AND RELEASE		
<i>Test K</i>	218-423-502	
CROSS AND GROUND TEST—FCG RELAY; FALSE—SEE FALSE CROSS AND GROUND TEST—FCG RELAY		
DCK AND LINK RELEASE FEATURE; INCOMING REGISTER—SEE INCOMING REGISTER DCK AND LINK RELEASE FEATURE		
DIAL FEATURE; PARTIAL—SEE PARTIAL DIAL FEATURE		
DIALING WITH TSPS; INTERNATIONAL DIRECT DISTANCE—SEE INTERNATIONAL DIRECT DISTANCE DIALING WITH TSPS		
DIRECT DISTANCE DIALING WITH TSPS; INTERNATIONAL—SEE INTERNATIONAL DIRECT DISTANCE DIALING WITH TSPS		
DISCRIMINATION OR OFFICE DISCRIMINATION (PHYSICAL, THEORETICAL, EXTRA-THEORETICAL); NUMBER SERIES—SEE NUMBER SERIES DISCRIMINATION OR OFFICE DISCRIMINATION (PHYSICAL, THEORETICAL, EXTRA-THEORETICAL)		
DISTANCE DIALING WITH TSPS; INTERNATIONAL DIRECT—SEE INTERNATIONAL DIRECT DISTANCE DIALING WITH TSPS		
DIVERSION FEATURE; TOLL—SEE TOLL DIVERSION FEATURE		
DIVERTED ROUTE FEATURE		
<i>Test AV</i>	218-423-510	
DUAL VOLTAGE HOLD MAGNET OPERATION FEATURE		
<i>Test AU</i>	218-423-510	
EXTENSION FEATURE; RANGE—SEE RANGE EXTENSION FEATURE		
FAILURE-TO-MATCH USING ALLOTTED IAO TRUNKS		
<i>Test C</i>	218-423-501	
FAILURE-TO-MATCH USING INCOMING TRKS		
<i>Test F</i>	218-423-501	
FAILURE-TO-MATCH USING NONALLOTTED IAO TRKS		
<i>Test D</i>	218-423-501	
FAILURE-TO-MATCH USING OUTGOING TRKS		
<i>Test E</i>	218-423-501	
FALSE CROSS AND GROUND TEST—FCG RELAY		
<i>Test J</i>	218-423-502	
FEATURE A & M VERSION; AUTOMATIC INTERCEPT SERVICE—SEE AUTOMATIC INTERCEPT SERVICE FEATURE A & M VERSION		
FEATURE ORIGINATING ROUTE; ROUTE ADVANCE—SEE ROUTE ADVANCE FEATURE ORIGINATING ROUTE		
FEATURE STANDARD VERSION; AUTOMATIC INTERCEPT SERVICE—SEE AUTOMATIC INTERCEPT SERVICE FEATURE STANDARD VERSION		
FEATURE; ALLOTTED PBX OR LINE CIRCUIT GROUP—NG PREFERENCE AND ALL-LINES BUSY—SEE ALLOTTED PBX OR LINE CIRCUIT GROUP—NG PREFERENCE AND ALL-LINES BUSY FEATURE		

FEATURE; BLANK AND UNEQUIPPED NUMBER—SEE BLANK AND UNEQUIPPED NUMBER FEATURE
 FEATURE; CALLING LINE IDENTIFICATION—SEE CALLING LINE IDENTIFICATION FEATURE
 FEATURE; CHANNEL PREFERENCE—SEE CHANNEL PREFERENCE FEATURE
 FEATURE; DIVERTED ROUTE—SEE DIVERTED ROUTE FEATURE
 FEATURE; DUAL VOLTAGE HOLD MAGNET OPERATION—SEE DUAL VOLTAGE HOLD MAGNET OPERATION FEATURE
 FEATURE; FREE NUMBER—SEE FREE NUMBER FEATURE
 FEATURE; HEAVY TRAFFIC TIMING—SEE HEAVY TRAFFIC TIMING FEATURE
 FEATURE; INCOMING CALL—SEE INCOMING CALL FEATURE
 FEATURE; INCOMING REGISTER DCK AND LINK RELEASE—SEE INCOMING REGISTER DCK AND LINK RELEASE FEATURE
 FEATURE; INTRAOFFICE CALL—SEE INTRAOFFICE CALL FEATURE
 FEATURE; JUNCTOR SUBGROUP SELECTION—SEE JUNCTOR SUBGROUP SELECTION FEATURE
 FEATURE; LINE BUSY TEST—SEE LINE BUSY TEST FEATURE
 FEATURE; NONALLOTTED PBX RECYCLE—SEE NONALLOTTED PBX RECYCLE FEATURE
 FEATURE; OUTGOING SENDER PREFERENCE AND LOCKOUT—SEE OUTGOING SENDER PREFERENCE AND LOCKOUT FEATURE
 FEATURE; PARTIAL DIAL—SEE PARTIAL DIAL FEATURE
 FEATURE; PARTY CHECK—SEE PARTY CHECK FEATURE
 FEATURE; PERMANENT OVERFLOW—SEE PERMANENT OVERFLOW FEATURE
 FEATURE; PERMANENT SIGNAL—SEE PERMANENT SIGNAL FEATURE
 FEATURE; RANGE EXTENSION—SEE RANGE EXTENSION FEATURE
 FEATURE; REORDER—SEE REORDER FEATURE
 FEATURE; REVERTING CALL—SEE REVERTING CALL FEATURE
 FEATURE; SENDER GROUP RELEASE—SEE SENDER GROUP RELEASE FEATURE
 FEATURE; SERVICE CALL—SEE SERVICE CALL FEATURE
 FEATURE; SERVICE OBSERVING—SEE SERVICE OBSERVING FEATURE
 FEATURE; STATION RINGER TEST—SEE STATION RINGER TEST FEATURE
 FEATURE; SUBSCRIBER OUTGOING CALL—SEE SUBSCRIBER OUTGOING CALL FEATURE
 FEATURE; TIMING—SEE TIMING FEATURE
 FEATURE; TOLL DIVERSION—SEE TOLL DIVERSION FEATURE
 FEATURE; TRANSFER OF START LEAD—SEE TRANSFER OF START LEAD FEATURE
 FEATURE; TRUNK COIN RETURN—SEE TRUNK COIN RETURN FEATURE
 FEATURE; VACANT CODE—SEE VACANT CODE FEATURE

FEATURE; 2-LINE HUNT GROUP—SEE 2-LINE HUNT GROUP FEATURE
 FEATURE—SPECIAL MARKERS; NO-TEST—SEE NO-TEST FEATURE—SPECIAL MARKERS
 FEATURE—SPECIAL MARKERS; SPECIAL HUNT (NONTEST)—SEE SPECIAL HUNT (NONTEST) FEATURE—SPECIAL MARKERS
 FEATURE—TANDEM ROUTE; ROUTE ADVANCE—SEE ROUTE ADVANCE FEATURE—TANDEM ROUTE
 FEATURES; LINE LINK PULSING—SEE LINE LINK PULSING FEATURES
 FEATURES; SUBSCRIBER CLASS SCREENING—SEE SUBSCRIBER CLASS SCREENING FEATURES
 FRAME FOR PARTICULAR ROUTE; TWO STEP ALLOTTER—MORE THAN 20 TRKS ON TL—SEE TWO STEP ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR PARTICULAR ROUTE
 FRAME PREFERENCE AND LOCKOUT; TRUNK LINK—SEE TRUNK LINK FRAME PREFERENCE AND LOCKOUT
 FREE NUMBER FEATURE
Test W
 GROUND TEST—FCG RELAY; FALSE CROSS AND—SEE FALSE CROSS AND GROUND TEST—FCG RELAY
 GROUND TEST—GT RELAY HOLD TEST; CALLED LINE—SEE CALLED LINE GROUND TEST—GT RELAY HOLD TEST
 GROUP FEATURE; 2-LINE HUNT—SEE 2-LINE HUNT GROUP FEATURE
 GROUP PREFERENCE; NONALLOTTED PBX—SEE NONALLOTTED PBX GROUP PREFERENCE
 GROUP RELEASE FEATURE; SENDER—SEE SENDER GROUP RELEASE FEATURE
 GROUP-END-OF-BLOCK HUNTING; PBX—SEE PBX GROUP-END-OF-BLOCK HUNTING
 GROUP—NG PREFERENCE AND ALL-LINES BUSY FEATURE; ALLOTTED PBX OR LINE CIRCUIT—SEE ALLOTTED PBX OR LINE CIRCUIT GROUP—NG PREFERENCE AND ALL-LINES BUSY FEATURE
 HEAVY TRAFFIC TIMING FEATURE
Test AQ
 HOLD MAGNET OPERATION FEATURE; DUAL VOLTAGE—SEE DUAL VOLTAGE HOLD MAGNET OPERATION FEATURE
 HOLD TEST; CALLED LINE GROUND TEST—GT RELAY—SEE CALLED LINE GROUND TEST—GT RELAY HOLD TEST
 HUNT (NONTEST) FEATURE—SPECIAL MARKERS; SPECIAL—SEE SPECIAL HUNT (NONTEST) FEATURE—SPECIAL MARKERS
 HUNTING; PBX GROUP-END-OF-BLOCK—SEE PBX GROUP-END-OF-BLOCK HUNTING
 IAO TRKS; FAILURE-TO-MATCH USING NONALLOTTED—SEE FAILURE-TO-MATCH USING NONALLOTTED IAO TRKS
 IAO TRUNKS; FAILURE-TO-MATCH USING ALLOTTED—SEE FAILURE-TO-MATCH USING ALLOTTED IAO TRUNKS
 IDENTIFICATION FEATURE; CALLING LINE—SEE CALLING LINE IDENTIFICATION FEATURE

218-423-505

218-423-509

SECTION 218-423-001

INCOMING CALL FEATURE <i>Test AO</i>	218-423-508	MARKERS; SPECIAL HUNT (NONTEST) FEATURE—SPECIAL—SEE SPECIAL HUNT (NONTEST) FEATURE—SPECIAL MARKERS MARKS TO TSPS SYSTEM NO. 1; CALL CLASS—SEE CALL CLASS MARKS TO TSPS SYSTEM NO. 1	
INCOMING REGISTER DCK AND LINK RELEASE FEATURE <i>Test V</i>	218-423-504	NO. 1; CALL CLASS MARKS TO TSPS SYSTEM—SEE CALL CLASS MARKS TO TSPS SYSTEM NO. 1	
INCOMING TRKS; FAILURE-TO-MATCH USING—SEE FAILURE-TO-MATCH USING INCOMING TRKS		NO-TEST FEATURE—SPECIAL MARKERS <i>Test S</i>	218-423-504
INTERCEPT SERVICE FEATURE A & M VERSION; AUTOMATIC—SEE AUTOMATIC INTERCEPT SERVICE FEATURE A & M VERSION		NONALLOTTED IAO TRKS; FAILURE-TO-MATCH USING—SEE FAILURE-TO-MATCH USING NONALLOTTED IAO TRKS	
INTERCEPT SERVICE FEATURE STANDARD VERSION; AUTOMATIC—SEE AUTOMATIC INTERCEPT SERVICE FEATURE STANDARD VERSION		NONALLOTTED PBX GROUP PREFERENCE <i>Test O</i>	218-423-503
INTERNATIONAL DIRECT DISTANCE DIALING WITH TSPS <i>Test BD</i>	218-423-513	NONALLOTTED PBX RECYCLE FEATURE <i>Test AJ</i>	218-423-508
INTRAOFFICE CALL FEATURE <i>Test AL</i>	218-423-508	NUMBER FEATURE; BLANK AND UNEQUIPPED—SEE BLANK AND UNEQUIPPED NUMBER FEATURE	
JUNCTOR SUBGROUP SELECTION FEATURE <i>Test G</i>	218-423-502	NUMBER FEATURE; FREE—SEE FREE NUMBER FEATURE	
LEAD FEATURE; TRANSFER OF START—SEE TRANSFER OF START LEAD FEATURE		NUMBER SERIES DISCRIMINATION OR OFFICE DISCRIMINATION (PHYSICAL, THEORETICAL, EXTRA-THEORETICAL) <i>Test AH</i>	218-423-507
LINE BUSY TEST FEATURE <i>Test AI</i>	218-423-507	OBSERVING FEATURE; SERVICE—SEE SERVICE OBSERVING FEATURE	
LINE CIRCUIT GROUP—NG PREFERENCE AND ALL-LINES BUSY FEATURE; ALLOTTED PBX OR—SEE ALLOTTED PBX OR LINE CIRCUIT GROUP—NG PREFERENCE AND ALL-LINES BUSY FEATURE		OFFICE DISCRIMINATION (PHYSICAL, THEORETICAL, EXTRA-THEORETICAL); NUMBER SERIES DISCRIMINATION OR—SEE NUMBER SERIES DISCRIMINATION OR OFFICE DISCRIMINATION (PHYSICAL, THEORETICAL, EXTRA-THEORETICAL)	
LINE GROUND TEST—GT RELAY HOLD TEST; CALLED—SEE CALLED LINE GROUND TEST—GT RELAY HOLD TEST		OPERATE AND RELEASE; CONTINUITY TEST—GT RELAY—SEE CONTINUITY TEST—GT RELAY OPERATE AND RELEASE	
LINE IDENTIFICATION FEATURE; CALLING—SEE CALLING LINE IDENTIFICATION FEATURE		OPERATION FEATURE; DUAL VOLTAGE HOLD MAGNET—SEE DUAL VOLTAGE HOLD MAGNET OPERATION FEATURE	
LINE LINK PULSING FEATURES <i>Test AX</i>	218-423-511	ORIGINATING ROUTE; ROUTE ADVANCE FEATURE—SEE ROUTE ADVANCE FEATURE ORIGINATING ROUTE	
LINE; PLUG-UP-FEATURE—PBX—SEE PLUG-UP-FEATURE—PBX LINE		OUTGOING CALL FEATURE; SUBSCRIBER—SEE SUBSCRIBER OUTGOING CALL FEATURE	
LINK FRAME PREFERENCE AND LOCKOUT; TRUNK—SEE TRUNK LINK FRAME PREFERENCE AND LOCKOUT		OUTGOING SENDER PREFERENCE AND LOCKOUT FEATURE <i>Test R</i>	218-423-504
LINK PULSING FEATURES; LINE—SEE LINE LINK PULSING FEATURES		OUTGOING TRKS; FAILURE-TO-MATCH USING—SEE FAILURE-TO-MATCH USING OUTGOING TRKS	
LINK RELEASE FEATURE; INCOMING REGISTER DCK AND—SEE INCOMING REGISTER DCK AND LINK RELEASE FEATURE		OVERFLOW FEATURE; PERMANENT—SEE PERMANENT OVERFLOW FEATURE	
LOCKOUT FEATURE; OUTGOING SENDER PREFERENCE AND—SEE OUTGOING SENDER PREFERENCE AND LOCKOUT FEATURE		PARTIAL DIAL FEATURE <i>Test Y</i>	218-423-505
LOCKOUT; TRUNK LINK FRAME PREFERENCE AND—SEE TRUNK LINK FRAME PREFERENCE AND LOCKOUT		PARTICULAR ROUTE; TWO STEP ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR—SEE TWO STEP ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR PARTICULAR ROUTE	
M VERSION; AUTOMATIC INTERCEPT SERVICE FEATURE A &—SEE AUTOMATIC INTERCEPT SERVICE FEATURE A & M VERSION		PARTY CHECK FEATURE <i>Test AB</i>	218-423-505
MAGNET OPERATION FEATURE; DUAL VOLTAGE HOLD—SEE DUAL VOLTAGE HOLD MAGNET OPERATION FEATURE		PBX GROUP PREFERENCE; NONALLOTTED—SEE NONALLOTTED PBX GROUP PREFERENCE	
MARKERS; NO-TEST FEATURE—SPECIAL—SEE NO-TEST FEATURE—SPECIAL MARKERS		PBX GROUP-END-OF-BLOCK HUNTING <i>Test P</i>	218-423-503

PBX LINE; PLUG-UP-FEATURE—NON—SEE PLUG-UP-FEATURE—NON-PBX LINE			
PBX OR LINE CIRCUIT GROUP—NG PREFERENCE AND ALL-LINES BUSY FEATURE; ALLOTTED—SEE ALLOTTED PBX OR LINE CIRCUIT GROUP—NG PREFERENCE AND ALL-LINES BUSY FEATURE			
PBX RECYCLE FEATURE; NONALLOTTED—SEE NONALLOTTED PBX RECYCLE FEATURE			
PERMANENT OVERFLOW FEATURE <i>Test Z</i>	218-423-505		
PERMANENT SIGNAL FEATURE <i>Test X</i>	218-423-505		
PLUG-UP-FEATURE—NON-PBX LINE <i>Test M</i>	218-423-503		
PLUG-UP-FEATURE—PBX LINE <i>Test N</i>	218-423-503		
PREFERENCE AND ALL-LINES BUSY FEATURE; ALLOTTED PBX OR LINE CIRCUIT GROUP—NG—SEE ALLOTTED PBX OR LINE CIRCUIT GROUP—NG PREFERENCE AND ALL-LINES BUSY FEATURE			
PREFERENCE AND LOCKOUT FEATURE; OUTGOING SENDER—SEE OUTGOING SENDER PREFERENCE AND LOCKOUT FEATURE			
PREFERENCE AND LOCKOUT; TRUNK LINK FRAME—SEE TRUNK LINK FRAME PREFERENCE AND LOCKOUT			
PREFERENCE FEATURE; CHANNEL—SEE CHANNEL PREFERENCE FEATURE			
PREFERENCE; NONALLOTTED PBX GROUP—SEE NONALLOTTED PBX GROUP PREFERENCE			
PULSING FEATURES; LINE LINK—SEE LINE LINK PULSING FEATURES			
RANGE EXTENSION FEATURE <i>Test BA</i>	218-423-512		
RECYCLE FEATURE; NONALLOTTED PBX—SEE NONALLOTTED PBX RECYCLE FEATURE			
REGISTER DCK AND LINK RELEASE FEATURE; INCOMING—SEE INCOMING REGISTER DCK AND LINK RELEASE FEATURE			
RELAY HOLD TEST; CALLED LINE GROUND TEST—GT—SEE CALLED LINE GROUND TEST—GT RELAY HOLD TEST			
RELAY OPERATE AND RELEASE; CONTINUITY TEST—GT—SEE CONTINUITY TEST—GT RELAY OPERATE AND RELEASE			
RELAY; FALSE CROSS AND GROUND TEST—FCG—SEE FALSE CROSS AND GROUND TEST—FCG RELAY			
RELEASE FEATURE; INCOMING REGISTER DCK AND LINK—SEE INCOMING REGISTER DCK AND LINK RELEASE FEATURE			
RELEASE FEATURE; SENDER GROUP—SEE SENDER GROUP RELEASE FEATURE			
RELEASE; CONTINUITY TEST—GT RELAY OPERATE AND—SEE CONTINUITY TEST—GT RELAY OPERATE AND RELEASE			
REORDER FEATURE <i>Test U</i>	218-423-504		
RETURN FEATURE; TRUNK COIN—SEE TRUNK COIN RETURN FEATURE			
REVERTING CALL FEATURE <i>Test I</i>	218-423-502		
RINGER TEST FEATURE; STATION—SEE STATION RINGER TEST FEATURE			
ROUTE ADVANCE FEATURE ORIGINATING ROUTE <i>Test AD</i>		218-423-506	
ROUTE ADVANCE FEATURE—TANDEM ROUTE <i>Test AE</i>		218-423-507	
ROUTE FEATURE; DIVERTED—SEE DIVERTED ROUTE FEATURE			
ROUTE; ROUTE ADVANCE FEATURE ORIGINATING—SEE ROUTE ADVANCE FEATURE ORIGINATING ROUTE			
ROUTE; ROUTE ADVANCE FEATURE—TANDEM—SEE ROUTE ADVANCE FEATURE—TANDEM ROUTE			
ROUTE; TWO STEP ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR PARTICULAR—SEE TWO STEP ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR PARTICULAR ROUTE			
SCREENING FEATURES; SUBSCRIBER CLASS—SEE SUBSCRIBER CLASS SCREENING FEATURES			
SELECTION FEATURE; JUNCTOR SUBGROUP—SEE JUNCTOR SUBGROUP SELECTION FEATURE			
SENDER GROUP RELEASE FEATURE <i>Test AT</i>		218-423-510	
SENDER PREFERENCE AND LOCKOUT FEATURE; OUTGOING—SEE OUTGOING SENDER PREFERENCE AND LOCKOUT FEATURE			
SERIES DISCRIMINATION OR OFFICE DISCRIMINATION (PHYSICAL, THEORETICAL, EXTRA-THEORETICAL); NUMBER—SEE NUMBER SERIES DISCRIMINATION OR OFFICE DISCRIMINATION (PHYSICAL, THEORETICAL, EXTRA-THEORETICAL)			
SERVICE CALL FEATURE <i>Test AK</i>		218-423-508	
SERVICE FEATURE A & M VERSION; AUTOMATIC INTERCEPT—SEE AUTOMATIC INTERCEPT SERVICE FEATURE A & M VERSION			
SERVICE FEATURE STANDARD VERSION; AUTOMATIC INTERCEPT—SEE AUTOMATIC INTERCEPT SERVICE FEATURE STANDARD VERSION			
SERVICE OBSERVING FEATURE <i>Test AC</i>		218-423-506	
SIGNAL FEATURE; PERMANENT—SEE PERMANENT SIGNAL FEATURE			
SPECIAL HUNT (NONTEST) FEATURE—SPECIAL MARKERS <i>Test T</i>		218-423-504	
STANDARD VERSION; AUTOMATIC INTERCEPT SERVICE FEATURE—SEE AUTOMATIC INTERCEPT SERVICE FEATURE STANDARD VERSION			
START LEAD FEATURE; TRANSFER OF—SEE TRANSFER OF START LEAD FEATURE			
STATION RINGER TEST FEATURE <i>Test AP</i>		218-423-509	
STEP ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR PARTICULAR ROUTE; TWO—SEE TWO STEP ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR PARTICULAR ROUTE			
SUBGROUP SELECTION FEATURE; JUNCTOR—SEE JUNCTOR SUBGROUP SELECTION FEATURE			

SECTION 218-423-001

SUBSCRIBER CLASS SCREENING FEATURES <i>Test AN</i>	218-423-508	TWO STEP ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR PARTICULAR ROUTE <i>Test B</i>	218-423-501
SUBSCRIBER OUTGOING CALL FEATURE <i>Test AM</i>	218-423-508	UNEQUIPPED NUMBER FEATURE; BLANK AND—SEE BLANK AND UNEQUIPPED NUMBER FEATURE	
SYSTEM NO. 1; CALL CLASS MARKS TO TSPS—SEE CALL CLASS MARKS TO TSPS SYSTEM NO. 1		USING ALLOTTED IAO TRUNKS; FAILURE-TO-MATCH—SEE FAILURE-TO-MATCH USING ALLOTTED IAO TRUNKS	
TEST FEATURE; LINE BUSY—SEE LINE BUSY TEST FEATURE		USING INCOMING TRKS; FAILURE-TO-MATCH—SEE FAILURE-TO-MATCH USING INCOMING TRKS	
TEST FEATURE; STATION RINGER—SEE STATION RINGER TEST FEATURE		USING NONALLOTTED IAO TRKS; FAILURE-TO-MATCH—SEE FAILURE-TO-MATCH USING NONALLOTTED IAO TRKS	
TEST—FCG RELAY; FALSE CROSS AND GROUND—SEE FALSE CROSS AND GROUND TEST—FCG RELAY		USING OUTGOING TRKS; FAILURE-TO-MATCH—SEE FAILURE-TO-MATCH USING OUTGOING TRKS	
TEST—GT RELAY HOLD TEST; CALLED LINE GROUND—SEE CALLED LINE GROUND TEST—GT RELAY HOLD TEST		VACANT CODE FEATURE <i>Test AS</i>	218-423-510
TEST—GT RELAY OPERATE AND RELEASE; CONTINUITY—SEE CONTINUITY TEST—GT RELAY OPERATE AND RELEASE		VERSION; AUTOMATIC INTERCEPT SERVICE FEATURE STANDARD—SEE AUTOMATIC INTERCEPT SERVICE FEATURE STANDARD VERSION	
THAN 20 TRKS ON TL FRAME FOR PARTICULAR ROUTE; TWO STEP ALLOTTER—MORE—SEE TWO STEP ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR PARTICULAR ROUTE		VOLTAGE HOLD MAGNET OPERATION FEATURE; DUAL—SEE DUAL VOLTAGE HOLD MAGNET OPERATION FEATURE	
TIMING FEATURE <i>Test AR</i>	218-423-509	2-LINE HUNT GROUP FEATURE <i>Test BE</i>	218-423-513
TIMING FEATURE; HEAVY TRAFFIC—SEE HEAVY TRAFFIC TIMING FEATURE			
TL FRAME FOR PARTICULAR ROUTE; TWO STEP ALLOTTER—MORE THAN 20 TRKS ON—SEE TWO STEP ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR PARTICULAR ROUTE			
TOLL DIVERSION FEATURE <i>Test AY</i>	218-423-511		
TRAFFIC TIMING FEATURE; HEAVY—SEE HEAVY TRAFFIC TIMING FEATURE			
TRANSFER OF START LEAD FEATURE <i>Test AF</i>	218-423-507		
TRKS ON TL FRAME FOR PARTICULAR ROUTE; TWO STEP ALLOTTER—MORE THAN 20—SEE TWO STEP ALLOTTER—MORE THAN 20 TRKS ON TL FRAME FOR PARTICULAR ROUTE			
TRKS; FAILURE-TO-MATCH USING INCOMING—SEE FAILURE-TO-MATCH USING INCOMING TRKS			
TRKS; FAILURE-TO-MATCH USING NONALLOTTED IAO—SEE FAILURE-TO-MATCH USING NONALLOTTED IAO TRKS			
TRKS; FAILURE-TO-MATCH USING OUTGOING—SEE FAILURE-TO-MATCH USING OUTGOING TRKS			
TRUNK COIN RETURN FEATURE <i>Test AA</i>	218-423-505		
TRUNK LINK FRAME PREFERENCE AND LOCKOUT <i>Test A</i>	218-423-501		
TRUNKS; FAILURE-TO-MATCH USING ALLOTTED IAO—SEE FAILURE-TO-MATCH USING ALLOTTED IAO TRUNKS			
TSPS SYSTEM NO. 1; CALL CLASS MARKS TO—SEE CALL CLASS MARKS TO TSPS SYSTEM NO. 1			
TSPS; INTERNATIONAL DIRECT DISTANCE DIALING WITH—SEE INTERNATIONAL DIRECT DISTANCE DIALING WITH TSPS			