

37 ANSWER-BACK

WIRING DIAGRAMS

1. GENERAL

1.01 This section is issued to provide the actual wiring diagrams for the 37 answer-back. Notes indicated on the wiring diagrams explain symbols used or point out special conditions that should be observed.

1.02 The wiring diagram index lists the title and wiring diagram numbers in numerical order. Additional schematic wiring diagrams and circuit descriptions for the

answer-back can be found in the appropriate BSTSEA (Bell System Teletypewriter Station Engineering Arrangements) plan.

2. WIRING DIAGRAM INDEX

TITLE	WD NUMBER
327801 Answer-Back	8369WD
802 Answer-Back	8845WD

8369WD






REVISIONS

ISSUE	DATE	AUTH. NO.
1	5-2-68	19260 R
2	7-2-68	95927
3	8-23-68	96117
4	1-3-69	96485

- NO. NOTES
1. WIRING LEGEND:

DISTANT TERMINATING AREA.
DISTANT TERMINATING DESIGNATION.
A-W-R-W-R
WIRE COLOR CODE.
 2. COLOR CODE:

Y-YELLOW	G-GREEN
W-WHITE	R-RED
S-SLATE	O-ORANGE
P-PURPLE	BR-BROWN
BL-BLUE	BK-BLACK
 3. INDICATES MALE TERMINAL AND INDICATES FEMALE TERMINAL ON CONNECTOR.
 4. CONNECTORS VIEWED FROM WIRED ENDS.
 5. ASSOCIATED CABLE 326568.
 6. REFERENCE SPEC FOR TELETYPE CORPORATION EMPLOYEES ONLY. 61,429S.
 7. REFER TO 8376 WD-CD FOR SCHEMATIC WIRING DIAGRAM AND CIRCUIT DESCRIPTION.



ACTUAL & SCHEMATIC WIRING DIAGRAM FOR 327801 ANSWERBACK

APPROVALS

D AND R <i>AR</i>	E OF M <i>C-7</i>
----------------------	----------------------

E-NUMBER

PROD. NO. 8369WD

DATE 1-22-68

R.D. FILE NO. G-A354AA

DRAWN RJP

CHKD. *[Signature]*





ENSD. AB

APPD. *[Signature]*

TELETYPE CORPORATION

8369WD

NO.	NOTES
1.	WIRING LEGEND:
2.	COLOR CODE: Y-YELLOW G-GREEN W-WHITE R-RED S-SLATE O-ORANGE P-PURPLE BR-BROWN BL-BLUE BK-BLACK
3.	INDICATES MALE TERMINAL AND INDICATES FEMALE TERMINAL ON CONNECTOR.
4.	TERMINALS VIEWED FROM WIRED END.
5.	TERMINAL DESIGNATIONS ENCLOSED IN PARENTHESES ARE FOR REFERENCE AND ARE NOT MARKED ON COMPONENT.
6.	ALL WIRE 24 AWG, UNLESS OTHERWISE SPECIFIED.
7.	ASSOCIATED CABLE 333398.
8.	



8845 WD

REVISIONS		
ISSUE	DATE	AUTH. NO.
1	4-10-69	20006-R

ACTUAL AND SCHEMATIC WIRING DIAGRAM FOR YAB 802 ANSWER BACK

APPROVALS

D AND R	E OF M
<i>[Signature]</i>	<i>[Signature]</i>

S-NUMBER 61,635
 PROD. NO. 8545 WD
 DATE 11-6-68
 P.D. FILE NO. G-A354AA

DRAWN D W J	CHKD. RCB
ENGD. F C L	APPD. OAB

TELETYPE CORPORATION

8845 WD