



Upgrading to Octel[®] 100 Version 3.2 from CEO 2.1.6

This note provides the following steps for upgrading systems to Octel[®] 100 Version 3.2 from CEO 2.1.6.

Only CEO 2.1.6 is supported for upgrade directly to Octel 100 Version 3.2. If the currently installed version of CEO is not 2.1.6, you must first complete the appropriate upgrade note to version 2.1.6. Contact your authorized representative for information.

WARNING: Octel 100 Version 3.2 must be run on a Pentium-level PC. If the CEO system is not currently running on a Pentium-level PC, you must first migrate to a Pentium PC before beginning the software upgrade to Octel 100 Version 3.2. Steps for migrating to a Pentium-level PC are provided in a separate note titled, "Migrating an Existing Octel Messaging System to a Pentium PC," (part number 101-1880-000). For information on migrating to a Pentium PC, please contact your authorized representative. If you are not sure whether migration to a Pentium PC is required, contact a technical support representative.

Steps for installing OS/2 Fix Pak 40 are also provided. You must install Fix Pak 40 before you upgrade to Octel 100 Version 3.2, unless you migrated to a new PC or you purchased the upgrade to OS/2 Warp 4.0.

Required Materials

The following materials may be required for the upgrade. Make sure that you have the required materials available before beginning the upgrade:

- A medium you can use to back up files on the system, such as diskettes or a tape backup device (make sure that if you are migrating to a new PC that the medium you select is supported on both PCs)
- Any hardware required to upgrade the system, including voice or fax boards, RAM, or a Sentinel device, as well as accessory tools you may need, such as a screwdriver
- A sentinel upgrade utility (SUU) or a new Sentinel, if required
- An anti-static wrist strap, if you will be handling voice or fax boards
- BackPak external CD-ROM and BackPak disk (only if the PC is **not** equipped with an internal CD-ROM drive)
- Octel 100 v3.2 Upgrade CD-ROM
- The PC manufacturer's documentation, if you are upgrading RAM
- Octel 100 Version 3.2 *Implementation and Service Manual*

Procedures in this note assume that the hard drive on which the system is installed is drive C, that any additional hard drive that may be installed is D, that the disk drive is A, and that the CD-ROM drive, if installed, is E. Drive designations on the specific PC on which you are working may vary. Confirm the appropriate drive letters, when necessary, in procedures provided in this note.

Upgrade Considerations

Be aware of the following important considerations before beginning the upgrade:

- A BackPak external CD-ROM is used for upgrades on PCs that don't have an installed CD-ROM drive. Instructions for connecting and using the BackPak are provided in the upgrade procedure.
- When you perform the upgrade from CEO 2.1.6 to Version 3.2, the existing CEO database is converted for use with 3.2. Existing system information, such as network nodes, V-Trees, subscriber information, classes of service, etc. is retained. Due to functionality differences, however, when the conversion to Version 3.2 is performed, personal and system distribution lists are not converted and must be re-created. During the conversion, the DISTLIST.RPT file is created in the \CVR1 directory. This file identifies the destinations assigned to each system distribution list and to each mailbox's personal distribution lists.
- There are a number of functional differences between CEO and the Version 3.2 system. You should consider these differences before performing the upgrade:
 - Telephone User Interface (TUI): there are differences between the CEO and the Version 3.2 subscriber interface. Some of these differences, such as sending and receiving messages and using message confirmation and distribution lists, are significant. It is strongly recommended that existing CEO subscribers be familiarized with the user interface. The *Quick Reference Guide* provides a high-level overview of user interface procedures for Octel 100.
 - Subscriber directories function differently. For information on including the directory option in the Attendant Menu, see Chapter 13, "Setting Up System Prompts," in the *Implementation and Service Manual*. For information on the Dial by Name feature, which enables subscribers to call another subscriber whose extension they do not know, see Chapter 16, "Managing System Mailboxes," in the *Implementation and Service Manual*. For information on Caller Parameters, which enable outside callers to call a system subscriber whose extension they do not know, see Chapter 13, "Setting Up the System," in the *Implementation and Service Manual*.
 - The subscriber Directory prompt is not used. The Name prompt is used for Dial by Name instead.
 - There are call handling differences. See Chapter 24, "Testing and Troubleshooting the System," in the *Implementation and Service Manual* for information on call handling.

Setting Up the BackPak CD-ROM Drive

The BackPak external CD-ROM is a portable CD-ROM drive that can be used on systems that do not already have a CD-ROM installed. A CD-ROM is required for software installation.

If the system already has an installed CD-ROM, you can skip to the procedure titled, "Installing OS/2 Fix Pak 40.)

If the system does not have a CD-ROM and you did not receive a BackPak drive with the Octel 100 3.2 software upgrade, contact your authorized representative.

To prepare the system to use the BackPak CD-ROM:

1. Complete the following steps to copy the files necessary to run the BackPak to the PC:
 - a. Turn on the PC if it is not already running.
 - b. If the messaging system launches automatically, shut it down.
 - c. Insert the disk labeled BackPak CD-ROM Disk in the PC's disk drive.
 - d. Open an OS/2 window and, from the C: prompt, type `A:` and press `<ENTER>`. The A: prompt displays.
 - e. From the A: prompt, type `BPADD` and press `<ENTER>`. The necessary files are copied to the PC. When the files are copied, a message displays warning you **not** to run the BPADD command again. It is very important that you run this command only **once**. Otherwise, the PC will not operate properly.
 - f. Remove the disk from the disk drive.
 - g. Type `EXIT` and press `<ENTER>` to close the OS/2 window.
2. Shut down the PC:
 - a. Select Shutdown from the LaunchPad. When you are prompted whether you want to close all windows and active programs, click OK.
 - b. When prompted, turn off power to the PC.
3. Connect the BackPak CD-ROM to the messaging system PC:
 - a. If a printer is currently attached to the messaging system Sentinel, disconnect the printer cable from the back of the Sentinel.
 - b. Connect one end of the BackPak CD-ROM cable into the Sentinel and the other end into the port marked "Computer" on the back of the BackPak CD-ROM.
 - c. Attach the power cable to the power connector on the BackPak CD-ROM and plug the BackPak power unit into a wall outlet.
4. Turn on power to the PC. If the messaging system launches automatically, shut it down.

Installing OS/2 Fix Pak 40

OS/2 Warp Fix Pak 40 must be installed on PCs running OS/2 Warp 3.0. IBM issued Fix Pak 10 to address OS/2 Warp 3.0 operating system anomalies.

WARNING: If you migrated to a new PC or you purchased the upgrade to OS/2 Warp 4.0, you must **NOT** install OS/2 Fix Pak 40. Fix Pak 40 should only be installed on systems running OS/2 Warp 3.0.

To install OS/2 Warp Fix Pak 40:

1. Shut down the messaging system if it is running.
2. Insert the CD-ROM labeled "Octel 100 v3.2 Upgrade" in the CD-ROM drive.
3. Open an OS/2 window if one is not already open.
4. From the C: prompt, type `E:` and press <ENTER>.
5. From the E: prompt, type `instfp40` and press <ENTER>. The OS/2 Warp Fix Pak 40 install begins.
6. When the file update is complete, the OS/2 window displays a message that the Fix Pak 40 file transfer is complete. Press any key to continue.
7. Remove the CD-ROM from the CD-ROM drive.
8. To close the OS/2 window, type `EXIT` and press <ENTER>.
9. Restart the PC:
 - a. Click the right mouse button on an empty area of the OS/2 desktop and select Shut down from the menu that displays.
 - b. When you are prompted whether you want to close all windows and active programs, click OK.
 - c. When prompted to shut down or reboot, press <CTRL+ALT+DEL> to restart the PC. Once the PC restarts and the OS/2 desktop displays, complete the procedure to perform the upgrade to Octel 100 Version 3.2.

Preparing for the Upgrade to Octel Version 3.2

If you completed the steps in the note, “Migrating an Existing Octel Messaging System to a Pentium PC,” skip to the procedure, “Performing the Upgrade to Octel 100 3.2.”

1. Shut down the Octel system if it is running:
 - a. Log into the messaging system as a Level 2 or 3 supervisor.
 - b. To shut down the system, select Exit from the File menu. A dialog box displays a message prompting you to indicate how to shut down the system.
 - c. Click OK to perform the shutdown. A dialog box displays a message asking if you want to wait for channel activity to cease. Wait for channel activity to cease. Do not click Force. When all the ports are inactive, the system shuts down.
2. Run Quick Assist in Update (Partial) mode
 - b. Double-click the Octel icon to open the Octel folder.
 - c. Double-click the Quick Assist icon in the Octel folder. The Quick Assist dialog box displays.
 - d. Click Recover Files. The Recover Files dialog box displays.
 - e. In the Drive where \cvr1 files are located field, verify that the displayed drive is the drive where the \CVR1 directory is located.
 - f. In the Mailbox to receive unattached messages field, enter the mailbox in which you want the system to place messages with invalid header information. (Unattached messages with valid header information are placed in the new message queue of the receiving mailbox.) Messages are only put in this mailbox if the Delete unattached messages option is disabled.
 - g. Under Recovery Mode, select the Update (partial) option.
 - h. Under Recovery Options, select the Ask before creating a mailbox option if you want the system to prompt you for confirmation before it creates mailboxes. The system creates mailboxes when it finds messages or greetings that are linked to a mailbox number that does not exist. If you deselect this option, the system automatically creates the mailboxes indicated by the message or greeting links.
 - i. Under Recovery Options, select the Delete unattached messages option if you want the system to automatically delete unattached messages. If you disable this option, unattached messages with valid header information are placed in the mailbox in the message header, and unattached messages with invalid header information are placed in the mailbox you specified in step 2e.
 - j. In the Report Filename field, enter the name of the report you want the system to generate. The default is QASSIST.RPT.
 - k. Under Report Options, select the Send to File option if you want to create a report file. When you select this option, the system creates a report with the specified filename in the \CVR1 directory. If you deselect this option, the report is only available by selecting the View Report option.
 - l. To begin the update, click Start. The Recover Status dialog box displays. The system copies the files in the \CVR1 directory into a directory named \~REPAIR~. Do not delete the files from the \~REPAIR~ directory until you are confident the system has corrected any file damage.
 - m. The Searching Directory and Processing Mailbox fields display the directory and mailbox currently being processed. The Errors and Warnings fields reflect the

respective number of errors and warnings the system encounters during the update.

- n. When the partial update is complete, you can click Edit Mailboxes to reenter or modify information that may have been lost. The Mailbox Quick Edit dialog box displays with information for the first mailbox.

This dialog box includes general identification information about each system mailbox, including the First and Last Name, Company, and Division. The Messages box displays the number of recovered New and Saved messages.

You can click the Next and Previous buttons to move through the mailboxes. Click Save to save any edits you make. When you finish making any edits, click OK to return to the Recover Status dialog box.
 - o. Click OK. The Recover Files dialog box displays.
 - p. To display the report, click View Report. If the system detected errors or warnings during the update, the appropriate corrective action is suggested in the report. If Quick Assist recommends further action, such as performing an Update All or Rebuild All, contact a technical support representative before continuing.
 - q. When you finish viewing the report, click the window icon in the upper-left corner and select Close. The Recover Files dialog box displays.
 - r. Click Cancel. The Quick Assist dialog box displays.
 - s. To close Quick Assist, click Exit.
 - t. Double-click the icon in the upper-left corner of the folder window to close it.
3. Verify that there is sufficient space on the hard drive for the upgrade:
 - d. Open an OS/2 window.
 - e. From the C: prompt, type `DIR` and press <ENTER>. At the end of the file listing, the bytes free is listed.
 - f. Verify that there is at least 100,000,000 bytes free (100MB). If there is not at least 100,000,000 bytes free, contact a technical support representative before continuing.
 - g. Type `EXIT` and press <ENTER> to close the OS/2 window.
 4. If you do **not** need to perform any hardware upgrades or use the BackPak CD-ROM for the upgrade, skip to the procedure, "Perform the Software Upgrade."
 5. If you are using a BackPak external CD-ROM to upgrade, complete the following steps to copy the files necessary to run the BackPak to the PC:
 - a. Insert the disk labeled BackPak CD-ROM Disk in the PC's disk drive.
 - b. Open an OS/2 window and, from the C: prompt, type `A:` and press <ENTER>. The A: prompt displays.
 - c. From the A: prompt, type `BPADD` and press <ENTER>. The necessary files are copied to the PC. When the files are copied, a message displays warning you **not** to run the BPADD command again. It is very important that you run this command only **once**. Otherwise, the PC will not operate properly.
 - d. Remove the disk from the disk drive.
 - e. Type `EXIT` and press <ENTER> to close the OS/2 window.

6. Shut down the PC:
 - a. Select Shutdown from the LaunchPad. When you are prompted whether you want to close all windows and active programs, click OK.
 - b. When prompted, turn off power to the PC.
7. If you are using the BackPak CD-ROM for the upgrade:
 - a. If a printer is currently attached to the messaging system Sentinel, disconnect the printer cable from the back of the Sentinel.
 - b. Connect one end of the BackPak CD-ROM cable into the Sentinel and the other end into the port marked "Computer" on the back of the BackPak CD-ROM.
 - c. Attach the power cable to the power connector on the BackPak CD-ROM and plug the BackPak power unit into a wall outlet.

WARNING: Use caution when handling boards, such as voice boards or network interface cards, as they are electrostatic-sensitive. Be sure you ground the PC, the work area, and the ground end of the antistatic wrist strap prior to handling a board, and always use antistatic wrist straps and/or electrostatic-dissipative mats while handling a board.

8. Complete the following steps if you need to perform hardware upgrades:
 - a. Remove the cover of the PC, if necessary.
 - b. If you are installing new voice or fax boards, see Chapter 5, "Preparing the Hardware," in the *Implementation and Service Manual*. If you are not installing new voice or fax boards, proceed with step 8d.
 - c. If you installed new voice or fax boards, record the settings of the boards. You will need to enter this information when you run the Configure utility.
 - d. If you are adding RAM to the PC, make sure that you modify the PC's BIOS before continuing with the upgrade. For additional information on modifying the BIOS, see the PC manufacturer's documentation.
 - e. After the hardware upgrades are completed, replace the PC's cover.
9. Turn on the PC. If the messaging system is configured to launch automatically on bootup, it launches. If the messaging system is not configured to launch automatically on bootup, the OS/2 desktop displays.

WARNING: You must upgrade the Sentinel for use with the Octel 100. Otherwise, you will receive a warning during Octel 100 installation and the CEO to Version 3.2 conversion will not run automatically. You will have to run it manually from the Installation Utility during step 24 of the software upgrade.

Performing the Upgrade to Octel Version 3.2

Complete the following steps to upgrade the software to Octel 100 Version 3.2.

To upgrade to Octel 100 Version 3.2:

1. Shut down the Octel system if it is running:
 - a. Log into the messaging system as a Level 2 or 3 supervisor.
 - b. To shut down the system, select Exit from the File menu. A dialog box displays a message prompting you to indicate how to shut down the system.
 - c. Click OK to perform the shutdown. A dialog box displays a message asking if you want to wait for channel activity to cease. Wait for channel activity to cease. Do not click Force. When all the ports are inactive, the system shuts down.
2. If you received a new Sentinel, remove the currently installed Sentinel from the PC's parallel port, then install the new Sentinel, which you received with the upgrade software, to the PC's parallel port.

or


If you received a Sentinel upgrade diskette, complete the following steps to perform the Sentinel upgrade:

 - a. Shut down the CEO system, if it is running.
 - b. Insert the Sentinel upgrade disk in the A drive.
 - c. Open an OS/2 window.
 - d. At the C:\ prompt, type `A:` and press <ENTER>.
 - e. At the A:\ prompt, type `SUU` and press <ENTER>.
 - f. When the upgrade procedure is finished, the message "Sentinel upgrade complete" displays.
 - g. Type `EXIT` and press <ENTER> to close the OS/2 window.
3. Shut down any open applications (for example, UPS, SMDI) and windows except the OS/2 desktop and the LaunchPad:
 - a. Press <CTRL+ESC> to open the Window menu.
 - b. Highlight any application you see with the exception of the OS/2 desktop or the LaunchPad.
 - c. Click the right mouse button once on the highlighted application.
 - d. Select Close.
 - e. Repeat steps 3a – d for each open application.
4. Insert the CD-ROM labeled "Octel 100 v3.2 Upgrade" in the CD-ROM drive.


Do not attempt installation from the full screen OS/2 window because the installation process will run in the background and the installation screens will not be visible to you. Consequently, you will not be able to follow the onscreen prompts.

5. Open an OS/2 window, and from the C: prompt, type `E:` and press <ENTER> to change to the CD-ROM drive. If you are using a CD drive letter other than E:, specify the appropriate drive letter in the command.
6. From the E: prompt, type `CD \VM` and press <ENTER>. The \VM directory prompt displays.

7. From the \VM directory prompt, type `INSTALL` and press `<ENTER>`. The message "Setup is initializing, please wait" displays.
8. A window displays, which briefly describes the installation procedure. To continue installing, click Continue or press `<C>`. The installation program presents a list of drives from which you can select.



9. Select the drive to which the files should be installed. Use the down arrow key to highlight the appropriate drive, then click OK. (Drives A and B are disk drives.) The system prompts whether you want to install the system to the \CVR directory on the specified installation drive.




10. Click Yes to install the messaging system to the \CVR directory and continue the installation process. If you click No, you are prompted to select a destination directory.

To facilitate system maintenance, it is recommended that you do not change the default installation directories.

11. A dialog box displays with two buttons, Yes and No:
 - Click Yes to proceed with the installation of Octel 100 Version 3.2 over CEO and conversion of the database.
 - Click No if you do not want to perform the upgrade at this time. If you click No, a dialog box displays informing you that the install is not complete; click OK to close the dialog box. The installation is then aborted and the upgrade is **NOT** performed. To perform the upgrade at another time, start from the beginning of the procedure, "Performing the Upgrade from CEO 2.1.6 to Octel 100 Version 3.2."

12. The system automatically backs up the \CVR and \CVR1 directories into \OLDCVR and \OLDCVR1, respectively. Please wait while the system prepares to load files. A dialog box with installation options and space requirements displays. The Space Requirements section of the window displays the disk space required, based on the selected options, the space availability, and the installation and boot drives.




13. Under Installation Options, leave all of the following options selected:
- **Program Files** – Includes the executable files needed to run the messaging system.
 - **Utilities** – Contains the files necessary to run system modules, such as Dial Plan and Integrator.
14. Under Voice Files, select the language(s) that you are installing. Note that the Sentinel attached to the PC controls the number of allowed languages.
15. Under Voice Drivers, verify that the option displayed is correct. If it is not, select the appropriate option from the drop-down menu.
16. Under Serial Integrations, verify that the option displayed is correct. If it is not, select the appropriate option from the drop-down menu.

You can exit the installation at this point by clicking Exit. After you select Install, do not exit the installation process.

17. Click Install to install Octel 100 based on the selections.

A small display appears to the left of the Disk Prompt window to show the progression of the installation process. The graph represents the percent of hard drive space and memory being used, as well as the progression of each file as it is copied from the disk to the hard drive. If the Low icon comes on during installation, do not be concerned.

18. When the system then prompts you to indicate whether you want the messaging system to launch automatically upon bootup, click Yes. This configures Octel 100 to launch each time you restart the PC and allows you to run third-party maintenance utilities from the RUNVM.CMD file. For information on modifying the RUNVM.CMD file, see the topic, "Verifying Files After Installation," in Chapter 6, "Installing the Software," in the *Implementation and Service Manual*.



19. If you selected Yes in step 18, you are prompted to indicate whether you want the UPS monitor to load automatically upon bootup. Select Yes if you are planning to run UPS integration so the UPS monitors system status to recognize a potential interruption in operation before it occurs. For additional information on the UPS monitor, see Chapter 11, "Integrating with an Uninterruptible Power Supply," in the *Implementation and Service Manual*.

Select No if you do not want the UPS monitor to load upon bootup.

Programs that load prior to the desktop coming up under OS/2, such as UPS, display a default OS/2 icon on the desktop rather than the custom icon.

20. If you installed a serial integration, you are prompted whether you want the serial integration to launch automatically on bootup. Click Yes.
21. A dialog box displays when the installation is complete. Click OK to continue with system configuration.
22. After all of the files have been copied, wait while the system loads the configuration, modifies paths, creates the desktop folder, and creates program objects. The Convert dialog box displays and the system performs the conversion. After the conversion is successfully completed, click Exit to continue.

The Installation Setup Utility dialog box displays a list of utilities you can run to help you configure the Octel 100 system.

23. If you did **not** add new voice or fax boards to the PC and you did **not** complete the steps in the note titled, "Migrating an Existing Octel Messaging System to a Pentium PC, skip to step 24. If you added new voice or fax boards to the PC or you completed the steps in the note titled, "Migrating an Existing Octel Messaging System to a Pentium PC," select Configure from the Installation Setup Utility list, then click Run:
- Enter the information for the new voice and fax boards in Configure. See Chapter 5, "Preparing the Hardware," in the *Implementation and Service Manual* for the default board settings you must enter in Configure and Chapter 7, "Setting Up the System to Recognize Voice and Fax Boards," for information on running Configure. If you migrated to a new PC, see the PC Specification Sheet, provided with the new PC, for information on type and number of voice and fax board installed in the PC.
 - When you exit Configure, you are prompted to reboot the PC if you made change. **Do not reboot at this time.**
 - Click OK to close the message box. The Installation Setup Utility displays.

- d. If you completed the steps in the note titled, "Migrating an Existing Octel Messaging System to a Pentium PC," select Integrator from the Installation Setup Utility list, then click Run. Install the switch to which the messaging system is connected. For information on running Integrator, see Chapter 8 "Integrating with the Phone System," in the *Implementation and Service Manual*.

You do not need to run System Setup at this time, although you should familiarize yourself with the differences on the General and Networking tabs. See Chapter 13, "Setting Up the System," in the *Implementation and Service Manual* for additional information on the General and Networking tab settings.

24. If you did not receive an error message during Octel 100 installation indicating that the Sentinel was not installed, proceed with step 25. If you did receive an error message during Octel 100 installation because you did not replace or upgrade the Sentinel before starting the Octel 100 installation, make sure the new Sentinel is attached, then select the conversion from the list and click the Run button. The conversion screen displays. When the conversion is complete, click Exit to close the conversion utility and return to the Installation Setup Utility dialog box.
25. Click Done to exit the Installation Setup Utility dialog box. The system displays a message when installation is complete and reminds you to restart the computer for any changes to take effect. **Do not restart at this time.**
26. To close the dialog box and return to the OS/2 window, click OK.
27. To verify that the upgrade was successfully performed, you must review the upgrade report:
 - a. From the E:\VM prompt, type `C:` and press <ENTER>. The C: prompt displays.
 - b. From the C: prompt, type `E C:\CVR1\ceo2opc.rpt` then press <ENTER>. An OS/2 editor window displays the contents of the upgrade report.
 - c. Scroll through the report to determine if any errors were logged during the upgrade. If not, double-click the icon in the upper-left corner of the window to close the editor, and proceed with the next step. If errors were logged during the upgrade, contact a technical support representative before proceeding.
28. If the CEO system had system or personal distribution lists, a report was created during the conversion containing all of the lists and their entries. This report will help you re-create the system and personal distribution lists, which are not converted. To view the report, from the C: prompt, type `E C:\CVR1\distlist.rpt` then press <ENTER>. An OS/2 editor window displays the contents of the report. You can print the report, if a printer is attached to the PC, or save it to a file for printing on another PC.
29. Type `EXIT` then press <ENTER> to close the OS/2 window.
30. Verify that the OS/2 desktop archive and recovery choices options are enabled:
 - a. Click the right mouse button on an empty area of the OS/2 desktop and select Settings from the menu that displays. The Desktop – Settings window displays.
 - b. Click the Archive tab.
 - c. In the Archive System Files box, make sure that the option to Create system archive at each restart is enabled.
 - d. In the Display Recovery Choices Screen box, make sure that the option to Display Recovery Choices at each restart is enabled.

- e. In the Timeout for Recover Choices screen field, enter 5 if it is not already set to 5.
 - f. Double-click the icon in the upper-left corner of the window to save the settings and close the window.
31. Remove the CD-ROM.
32. Shut down the PC:
- a. Select Shutdown from the LaunchPad. When you are prompted whether you want to close all windows and active programs, click OK.
 - b. When prompted to shut down or reboot, turn off power to the PC.
33. If you did not complete the steps in the note titled, "Migrating an Existing Octel Messaging System to a Pentium PC," skip to step 34. If you did migrate to a Pentium PC, you must connect the new PC:"
- a. Remove the voice and fax lines from the current messaging system PC and connect them to the new messaging system PC.
 - b. If the current messaging system was connected to a UPS, plug the new messaging system into the UPS. If you are using UPS integration, you must also connect the serial communications cable.
 - c. If the current messaging system was connected to a printer, connect the printer to the back of the Sentinel on the new messaging system's parallel port.
 - d. If the current messaging system is using a Serial integration, see the Configuration Note for the switch to verify that the new messaging system PC is properly configured for the integration (such as disconnecting the current messaging system from the serial integration device and connecting the new messaging system to the device).
 - e. If you removed a token ring card from the current messaging system, you must now install the token ring card in the new messaging system PC:
 - i. Remove the cover from the new messaging system PC.
 - ii. Select a 16-bit expansion slot for installing the network card. Unscrew the cover on the slot (located at the rear of the PC chassis, top center) and remove it.
 - iii. Apply equal pressure to both ends of the board and push down firmly to seat the board in the slot. The board should slide down easily most of the way. If you feel any resistance, check the alignment of the board. Make sure the board is properly seated in the slot.
 - iv. Fasten the board's metal bracket with the retaining screw. Make sure the connection on the back of the board is accessible from the rear of the PC chassis before securing the screw.
 - v. Replace the PC's cover.
 - vi. Secure the network connection cable or jack into the network card.
34. Turn on power to the PC. If the messaging system is configured to launch automatically on bootup, it launches. Otherwise, the OS/2 desktop displays.
35. If you completed the steps in the note titled, "Migrating an Existing Octel Messaging System to a Pentium PC," you must install the Graham Utilities software on the new

messaging system PC. See the topic, "Installing and Configuring Graham Utilities," in Chapter 6, "Installing the Software," in the *Implementation and Service Manual*.

36. If the CEO system was running Visual Mailbox, the Voice Fax Server is automatically upgraded when you upgrade the voice mail system. However, you must upgrade the Visual Mailbox Client. See the topic, "Installing the Client Software on the LAN Server," in Chapter 19, "Installing and Configuring Visual Mailbox," in the *Implementation and Service Manual*.

Post Upgrade Considerations

Please be aware of the following important post upgrade considerations:

- Call Analysis has been improved with this release to use custom tone information for transfers instead of the Dialogic defaults. Due to these enhancements, some systems may experience problems with call progress after the upgrade. If this occurs, re-run call analysis so that the system can obtain the required tone information.
- If you completed the steps in the note titled, "Migrating an Existing Octel Messaging System to a Pentium PC," and the current messaging system was running Visual Mailbox, you **must** install the NetWare Requester (if implementing on a Novell network) or the IBM Peer for OS/2 (if using a Windows NT) on the new messaging system. See Chapter 19, "Installing and Configuring Visual Mailbox," in the *Implementation and Service Manual* for information on installing the necessary software.

Issues Addressed in Octel 100 Version 3.2

The following program changes have been made in Octel 100 Version 3.2:

- Three parameters new are now supported by the ICONFIG utility: MWLWAIT, NAKQUEUE, and MWLQSIZE so that they will be saved in the SI.CFG file and no longer be overwritten when ICONFIG is run.
- A problem was addressed where an access violation occurred while attempting to print a report while a different report is still in progress.
- Corrected an issue where DID Calls to a busy station failed integration.
- Corrected an issue where changes to Greeting by Port setup changes were always properly saved when the "Copy to Port..." option was used.
- Corrected an issue where messaging system database files were not always accessible after the messaging system was shut down on systems with Visual Mailbox.
- Corrected the Go to Automated Attendant, Get Mailbox and Go to Voice Mail, Get Mailbox inband templates for the Lucent Legend and Partner switches so the correct action is executed.
- The OS/2 option to create an archive at each system restart is now enabled. This allows the most recent desktop settings to be recovered if necessary.
- Corrected an issue where an incorrect prompt was voicing for the Go to VM, Get Mbox function.
- Corrected an issue where ICONFIG settings were not being retained after an upgrade.
- Improved inband templates for serial integrations.
- The UPS Integrator can now be minimized to an icon and resized properly.
- An issue with OS/2 that could cause incomplete shutdowns has been addressed by upgrading to OS/2 FixPak 40 on existing systems.
- Corrected incorrect MI codes in SWDATA.TXT for Mitel SX2000 COV integration.
- An issue was corrected where a blank dialog box displayed during a CEO to Octel 100 upgrade.
- Corrected an issue where, when upgrading from OPC 1.02, the dialog box instructing the installer to review the inband templates and make sure they are configured properly did not display.
- Corrected an issue where the Dialogic D/42D-NS was not receiving the proper Caller-ID on the new Norstar Compact ICS KSU.
- Modified Configuration Note for the NEC 2000 to include requirement of adding – PXXXX to NEC.EXE file.
- Modified the SWDATA.TXT file to correct incorrect default codes for some functions on Lucent switches.
- Updated OctelNet to send more descriptive return codes for administrative responses.
- Corrected an issue where message confirmations to 10-digit mailboxes on an OctelNet node were not working properly.
- Corrected an issue in SMDI.TPT that generated an error message.

- Added MWI refresh. See, "Refreshing Message Indicators," in Chapter 23, "Maintaining the System," in the *Implementation and Service Manual*."
- Corrected an issue where the runvfs.cmd could not be shut down.
- Added Serial Number parameter to Networking parameters in System Setup. See the Serial Number parameter description in Chapter 13, "Setting Up the System," in the *Implementation and Service Manual*."
- Corrected an issue where the System Setup utility could not be accessed from the desktop when the OS/2 System Setup Icon View was open.
- Tone tables have been added for the Lucent Prologix switch.
- Changed the SI.CPP file to use a 4-digit year instead of 1 2-digit year. The result is the Serial integration log now correctly processes dates after 1999.
- Addressed an issue where NameNet entries were sometimes being deleted in isolated situations.
- Corrected an issue that caused an incorrect time to be voiced when a subscriber received a message that was sent with Future Delivery to a distribution list.
- Added new D42NS.FWL file.
- Corrected an issue where the Mailbox Information Report was not correctly updating the Date of Last Use parameter.
- Corrected an issue where users cannot send messages to an OctelNet node if the number of retries has been exhausted by administrative calls to the node.
- Removed support for the MD110 integration.
- There is a limitation on the Norstar switch that only permits 32 message indicator requests to be turned on a particular channel. This release of the Octel 100 overcomes this limitation.