

**FORMS FOR RECORDING TRUNK OR CIRCUIT ORDER TEST RESULTS
ON MESSAGE TRUNKS TEST CENTER OPERATION
TRUNK MAINTENANCE—GENERAL**

1. GENERAL

1.001 This addendum supplements Section 660-450-010, Issue 6. Place this pink sheet ahead of Page 1 of the section.

1.002 This addendum is reissued for the following reasons:

- (a) To insert a new Item 11 on Form E-2545A
- (b) To change the present Item 11 to Item 12
- (c) To add paragraph 3.23.1
- (d) To update paragraphs 1.04 and 3.16.

This addendum does not affect the Equipment Test List.

1.003 Issue 1 of this addendum was issued to change paragraph 3.01 and to add subparagraph 3.27 (c).

2. CHANGES TO SECTION

ISSUE 1 CHANGES

2.001 On Page 2, Paragraph 3.01, change the last sentence to read as follows: The non-control office prepares the appropriate form for its own office, completing only those items which are required at that office, including the Balance Test Results of Non-Control Toll Connecting Trunks [see Note (c), Paragraph 3.27].

2.002 On Page 8, after subparagraph 3.27(b), add the following:

- (c) The Balance test results recorded on Form E-2545A must also be recorded on the proper Balance Test Record Form E-600X per Section 660-47X-010, or on a local equivalent form. This

action, along with the date it was done and the initials of the person performing this work, should be entered on one of the lines provided at the end of Form E-2545A.

ISSUE 2 CHANGES

2.003 On Page 4, the back of Form E-2545A has been changed to insert a new Item 11 as shown on Page 2 of this addendum. The previous Item 11 has become Item 12 of the revised Form E-2545A.

2.004 Add Paragraph 3.23.1 as follows:

***Item 11—Trunk Conditioning (CGA)
Options Placed***

3.23.1 This item provides space for recording that the proper Carrier Group Alarm (CGA) options have been placed as specified by the circuit order. Complete this item by entering TIME, DATE, and INIT. (Initials of person placing options).

2.005 Change the heading for paragraph 3.24 to:

***Item 12—Trunk Placed in Service
(Control Office)***

2.006 Replace paragraph 1.04 with:

1.04 References and requirements for completing the items in Form E-2545A, except item 3, are provided in Section 660-450-301. References and requirements for completing item 3 are contained in Section 333-124-500 for local and toll connecting trunks, and Section 333-123-500 for intertoll trunks.

2.007 Change the second sentence of paragraph 3.16 to read:

The requirements and procedures for making these tests are given in Section 333-124-500 for local and toll connecting trunks, and in Section 333-123-500 for intertoll trunks.

NOTICE

Not for use or disclosure outside the
Bell System except under written agreement

5	<input type="checkbox"/> <input type="checkbox"/> Compl. _____	<p>Through Balance Tests – IT Trunks Class 3 And Higher Offices BSP 660-450-301, Table N</p> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="3" style="width:15%;"></th> <th colspan="8" style="text-align: center;">Requirement</th> </tr> <tr> <th colspan="2" style="text-align: center;">ERL</th> <th colspan="2" style="text-align: center;">SRL</th> <th colspan="2" style="text-align: center;">Meas. At Ofc. A</th> <th colspan="2" style="text-align: center;">Meas. At Ofc. Z</th> </tr> <tr> <th style="text-align: center;">Med.</th> <th style="text-align: center;">Min.</th> <th style="text-align: center;">Med.</th> <th style="text-align: center;">Min.</th> <th style="text-align: center;">ERL</th> <th style="text-align: center;">SRL</th> <th style="text-align: center;">ERL</th> <th style="text-align: center;">SRL</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Access</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td style="text-align: center;">Incoming</td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td> </tr> <tr> <td style="text-align: center;">Outgoing</td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td> </tr> <tr> <td style="text-align: center;">Switchboard</td> <td><input type="checkbox"/></td><td><input type="checkbox"/></td> </tr> </tbody> </table>		Requirement								ERL		SRL		Meas. At Ofc. A		Meas. At Ofc. Z		Med.	Min.	Med.	Min.	ERL	SRL	ERL	SRL	Access										Incoming	<input type="checkbox"/>	Outgoing	<input type="checkbox"/>	Switchboard	<input type="checkbox"/>																											
	Requirement																																																																					
	ERL			SRL		Meas. At Ofc. A		Meas. At Ofc. Z																																																														
	Med.	Min.	Med.	Min.	ERL	SRL	ERL	SRL																																																														
Access																																																																						
Incoming	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																												
Outgoing	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																												
Switchboard	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																												
6	<input type="checkbox"/> <input type="checkbox"/> Compl. _____	<p>Oper. And Trans. Test – Trunk With Two Or More Modes Of Oper. BSP 660-450-301, Table N</p> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:33%; text-align: center;">Orig. Mode – 2W</th> <th style="width:33%; text-align: center;">Term. Mode – 2W</th> <th style="width:33%; text-align: center;">Term. Mode – 4W</th> </tr> </thead> <tbody> <tr> <td>AML _____ Mach. Access</td> <td>AML _____ IT</td> <td>AML _____ IT Train</td> </tr> <tr> <td>AML _____ Emer. SwBd. Access</td> <td>AML _____ Tan.</td> <td>AML _____ TC Train</td> </tr> <tr> <td>AML _____ Tan Access</td> <td>AML _____ Subs.</td> <td style="text-align: center;">Orig. Mode – 4W</td> </tr> <tr> <td>AML _____ Subs. Access</td> <td>AML _____ SwBd.</td> <td>AML _____ Mach.</td> </tr> <tr> <td>AML _____ SwBd. Access</td> <td></td> <td>AML _____ Emer. SwBd.</td> </tr> </tbody> </table>	Orig. Mode – 2W	Term. Mode – 2W	Term. Mode – 4W	AML _____ Mach. Access	AML _____ IT	AML _____ IT Train	AML _____ Emer. SwBd. Access	AML _____ Tan.	AML _____ TC Train	AML _____ Tan Access	AML _____ Subs.	Orig. Mode – 4W	AML _____ Subs. Access	AML _____ SwBd.	AML _____ Mach.	AML _____ SwBd. Access		AML _____ Emer. SwBd.																																																		
Orig. Mode – 2W	Term. Mode – 2W	Term. Mode – 4W																																																																				
AML _____ Mach. Access	AML _____ IT	AML _____ IT Train																																																																				
AML _____ Emer. SwBd. Access	AML _____ Tan.	AML _____ TC Train																																																																				
AML _____ Tan Access	AML _____ Subs.	Orig. Mode – 4W																																																																				
AML _____ Subs. Access	AML _____ SwBd.	AML _____ Mach.																																																																				
AML _____ SwBd. Access		AML _____ Emer. SwBd.																																																																				
7	<input type="checkbox"/> <input type="checkbox"/> Compl. _____	<p>No. 4 Crossbar Offices Only BSP 660-450-301, Table N</p> <p style="text-align: center;">Test Of "A" Pad Operation – 17C Testboard</p> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:20%;"></th> <th style="width:20%;"></th> <th style="width:20%; text-align: center;">*Split Pad Office Only</th> <th style="width:20%;"></th> <th style="width:20%;"></th> </tr> <tr> <td style="text-align: center;">API Key</td> <td></td> <td></td> <td></td> <td style="text-align: center;">#Loss ±0.1dB</td> </tr> <tr> <td style="text-align: center;">APO Key *</td> <td style="text-align: center;">2PI Key *</td> <td style="text-align: center;">AML Send</td> <td style="text-align: center;">AML Rec.</td> <td style="text-align: center;">Deviation</td> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Normal</td> <td style="text-align: center;">Normal *</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td style="text-align: center;">.0dB</td> </tr> <tr> <td style="text-align: center;">Operated</td> <td style="text-align: center;">Normal *</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td style="text-align: center;">±0.1dB</td> </tr> <tr> <td style="text-align: center;">Normal *</td> <td style="text-align: center;">Operated *</td> <td><input type="checkbox"/></td> <td style="text-align: center;"># <input type="checkbox"/></td> <td style="text-align: center;"># 2 ±0.1dB</td> </tr> </tbody> </table>			*Split Pad Office Only			API Key				#Loss ±0.1dB	APO Key *	2PI Key *	AML Send	AML Rec.	Deviation	Normal	Normal *	<input type="checkbox"/>	<input type="checkbox"/>	.0dB	Operated	Normal *	<input type="checkbox"/>	<input type="checkbox"/>	±0.1dB	Normal *	Operated *	<input type="checkbox"/>	# <input type="checkbox"/>	# 2 ±0.1dB																																						
		*Split Pad Office Only																																																																				
API Key				#Loss ±0.1dB																																																																		
APO Key *	2PI Key *	AML Send	AML Rec.	Deviation																																																																		
Normal	Normal *	<input type="checkbox"/>	<input type="checkbox"/>	.0dB																																																																		
Operated	Normal *	<input type="checkbox"/>	<input type="checkbox"/>	±0.1dB																																																																		
Normal *	Operated *	<input type="checkbox"/>	# <input type="checkbox"/>	# 2 ±0.1dB																																																																		
8	<input type="checkbox"/> <input type="checkbox"/> Compl. _____	<p>No. 4 Crossbar Offices Only Test Of "A" Pad Operation And Control Signals – Sw. Maint. Center</p> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;"></th> </tr> <tr> <td style="text-align: center;">Lamp Ind.</td> <td style="text-align: center;">Verification</td> <td style="text-align: center;">A Key</td> <td style="text-align: center;">2 Key</td> <td style="text-align: center;">AML Send</td> <td style="text-align: center;">AML Rec.</td> <td style="text-align: center;">Deviation</td> </tr> </thead> <tbody> <tr> <td style="text-align: center;">500 Ω Gnd.</td> <td>_____</td> <td style="text-align: center;">Normal</td> <td style="text-align: center;">Normal *</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td style="text-align: center;">.0dB</td> </tr> <tr> <td style="text-align: center;">11,500 Ω Gnd.</td> <td>_____</td> <td style="text-align: center;">Operated</td> <td style="text-align: center;">Normal *</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td style="text-align: center;">±0.1dB</td> </tr> <tr> <td style="text-align: center;">Bat. Or Open</td> <td>_____</td> <td style="text-align: center;">Normal *</td> <td style="text-align: center;">Operated *</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td style="text-align: center;">2 ±0.1dB</td> </tr> </tbody> </table>								Lamp Ind.	Verification	A Key	2 Key	AML Send	AML Rec.	Deviation	500 Ω Gnd.	_____	Normal	Normal *	<input type="checkbox"/>	<input type="checkbox"/>	.0dB	11,500 Ω Gnd.	_____	Operated	Normal *	<input type="checkbox"/>	<input type="checkbox"/>	±0.1dB	Bat. Or Open	_____	Normal *	Operated *	<input type="checkbox"/>	<input type="checkbox"/>	2 ±0.1dB																																	
Lamp Ind.	Verification	A Key	2 Key	AML Send	AML Rec.	Deviation																																																																
500 Ω Gnd.	_____	Normal	Normal *	<input type="checkbox"/>	<input type="checkbox"/>	.0dB																																																																
11,500 Ω Gnd.	_____	Operated	Normal *	<input type="checkbox"/>	<input type="checkbox"/>	±0.1dB																																																																
Bat. Or Open	_____	Normal *	Operated *	<input type="checkbox"/>	<input type="checkbox"/>	2 ±0.1dB																																																																
9	<input type="checkbox"/> <input type="checkbox"/> Compl. _____	<p style="text-align: right;">BSP 660-450-301, Table N</p> <p>Overall Echo Suppressor And Disabler Test:</p> <p style="text-align: right;">Init. _____ Date _____</p>																																																																				
10	<input type="checkbox"/> <input type="checkbox"/> Compl. _____	<p style="text-align: right;">BSP 660-450-301, Table N</p> <p style="text-align: center;">Talking And Listening Tests</p> <p>Office A _____ Office Z _____</p>																																																																				
11	<input type="checkbox"/> <input type="checkbox"/> Compl. _____	<p style="text-align: right;">BSP 660-450-301, Table N</p> <p style="text-align: center;">Trunk Conditioning (CGA) Options Placed</p> <p>Time _____ Date _____ Init. _____</p>																																																																				
12	<input type="checkbox"/> <input type="checkbox"/> Compl. _____	<p style="text-align: right;">BSP 660-450-301, Table N</p> <p style="text-align: center;">Trunk Placed In Service</p> <p>Time _____ Date _____ Init.: _____ A _____ Z _____ Auto. Test Frame Test _____</p>																																																																				
		<p>Completion Report: Date _____ Supv. _____</p>																																																																				
		_____ _____ _____																																																																				

Fig. 1—Form E-2545A (Sheet 2 of 2)