


NONCODED TOOLS

FRAMES, FUNNELS, GLASSES, GOGGLES,  
 GRAVERS, GUARDS, AND GUIDES

FRAME, HACK SAW

(In ordering, specify whether the solid or the adjustable type is desired.)




Blades for these hack saw frames must be ordered separately - 10 inches long for the solid frame and 8 to 12 inches long for the adjustable frame. See, Blades, hack saw, for lengths and teeth per inch.

For general use.


(Spec. No. AT-6680-N)

FRAME, SPLICING, ADJUSTABLE, R-62258



For use in connecting conductors at terminal strips.


FUNNEL, KS-6737



1/4-pint screened funnel

For general use.

GLASS, READING, KS-2632




For general use.

GOGGLES, IMPACT, CHIPPERS TYPE, CLEAR LENSES DURALITE 50 (OR EQUIVALENT)

Replaced by the goggles listed on page 2.

→ GOGGLES, COVERALL, CLEAR LENSES




These goggles can be worn over spectacles. The lenses are impact resistant and the bridge is adjustable.

For general use.

(Spec. No. AT-7525X)


GOGGLES, AMERICAN OPTICAL CO. NO. 3039-50 WITH CLEAR LENSES (OR EQUIVALENT)



The lenses are impact resistant and the wire bridge is adjustable.

For general use, except storage battery maintenance.


→ GRAVER, FLAT, WILLIAM DIXON INC. NO. 40



Refer to Section A707.071 for the handle used with this tool.

For use in replacing contacts of KS-13835 readers.


GUARD, LAMP, PORTABLE, TYPE B, KS-7118



Consists of a soft rubber handle with a fiber guard, a lamp socket and a hook.

For general use.

GUARD, HOOK, SHAVE, B




Replaces shave hook guard AT-6893-N.

For use on B shave hook AT-7151


(Spec. No. AT-7151)

→ GUIDE, DRILL, P-36A921



For use in removing rivets of Dzus fasteners.

GUIDE, KS-14443



For use in replacing worn contact springs of sequence switches.