

| TABLE A-FEATURES | | | | | | | | | | | |
|--|-------------|-------------|---------------------|---------------------------|----------------------------|------------------|-----|-----|---------------|-----|-----|
| EQUIPMENT | | RAT- ING | LIST OR GROUP | EQUIPMENT OR CIRCUIT DATA | | | | | SD EQUIVALENT | | |
| DESCRIPTION | REF NOTE | | | QTY | EQUIPMENT OR CIRCUIT | L/G OR FIG | WRG | APP | SCHEMATIC | FIG | OPT |
| APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED MAIN STORE UPDATE CABLE BETWEEN PROC-0 AND PROC-1 UNITS. (J3T060A-1) (SHEET C1) | | | 1 | | | | | | | | |
| APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED BUS TERMINATING RESISTOR CABLE (J3T061A-1) (SHEET C5) | | | 3 | | | | | | | | |
| APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSI BUS EXTENSION CABLE BETWEEN PROC-0 BUS O/A AND IOP2-SPU BUS A. (J3T061A-1) (SHEET C6) | | | 4 | | | | | | | | |
| APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSI BUS EXTENSION CABLE BETWEEN PROC-0 BUS 2/B AND IOP2-SPU BUS B. (J3T061A-1) (SHEET C7) | | | 4A | | | | | | | | |
| APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSI BUS EXTENSION CABLE BETWEEN PROC-1 BUS 1/A AND IOP3-SPU BUS A. (J3T061A-1) (SHEET C8) | | | 4B | | | | | | | | |
| APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSI BUS EXTENSION CABLE BETWEEN PROC-1 BUS 3/B AND IOP3-SPU BUS B. (J3T061A-1) (SHEET C9) | | | 4C | | | | | | | | |
| APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSI BUS EXTENSION CABLE BETWEEN PROC-0 BUS O/A AND IOP3-SPU BUS A. (J3T061A-1) (SHEET C10) | | | 4D | | | | | | | | |
| TABLE-A CONTINUED | | | | | | | | | | | |

ENGINEERING NOTES

51. THIS DRAWING ARRANGED FOR J3T060A-1 AND J3T061A-1.

| ISSUE NOTES | | | | |
|--|-----------|-----------|---------------------|----------|
| ORIG ISS: 01/18/93 NDD NBR: 3T061IH-1 CHANGE CLASS: NEW | | | | |
| DRAFT: JAS | ENGR: JAS | SUPV: PCF | CERTIFIED: 01/18/93 | ISSUE: 1 |
| GPS 4, 4A, 4B & 4C FOLD & DIMENSIONS CHGD. GPS 100 & 101 STAMPING CHANGE & FIRST FOLD DIM. READ 1 INCH. | | | | |
| ORIG ISS: 01/18/93 NDD NBR: 3T061IH-2 CHANGE CLASS: B | | | | |
| DRAFT: JAS | ENGR: JAS | SUPV: PCF | CERTIFIED: 03/31/93 | ISSUE: 2 |
| IN GRAPHICS SHT C15 CHGD. PER OCW PT ISSUE 2.1. | | | | |
| ORIG ISS: 01/18/93 CHANGE CLASS: M | | | | |
| DRAFT: TPS | ENGR: TPS | SUPV: PCF | CERTIFIED: 07/20/94 | ISSUE: 3 |
| DWG ISSUED TO INCLUDE OCW POINT ISSUES 3.1 & 3.2. | | | | |
| ORIG ISS: 01/18/93 CHANGE CLASS: M | | | | |
| DRAFT: TPS | ENGR: TPS | SUPV: CDH | CERTIFIED: 10/13/98 | ISSUE: 4 |

| SHEET INDEX | | | | | | | | | | | |
|-------------|--------------------|-----|-----|-----|-----|-----|----|----|----|-----|-----|
| SHT NBR | A1 THRU A2 ISSUE 4 | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | D1 THRU D2 ISSUE 4 | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | C1 | C2 | C3 | C4 | C5 | C6 | C7 | C8 | C9 | C10 | C11 |
| ISSUE | 1 | 1 | 1 | 1 | 4 | 2 | 2 | 2 | 2 | 1 | 1 |
| SHT NBR | C12 | C13 | C14 | C15 | C16 | C17 | | | | | |
| ISSUE | 1 | 1 | 1 | 3 | 2 | 2 | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |
| SHT NBR | | | | | | | | | | | |
| ISSUE | | | | | | | | | | | |

| TABLE OF CONTENTS | |
|---------------------|-----|
| DESCRIPTION | SHT |
| SHEET INDEX | A1 |
| ISSUE NOTES | A1 |
| ENGINEERING-NOTES | A1 |
| TABLE A | A1 |
| C SECTION GRAPHICS | C1 |
| MANUFACTURING NOTES | D1 |
| STOCKLIST | D1 |

| | |
|--|-------------------|
| AT&T - PROPRIETARY THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF AT&T AND IS NOT TO BE DISCLOSED OR USED EXCEPT IN ACCORDANCE WITH APPLICABLE CONTRACTS OR AGREEMENTS | |
| COPYRIGHT © 1998 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | |
| RN98 | |
| COMMON SYSTEMS 3B21D COMPUTER SPECIFICATION FOR FLEX TAPE CABLE | |
| DWG SIZE C2 | ISSUE 4 |
| AT&T | ED3T076-40 |
| | SHEET A1 OF 21 |

ED3T076-40

TABLE A-FEATURES (CONTINUED)

| EQUIPMENT | | EQUIPMENT OR CIRCUIT DATA | | | | | | | SD EQUIVALENT | | |
|--|----------|---------------------------|---------------|-----|----------------------|------------|-----|-----|---------------|-----|-----|
| DESCRIPTION | REF NOTE | RAT-ING | LIST OR GROUP | QTY | EQUIPMENT OR CIRCUIT | L/G OR FIG | WRG | APP | SCHEMATIC | FIG | OPT |
| APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSI BUS EXTENSION CABLE BETWEEN PROC-1 BUS 1/A AND IOP3-SPU BUS B. (J3T061A-1) (SHEET C11) | | | 4E | | | | | | | | |
| APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSI BUS TAPE UNIT CABLE BETWEEN PROC-0 OR 1 AND EITHER TAPE UNIT IN THE FIRST PERIPHERAL GROWTH CABINET. (J3T061A-1) (SHEET C15) | | | 100 | | | | | | | | |
| APPARATUS, WIRING AND ASSEMBLY FOR ONE CONNECTORIZED SCSI BUS TAPE UNIT CABLE BETWEEN PROC-0 OR 1 AND EITHER TAPE UNIT IN THE SECOND PERIPHERAL GROWTH CABINET (J3T061A-1) (SHEET C15) | | | 101 | | | | | | | | |
| END OF TABLE-A | | | | | | | | | | | |

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1998 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
 3B21D COMPUTER
 SPECIFICATION FOR
 FLEX TAPE CABLE


DWG SIZE C2 ISSUE 4

ED3T076-40


AT&T

ED3T076-40

SHEET A2 OF 21



403703689
 CABLE, TWIST & FLAT
 #132-2699-964
 SPECTRA STRIP CO.




SHEET NOTES:

1. FIVE CABLES OF THIS LAYOUT ARE REQUIRED FOR GROUP 1, DETAILS 1 THRU 5.

GROUP 1 (DETAILS 1 THRU 5)
 CONTINUED ON NEXT SHEET

| | | |
|---|------------|----------------|
| SEE PROPRIETARY NOTICE ON SHEET A1 | | |
| COPYRIGHT © 1993 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| FLEX TAPE CABLE | | DWG SIZE C2 |
| | | ISSUE 1 |
| AT&T | ED3T076-40 | SHEET C1 |


ED3T076-40




GROUP 1
CONTINUED ON NEXT SHEET

| | | |
|---|--|----------------|
| SEE PROPRIETARY NOTICE ON SHEET A1 | | |
| COPYRIGHT © 1993 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| FLEX TAPE CABLE | | DWG SIZE c2 |
| AT&T | | ISSUE 1 |
| ED3T076-40 | | SHEET c2 |


ED3T076-40




CONNECTOR 1
STAMPING INFORMATION
DET 1




CONNECTOR 2
STAMPING INFORMATION
DET 1




CONNECTOR 1
STAMPING INFORMATION
DET 2




CONNECTOR 2
STAMPING INFORMATION
DET 2




CONNECTOR 1
STAMPING INFORMATION
DET 3




CONNECTOR 2
STAMPING INFORMATION
DET 3




CONNECTOR 1
STAMPING INFORMATION
DET 4



CONNECTOR 2
STAMPING INFORMATION
DET 4



CONNECTOR 1
STAMPING INFORMATION
DET 5




CONNECTOR 2
STAMPING INFORMATION
DET 5

GROUP 1
CONTINUED ON NEXT SHEET

| | | |
|---|------------|----------------|
| SEE PROPRIETARY NOTICE ON SHEET A1 | | |
| COPYRIGHT © 1993 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| FLEX TAPE CABLE | | DWG SIZE C2 |
| | | ISSUE 1 |
| AT&T | ED3T076-40 | SHEET C3 |

ED3T076-40





GROUP 1
ASSEMBLY




GROUP 1

| | | |
|---|----------------|-------------|
| SEE PROPRIETARY NOTICE ON SHEET A1 | | |
| COPYRIGHT © 1993 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| FLEX TAPE CABLE | | |
| | DWG SIZE C2 | ISSUE 1 |
| AT&T | ED3T076-40 | SHEET C4 |

ED3T076-40




CONNECTOR 1
STAMPING INFORMATION




GROUP 3

| | | |
|--|------------|-------------|
| SEE PROPRIETARY NOTICE ON SHEET A1 | | |
| COPYRIGHT © 1998 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| FLEXTAPE CABLE | DWG SIZE | ISSUE |
| | C2 | 4 |
| LUCENT TECHNOLOGIES INC | ED3T076-40 | SHEET C5 |

ED3T076-40



403703689
 CABLE, TWIST & FLAT
 #132-2699-964
 SPECTRA STRIP CO.



GROUP 4
 CONTINUED ON NEXT SHEET

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1993 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

FLEX TAPE CABLE


| | |
|----------|-------|
| DWG SIZE | ISSUE |
| C2 | 2 |

AT&T


ED3T076-40

SHEET
 C6

ED3T076-40



403703689
 CABLE, TWIST & FLAT
 #132-2699-964
 SPECTRA STRIP CO.




GROUP 4A
 CONTINUED ON NEXT SHEET

SEE PROPRIETARY NOTICE ON SHEET A1


COPYRIGHT © 1993 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

| | | | |
|-----------------|------------|----------|-------|
| FLEX TAPE CABLE | | DWG SIZE | ISSUE |
| | | c2 | 2 |
| AT&T | ED3T076-40 | SHEET C7 | |

ED3T076-40



403703689
 CABLE, TWIST & FLAT
 #132-2699-964
 SPECTRA STRIP CO.



GROUP 4B
 CONTINUED ON NEXT SHEET

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1993 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

FLEX TAPE CABLE


| | |
|----------|-------|
| DWG SIZE | ISSUE |
| C2 | 2 |

AT&T


ED3T076-40

SHEET
 C8

ED3T076-40



403703689
 CABLE, TWIST & FLAT
 #132-2699-964
 SPECTRA STRIP CO.



GROUP 4C
 CONTINUED ON NEXT SHEET

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1993 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

FLEX TAPE CABLE


| | |
|----------|-------|
| DWG SIZE | ISSUE |
| C2 | 2 |

AT&T


ED3T076-40

SHEET
 C9

ED3T076-40



403703689
 CABLE, TWIST & FLAT
 #132-2699-964
 SPECTRA STRIP CO.



GROUP 4D
 CONTINUED ON NEXT SHEET

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1993 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

FLEX TAPE CABLE


| | |
|----------|-------|
| DWG SIZE | ISSUE |
| C2 | 1 |

AT&T


ED3T076-40

SHEET
 C10

ED3T076-40




403703689
 CABLE, TWIST & FLAT
 #132-2699-964
 SPECTRA STRIP CO.



GROUP 4E
 CONTINUED ON NEXT SHEET


| | | |
|---|------------|----------------|
| SEE PROPRIETARY NOTICE ON SHEET A1 | | |
| COPYRIGHT © 1993 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| FLEX TAPE CABLE | | DWG SIZE C2 |
| | | ISSUE 1 |
| AT&T | ED3T076-40 | SHEET C11 |

ED3T076-40




CONNECTOR 1
STAMPING INFORMATION

GROUP 4




CONNECTOR 2
STAMPING INFORMATION




CONNECTOR 1
STAMPING INFORMATION

GROUP 4C




CONNECTOR 2
STAMPING INFORMATION




CONNECTOR 1
STAMPING INFORMATION

GROUP 4A




CONNECTOR 2
STAMPING INFORMATION




CONNECTOR 1
STAMPING INFORMATION

GROUP 4D




CONNECTOR 2
STAMPING INFORMATION



CONNECTOR 1
STAMPING INFORMATION

GROUP 4B





CONNECTOR 2
STAMPING INFORMATION

GROUP 4 THRU 4D
CONTINUED ON NEXT SHEET

| | | |
|---|------------|--------------|
| SEE PROPRIETARY NOTICE ON SHEET A1 | | |
| COPYRIGHT © 1993 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| FLEX TAPE CABLE | DWG SIZE | ISSUE |
| | C2 | 1 |
| AT&T | ED3T076-40 | SHEET C13 |

ED3T076-40



GROUP 4E

CONNECTOR 1
STAMPING INFORMATION



CONNECTOR 2
STAMPING INFORMATION

GROUP 4E

| | | |
|---|------------|--------------|
| SEE PROPRIETARY NOTICE ON SHEET A1 | | |
| COPYRIGHT © 1993 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| FLEX TAPE CABLE | DWG SIZE | ISSUE |
| | C2 | 1 |
| AT&T | ED3T076-40 | SHEET C14 |

ED3T076-40

GROUP 100 8'-4" 5 SECTIONS, SEE NOTE 15
 GROUP 101 10'-0" 6 SECTIONS, SEE NOTE 15



GROUP 100 & 101
 CONTINUED ON NEXT SHEET

SEE PROPRIETARY NOTICE ON SHEET A1

COPYRIGHT © 1994 AT&T
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

FLEX TAPE CABLE



| | |
|----------|-------|
| DWG SIZE | ISSUE |
| C2 | 3 |

AT&T

ED3T076-40

SHEET
 C15



ED3T076-40



GROUP 100 & 101
CONTINUED ON NEXT SHEET

| | | |
|---|--|----------------|
| SEE PROPRIETARY NOTICE ON SHEET A1 | | |
| COPYRIGHT © 1993 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| FLEXTAPE CABLE | | DWG SIZE c2 |
| AT&T | | ISSUE 2 |
| ED3T076-40 | | SHEET C16 |

ED3T076-40




GROUP 100

CONNECTOR 3
STAMPING INFORMATION
EQL AND TERM. NUMBER
TO BE STAMPED PER JOB
CABLE SPECS.

GROUP 101

CONNECTOR 3
STAMPING INFORMATION
EQL AND TERM. NUMBER
TO BE STAMPED PER JOB
CABLE SPECS.



GROUP 100 & 101

CONNECTOR 2
SPU NUMBER
TO BE STAMPED PER JOB
CABLE SPECS.

GROUP 100 & 101

| | | |
|---|------------|--------------|
| SEE PROPRIETARY NOTICE ON SHEET A1 | | |
| COPYRIGHT © 1993 AT&T UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED | | |
| FLEX TAPE CABLE | DWG SIZE | ISSUE |
| | c2 | 2 |
| AT&T | ED3T076-40 | SHEET C17 |

ED3T076-40

| STOCKLIST | | | | | | | | |
|-----------|-----------------|--------------|--------------------|------|---|--------------------|------|-----|
| ITEM NBR | LIST GROUP CODE | QTY PER CODE | PRODUCT IDENTIFIER | CODE | DESCRIPTION | REFERENCE POSITION | NOTE | |
| | | | | | | | SYM | NBR |
| 100 | 1 | 5 | 403703689 | | CABLE, TWIST & FLAT #132-2699-964 50 CONDUCTOR SPECTRA STRIP CO. (3 FT - 4 IN. LG) | | | |
| 105 | 1 | 10 | 403431851 | | CONNECTOR, FLAT CABLE #3580-0000 50 POSITION .125 X .125 IN 3M CO. | | | |
| 110 | 1 | 10 | 403420284 | | RELIEF, STRAIN #3448-41 3M CO. | | | |
| 115 | 1 | 10 | 401897939 | | TAB, PULL #3490-5 3M CO | | | |
| 170 | 3 | 1 | 405526575 | | CABLE, FLAT RIBBON #3365/50 28AWG STRANDED 3M CO. (0 FT. -1-1/2 IN. LONG) | | | |
| 175 | 3 | 1 | 403431851 | | CONNECTOR, FLAT CABLE #3580-0000 50 POSITION .125 X .125 IN 3M CO. | | | |
| 180 | 3 | 1 | 403420284 | | RELIEF, STRAIN #3448-41 3M CO. | | | |
| 185 | 3 | 1 | 401897939 | | TAB, PULL #3490-5 3M CO | | | |
| 190 | 3 | 1 | 405465329 | | CONNECTOR, PLUG #4650-6001 3M CO. | | | |
| 195 | 3 | 1 | 405195736 | | CONNECTOR #DM200-01-0 SCSI DIFFERENTIAL TERMINATOR METHODE ELECTRONICS INC. | | | |
| 300 | 4 | 1 | 403703689 | | CABLE, TWIST & FLAT #132-2699-964 50 CONDUCTOR SPECTRA STRIP CO. (5 FT. -0 IN. LONG) | | | |
| 305 | 4 | 2 | 403431851 | | CONNECTOR, FLAT CABLE #3580-0000 50 POSITION .125 X .125 IN 3M CO. | | | |
| 310 | 4 | 2 | 403420284 | | RELIEF, STRAIN #3448-41 3M CO. | | | |
| 315 | 4 | 2 | 401897939 | | TAB, PULL #3490-5 3M CO | | | |
| 330 | 4A | 1 | 403703689 | | CABLE, TWIST & FLAT #132-2699-964 50 CONDUCTOR SPECTRA STRIP CO. (3 FT. -4 IN. LONG) | | | |
| 335 | 4A | 2 | 403431851 | | CONNECTOR, FLAT CABLE #3580-0000 50 POSITION .125 X .125 IN 3M CO. | | | |
| 340 | 4A | 2 | 403420284 | | RELIEF, STRAIN #3448-41 3M CO. | | | |
| 345 | 4A | 2 | 401897939 | | TAB, PULL #3490-5 3M CO | | | |
| 360 | 4B | 1 | 403703689 | | CABLE, TWIST & FLAT #132-2699-964 50 CONDUCTOR SPECTRA STRIP CO. (3 FT. -4 IN. LONG) | | | |
| 365 | 4B | 2 | 403431851 | | CONNECTOR, FLAT CABLE #3580-0000 50 POSITION .125 X .125 IN 3M CO. | | | |
| 370 | 4B | 2 | 403420284 | | RELIEF, STRAIN #3448-41 3M CO. | | | |
| 375 | 4B | 2 | 401897939 | | TAB, PULL #3490-5 3M CO | | | |

STOCKLIST CONTINUED ON SHEET D2

ED3T076-40

S
H
O
P
I
N
S
T
A
L
L
E
R
S

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.
- X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.
- * PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.
- */ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.
- () INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.
- { } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.
- < > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.
- "W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.
- "W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.
- "S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.
- A/R AS REQUIRED.
- "B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.
12. ALL DIMENSIONS OVER ONE FOOT ARE IN FEET AND INCHES.
15. FOR TWIST-N-FLAT CABLE ALWAYS CUT CABLE IN CENTER OF UNTWISTED PORTION. ONE SECTION OF CABLE SHALL BE DEFINED AS: THE TOTAL OF ONE HALF OF A FLAT SECTION - ONE TWISTED SECTION - ONE HALF OF A FLAT SECTION.
16. FOR TWIST-N-FLAT CABLE THE MINIMUM DIMENSION IS FOR ENGINEERING INFORMATION ONLY AND NOT TO BE USED FOR MANUFACTURING.

X
X
X

SEE PROPRIETARY NOTICE ON SHEET ONE

COPYRIGHT © 1998 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

| | |
|--|-------------------|
| RN98 | |
| COMMON SYSTEMS 3B21D COMPUTER SPECIFICATION FOR FLEX TAPE CABLE | |
| DWG SIZE C2 | ISSUE 4 |
| AT&T | SHEET D1 OF 21 |

ED3T076-40

| STOCKLIST | | | | | | | | | |
|-----------|-----------------|--------------|--------------------|------|---|--------------------|------|-----|--|
| ITEM NBR | LIST GROUP CODE | QTY PER CODE | PRODUCT IDENTIFIER | CODE | DESCRIPTION | REFERENCE POSITION | NOTE | | |
| | | | | | | | SYM | NBR | |
| 390 | 4C | 1 | 403703689 | | CABLE, TWIST & FLAT #132-2699-964 50 CONDUCTOR SPECTRA STRIP CO. (5 FT. -0 IN. LONG) | | | | |
| 395 | 4C | 2 | 403431851 | | CONNECTOR, FLAT CABLE #3580-0000 50 POSITION .125 X .125 IN 3M CO. | | | | |
| 400 | 4C | 2 | 403420284 | | RELIEF, STRAIN #3448-41 3M CO. | | | | |
| 405 | 4C | 2 | 401897939 | | TAB, PULL #3490-5 3M CO | | | | |
| 420 | 4D | 1 | 403703689 | | CABLE, TWIST & FLAT #132-2699-964 50 CONDUCTOR SPECTRA STRIP CO. (6 FT. -8 IN. LONG) | | | | |
| 425 | 4D | 2 | 403431851 | | CONNECTOR, FLAT CABLE #3580-0000 50 POSITION .125 X .125 IN 3M CO. | | | | |
| 430 | 4D | 2 | 403420284 | | RELIEF, STRAIN #3448-41 3M CO. | | | | |
| 435 | 4D | 2 | 401897939 | | TAB, PULL #3490-5 3M CO | | | | |
| 450 | 4E | 1 | 403703689 | | CABLE, TWIST & FLAT #132-2699-964 50 CONDUCTOR SPECTRA STRIP CO. (3 FT. -4 IN. LONG) | | | | |
| 455 | 4E | 2 | 403431851 | | CONNECTOR, FLAT CABLE #3580-0000 50 POSITION .125 X .125 IN 3M CO. | | | | |
| 460 | 4E | 2 | 403420284 | | RELIEF, STRAIN #3448-41 3M CO. | | | | |
| 465 | 4E | 2 | 401897939 | | TAB, PULL #3490-5 3M CO | | | | |
| 2000 | 100 | 1 | 403703689 | | CABLE, TWIST & FLAT #132-2699-964 50 CONDUCTOR SPECTRA STRIP CO. (8 FT. -4 IN. LONG) | | | | |
| 2005 | 100 | 1 | 403431851 | | CONNECTOR, FLAT CABLE #3580-0000 50 POSITION .125 X .125 IN 3M CO. | | | | |
| 2010 | 100 | 1 | 403420284 | | RELIEF, STRAIN #3448-41 3M CO. | | | | |
| 2015 | 100 | 1 | 401897939 | | TAB, PULL #3490-5 3M CO | | | | |
| 2020 | 100 | 1 | 405465329 | | CONNECTOR, PLUG #4650-6001 3M CO. | | | | |
| 2025 | 100 | 1 | 405317330 | | CONNECTOR, PLUG #622-50MAM D TYPE 50 CONTACT THOMAS & BETTS CO. | | | | |
| 2030 | 100 | 1 | 405195736 | | CONNECTOR #DM200-01-0 SCSI DIFFERENTIAL TERMINATOR METHODE ELECTRONICS INC. | | | | |
| 2050 | 101 | 1 | 403703689 | | CABLE, TWIST & FLAT #132-2699-964 50 CONDUCTOR SPECTRA STRIP CO. (10 FT. - 0 IN. LONG) | | | | |
| 2055 | 101 | 1 | 403431851 | | CONNECTOR, FLAT CABLE #3580-0000 50 POSITION .125 X .125 IN 3M CO. | | | | |
| 2060 | 101 | 1 | 403420284 | | RELIEF, STRAIN #3448-41 3M CO. | | | | |

***** STOCKLIST CONTINUED AT RIGHT *****

ED3T076-40

| STOCKLIST | | | | | | | | | |
|-----------|-----------------|--------------|--------------------|------|---|--------------------|------|-----|--|
| ITEM NBR | LIST GROUP CODE | QTY PER CODE | PRODUCT IDENTIFIER | CODE | DESCRIPTION | REFERENCE POSITION | NOTE | | |
| | | | | | | | SYM | NBR | |
| 2065 | 101 | 1 | 401897939 | | TAB, PULL #3490-5 3M CO | | | | |
| 2070 | 101 | 1 | 405465329 | | CONNECTOR, PLUG #4650-6001 3M CO. | | | | |
| 2075 | 101 | 1 | 405317330 | | CONNECTOR, PLUG #622-50MAM D TYPE 50 CONTACT THOMAS & BETTS CO. | | | | |
| 2080 | 101 | 1 | 405195736 | | CONNECTOR #DM200-01-0 SCSI DIFFERENTIAL TERMINATOR METHODE ELECTRONICS INC. | | | | |

***** END OF STOCKLIST *****

SEE PROPRIETARY NOTICE ON SHEET ONE

COPYRIGHT © 1998 AT&T
UNPUBLISHED & NOT FOR PUBLICATION
ALL RIGHTS RESERVED

RN98

COMMON SYSTEMS
3B21D COMPUTER
SPECIFICATION FOR
FLEX TAPE CABLE

DWG SIZE C2 ISSUE 4

AT&T

ED3T076-40

SHEET D2 OF 21