

ISSUE NOTES (CONTINUED)	ISSUE NOTES (CONTINUED)	ISSUE NOTES
(H8483) LINEOUT ENGINEERING NOTES 52,53,58,62. ADD ENGINEERING NOTES 499 AND 500, TABLE A. GROUPS 1D,3,B,C,H, NOTES 499,500 ADDED. LIST 1D ADDED TO EQUIPMENT DESCRIPTION, GROUPS 3,B,C, AND STOCKLIST ITEM 1035. STOCKLIST ITEMS 1005,1010,1035,1050,1085,1140,1150,1180,1215 CHANGED "S" TO X. ORIG ISS: 03/16/83 CHANGE CLASS: B	DISTRIBUTION CODE READ "7T13"; GROUP 1 RATING WAS STANDARD, GROUP D RATING WAS "MD"; GROUPS 1A, E & F ADDED; SHEETS B1 & B2, "FIG. 1" ADDED; NOTES 59, 60 & 61 ADDED. ORIG ISS: 03/16/83 NDD NBR: NDD5D071NW-1 CHANGE CLASS: B	GROUP-A; NOTE 56 AND 57 ADDED. NOTE 54 LINED OUT. AT&T CL: D ORIG ISS: 03/16/83 NDD NBR: 5D061-30IH-2 WECO CL: D
DRAFT: WFB ENGR: WFB SUPV: RMB CERTIFIED: 07/09/99 ISSUE: 21	DRAFT: TMR ENGR: TMR SUPV: PK CERTIFIED: 10/16/92 ISSUE: 15	DRAFT: DJP ENGR: RFK SUPV: VAULT: 08/09/84 ISSUE: 7
(H8483) TABLE A: GROUPS 1D, 3, B AND C WERE RATED 'DA'. ORIG ISS: 03/16/83 CHANGE CLASS: ME	SL ITEMS 1221 & 1280 ADDED, ITEM 1220 LINED OUT. ORIG ISS: 03/16/83 CHANGE CLASS: ME	NOTE 54 & 57 LINED OUT. GRP 2 READ 'ALWAYS REQD'. GRP B & C ADDED. ORIG ISS: 03/16/83 CHANGE CLASS: D
DRAFT: RAR ENGR: RAR SUPV: RMB CERTIFIED: 10/19/99 ISSUE: 22	DRAFT: TMR ENGR: TMR SUPV: PK CERTIFIED: 08/25/93 ISSUE: 16	DRAFT: DJP ENGR: RFK SUPV: VAULT: 12/19/84 ISSUE: 8
	H7159=IN TABLE A DA'ED GROUP 1A AND ADDED GROUP 1B. IN ST ADDED ITEMS 1063 AND 1064;MODIFIED ITEMS 1000,1010,1030,1050,1071 AND 1081. IN TABLE A DA'ED GROUP F AND ADDED GROUP G. IN ST ADDED 1290 AND 1295;MODIFIED ITEMS 1230,1250,1260 AND 1270. ORIG ISS: 03/16/83 CHANGE CLASS: B	TABLE A GROUP B&C READ 'TO PROVIDE ONE KS ADAPTER'. STOCKLIST ITEM 1140 & 1150 QTY. READ '1'. VAULTED. ORIG ISS: 03/16/83 CHANGE CLASS: D
	DRAFT: PKK ENGR: PKK SUPV: CERTIFIED: 03/01/94 ISSUE: 17	DRAFT: DJP ENGR: RFK SUPV: VAULT: 02/25/85 ISSUE: 9
	ST ITEM 1230 READ 106813512, NOW READS 107140048. CHANGED DUE TO NO SOURCE. ORIG ISS: 03/16/83 CHANGE CLASS: M	* DRAWING CONVERTED FROM SEDBS TO MDS COMPUTER SYSTEMS. * * THIS IS A MACHINE COPY OF THE LATEST SEDBS CERTIFIED ISSUE * * AND MAY CONTAIN MINOR DIFFERENCES. THE TABLE OF ASSOCIATED * * DRAWINGS WAS ELIMINATED DURING MIGRATION TO ASSIST THE * * SCRUBBING OF PROPRIETARY INFORMATION. * ----- TABLE A: GROUP 1 SD READ SD-5D011-01, GROUP-A RATED MFR DISC & GROUP-D ADDED. ORIG ISS: 03/16/83 NDD NBR: 5D061-30NW-1 CHANGE CLASS: B
	DRAFT: PKK ENGR: PKK SUPV: CERTIFIED: 06/24/94 ISSUE: 18	DRAFT: DSL ENGR: RFK SUPV: CERTIFIED: 01/07/86 ISSUE: 10
	(H7530) TA LIST 1B & G, DA'D. LIST 1C ADDED. LIST 1C ADDED TO LISTS 3,B,C & E. SL ITEMS 1005,1035 & 1085 ADDED, ITEMS 1010 & 1050 MODIFIED. ENG NOTE 53 MODIFIED. ORIG ISS: 03/16/83 CHANGE CLASS: B	SL ITEM 1160 LINED OUT. SL ITEM 1170 ADDED. VAULTED. DRAWING RATING READ 'PROV'. ORIG ISS: 03/16/83 CHANGE CLASS: B
	DRAFT: TMG ENGR: TMG SUPV: CERTIFIED: 06/12/95 ISSUE: 19	DRAFT: DSL ENGR: RFK SUPV: CERTIFIED: 02/19/86 ISSUE: 11
	(H8202) TABLE A. LIST E, 1C ARE RATED "DA" AND LIST H, 1D WERE ADDED. STOCKLIST ITEM 1215 WAS ADDED. LIST 1D ADDED TO STOCKLIST ITEMS 1005, 1050 AND 1085. ADDED ENG NOTE 62. CHANGE GRAPHIC SHEETS B1,B2,B3,E1 AND E2 ACCORDINGLY. ORIG ISS: 03/16/83 CHANGE CLASS: B	TABLE A GROUP-2 RATED 'DA', GROUP-3 ADDED. SL ITEMS 1180 & 1190 ADDED. SHEETS E1 & E2 CHANGED ACCORDINGLY. SL ITEM 1170 LINED OUT. SHEET E1 CHGD. ORIG ISS: 03/16/83 CHANGE CLASS: B
	DRAFT: WFB ENGR: WFB SUPV: RMB CERTIFIED: 08/28/98 ISSUE: 20	DRAFT: DSL ENGR: RFK SUPV: CERTIFIED: 11/10/87 ISSUE: 12
		SL ITEM 1180 COMCODE READ "405590522". ORIG ISS: 03/16/83 CHANGE CLASS: M
		DRAFT: RFK ENGR: RFK SUPV: CERTIFIED: 04/19/88 ISSUE: 13
		NOTE 58 ADDED. ORIG ISS: 03/16/83 CHANGE CLASS: M
		DRAFT: DSL ENGR: RFK SUPV: CERTIFIED: 06/09/88 ISSUE: 14

SHEET INDEX									
SHT NBR	A1 THRU A3			ISSUE 22					
ISSUE	D1 THRU D2			ISSUE 22					
SHT NBR	B1	B2	B3						
ISSUE	20	20	20						
SHT NBR	E1	E2							
ISSUE	20	20							
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									

ED5D061-30

COPYRIGHT © 1999 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED	
BT13	
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR MOBILE TERMINAL AND RELATED DATA SET EQUIPMENT	
DWG SIZE C2	ISSUE 22
LUCENT TECHNOLOGIES INC ED5D061-30	
SHEET A1 OF 10	

TABLE A-FEATURES											
EQUIPMENT		EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT			
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
EQUIPMENT AND CABLING FOR ONE 300 BAUD TELETYPEWRITER ON A CART FOR USE WITH OFFICE BELTLINE. (SEE NOTES 52,53,54 & 58). DA EFF:10/16/92 FE:ED5D061-30,G1A		DA	1	1					SD5D071-01	AS17	
EQUIPMENT AND CABLING FOR ONE MOBILE CART FOR USE WITH OFFICE BELTLINE. DA EFF:03/01/94 FE:ED5D061-30,G1B	52 53 58	DA	1A	1	ED5D061-30	1			SD5D071-01	AS12	
EQUIPMENT AND CABLING FOR ONE MOBILE CART FOR USE WITH OFFICE BELTLINE. DA EFF:06/12/95 FE:ED5D061-30,G1C	52 53 58	DA	1B	1	ED5D061-30	1			SD5D071-01	AS12	
EQUIPMENT AND CABLING REQUIRED FOR ONE MOBIL CART FOR USE WITH THE OFFICE BELTLINE. DA EFF:08/28/98 FE:ED5D061-30,G1C	52 58	DA	1C	1	ED5D061-30	1			SD5D071-01	AS12	
EQUIPMENT REQUIRED FOR ONE MOBIL CART FOR USE WITH THE OFFICE BELTLINE. REPL:ED5D061-30 G1C DA EFF:10/22/99 FE/RA:NONE	499 500	DA	1D	1	ED5D061-30	1			SD5D071-01	AS12	
CORD ASSEMBLY REQUIRED IN ADDITION TO LIST 1 TO INTERFACE BETWEEN 239A JKS ON MOBILE CART AND KS-21001 JKS ON MSG AND SM.		DA	2	1							
CORD REQUIRED IN ADDITION TO GROUP 1,1A,1B OR 1C, 1D TO INTERFACE BETWEEN THE 239A JACKS ON THE MOBILE CART AND THE KS21001 JACKS ON MSG AND SM. DA EFF:10/22/99 FE/RA:NONE	499 500	DA	3	1							
EQUIPMENT REQUIRED IN ADDITION TO GROUP 1 TO PROVIDE TELETYPE AND GROUP CARD OPTION FOR MOBILE CART. DA EFF:10/16/92 FE:ED5D061-30,GD		DA	A	1							
EQUIPMENT REQUIRED IN ADDITION TO GROUP 1,1A,1B OR 1C 1D TO PROVIDE TWO KS-21387, L1 ADAPTERS FOR (SP) JACKS. DA EFF:10/22/99 FE/RA:NONE	499 500	DA	B	1							
EQUIPMENT REQUIRED IN ADDITION TO GROUP 1,1A,1B OR 1C,1D TO PROVIDE TWO KS-21386, L1 ADAPTERS FOR (TEL) JACKS. DA EFF:10/22/99 FE/RA:NONE	499 500	DA	C	1							
EQUIPMENT REQUIRED IN ADDITION TO GROUP-1 TO PROVIDE TELETYPE MODEL 5310 TELE PRINTER TO MOBILE CART. DA EFF:10/16/92 FE:ED5D061-30,GE		DA	D	1							
EQUIPMENT REQUIRED IN ADDITION TO GROUP 1A, 1B OR 1C TO PROVIDE ONE 572 PRINTER. DA EFF:08/28/98 FE:ED5D061-30,GH		DA	E								
EQUIPMENT REQUIRED IN ADDITION TO GROUP 1A OR 1B TO PROVIDE ONE 2224CEO MODEM TO PROVIDE DIAL-UP ACCESS TO THE MOBILE CART. DA EFF:03/01/94 FE:ED5D061-30,GG		DA	F								

TABLE-A CONTINUED

ED5D061-30

ENGINEERING NOTES

51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH LUCENT TECHNOLOGIES PRACTICES- 800-820-000.
52. \$ THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP. FOR ADDITIONAL EQUIPMENT AND CABLING REQUIREMENTS NOT APPARENT ON THIS DRAWING SEE:  
ED-5D061-50 TYPICAL DATA SET  
FRAME OR CABINET.\$
53. \$ FURNISH ONE BELTLINE CHANNEL PER OFFICE. IF A SECOND BELTLINE CHANNEL IS REQUIRED, SPECIFY THE REQUIREMENTS OF ANOTHER GROUP 1. FOR INFORMATION ON IOP ASSIGNMENTS OF BELTLINE CHANNELS SEE SD-5D014-02 & SD-5D009-01.(ONE TN74 CHANNEL, 202T DATA SET AND 829 DATA SET, IS REQUIRED FOR EACH BELTLINE CHANNEL SPECIFIED).\$
54. \$ MODEL 43 TTY USOC M-4BG E/W USOC 4BQ SHALL BE ORDERED IN THE 010 SPEC. \$
55. \$ ADAPTERS WILL PERMIT HEADSETS WITH STD PLUGS TO USE COMMUNICATION CHANNELS EQUIPPED WITH MINIATURE JACKS. FOR 2-WIRE JACKS USE KS-21386,L1 ADAPTER, FOR 3- WIRE JACKS USE KS-21387,L1 ADAPTER. \$
56. DOLLAR SIGNS (\$) IN FRONT OF AND BEHIND WORDS, SENTENCES, PARAGRAPHS AND OR CHARACTERS INDICATE HORIZONTALLY LINED OUT INFORMATION.
57. \$ THE FOLLOWING ADAPTERS MAY BE REQUIRED:  
KS-21387,L1 FOR SP JKS  
KS-21386,L1 FOR TEL JKS. \$
58. \$ REFER TO ED1P296-30 FOR STAMPING & ASSEMBLY OF MOBILE CART.\$
59. ON INITIAL INSTALLATION SET 2224CEO MODEM ADDRESS SWITCHES, LOCATED ON THE FRONT OF THE UNIT AS FOLLOWS:  
(U = UP, D = DOWN).  
1 2 3 4 5 6 7 8  
D D D D U D D D  
ALSO RESET SOFTWARE DEFAULT SETTINGS AS FOLLOWS:  
NUMBER 34, OPERATING MODE FROM 3 TO 1  
NUMBER 55, CD INDICATES CARRIER FROM N TO Y  
FOR ADDITIONAL INFORMATION SEE USERS MANUAL SUPPLIED WITH UNIT.
60. THE TTYB PORT ON THE 3B20D MUST BE RESET TO 2400 BAUD AND HANGS UP ON LOSS OF LINE.
61. SECURITY MUST BE USED ON THIS PORT WITH SWITCHED ACCESS. SEE 5ESS SWITCH UNIX SYSTEM REFERENCE MANUAL FOR MORE INFORMATION.
62. \$ THE 320-TURBO OKIDATA PRINTER (CC-407937309) COME INSTALLED WITH A SERIAL INTERFACE BOARD (CC-406869370), PURCHASE FROM VACMAR COMPUTER SOLUTION, 7595 JENTHER DRIVE, MENTOR, OH 44060.\$
499. A. FURNISH ONE BELTLINE CHANNEL PER OFFICE. IF A SECOND BELTLINE CHANNEL IS REQUIRED, SPECIFY THE REQUIREMENTS OF ANOTHER GROUP 1. FOR INFORMATION ON IOP ASSIGNMENTS OF BELTLINE CHANNELS SEE SD-5D014-02 & SD-5D009-01. (ONE TN74 CHANNEL, 202T DATA SET AND 829 DATA SET, IS REQUIRED FOR EACH BELTLINE CHANNEL SPECIFIED).  
.  
B. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP. FOR ADDITIONAL EQUIPMENT AND CABLING REQUIREMENT NOT APPARENT ON THIS DRAWING SEE:  
ED5D061-50 TYPICAL DATA SET  
FRAME OR CABINET.  
.  
C. REFER TO ED1P296-30 FOR STAMPING & ASSEMBLY OF MOBILE CART.  
.  
D. THE 320-TURBO OKIDATA PRINTER (CC-407937309) COME INSTALLED WITH A SERIAL INTERFACE BOARD (CC-406869370), PURCHASE FROM VECMAR COMPUTER SOLUTIONS, 7595 JENTHER DRIVE, MENTOR, OHIO 44060.
500. THIS GROUP MAY BE SPECIFIED AS A MAIN OR SUPPLEMENTAL ITEM.

COPYRIGHT © 1999 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
MOBILE TERMINAL  
AND RELATED DATA SET EQUIPMENT

DWG SIZE C2  
ISSUE 22

LUCENT TECHNOLOGIES INC ED5D061-30

SHEET A2  
OF 10

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT		
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG
EQUIPMENT REQUIRED IN ADDITION TO GROUP 1A OR 1B TO PROVIDE ONE 2224CEO MODEM TO PROVIDE DIAL-UP ACCESS TO THE MOBILE CART. DA EFF:06/12/95 FE:ED5D061-30,G1C		DA	G							
EQUIPMENT REQUIRED IN ADDITION TO GROUP 1D TO PROVIDE ONE 10" PRINTER. REPL:ED5D061-30 GE		499 500	H							
END OF TABLE-A										

COPYRIGHT © 1999 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

BT13


5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
MOBILE TERMINAL  
AND RELATED DATA SET EQUIPMENT

DWG SIZE C2 ISSUE 22

ED5D061-30

LUCENT TECHNOLOGIES INC ED5D061-30

SHEET A3 OF 10



EDIP296-30 MOBILE CART ASSEMBLY




PART OF FIG. 1 ( DA )

TYPICAL DEDICATED DATA SET ARRANGEMENT FOR INTERFACING TO THE 5ESS BELTLINE CHANNEL

PROJ-EGEDFORM.FRM-FEB-96

ED5D061-30


FOR PROPRIETARY NOTICE SEE SHEET A1		THIRD ANGLE PROJ	
MOBILE TERMINAL AND DATA SET EQUIPMENT			
DWG SIZE	C2	ISSUE	20
LUCENT TECHNOLOGIES	ED5D061-30	SHEET NO.	B1
		MODEL NAME	



ESSENTIAL AC POWER

ED5D621-11, G61  
TO DEDICATED  
ANALOG LINE

TO ANALOG LINE




406601781  
RS232C  
DTE CABLE  
MALE BOTH ENDS



TO 117VAC OUTLETS ON  
MOBILE CART ASSEMBLY




EDIP296-30, G1  
MOBILE CART ASSEMBLY



104295001  
~~524161742~~  
PRINTER CABLE



KEYBOARD




PART OF FIG. 1  
TYPICAL SWITCH DATA SET  
ARRANGEMENT FOR INTERFACING  
TO THE SESS BELTLINE CHANNEL

PROJ-EOEDFORM.FRM-FEB-96

ED5D061-30

FOR PROPRIETARY NOTICE SEE SHEET A1			
MOBILE TERMINAL AND DATA SET EQUIPMENT	THIRD ANGLE PROJN		
	DWG SIZE C2	ISSUE 20	
LUCENT TECHNOLOGIES	ED5D061-30		SHEET NO. B2
MODEL NAME			



PART OF FIG. 1  
 TYPICAL DEDICATED DATA SET  
 ARRANGEMENT FOR INTERFACING  
 TO THE SESS BELTLINE

PROJ-EGEDFORM, FRM-FEB-96

ED5D061-30

FOR PROPRIETARY NOTICE SEE SHEET A1		THIRD ANGLE PROJN	
MOBILE TERMINAL AND DATA SET EQUIPMENT			
		DWG SIZE C2	ISSUE 20
LUCENT TECHNOLOGIES	ED5D061-30	SHEET NO. B3	
		MODEL NAME	

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1A,1B	1	106463300	56C707YCAA	TERMINAL, DATA 715/4425		S	
1005	1C,1D	1	407374503		TERMINAL, DATA #2926-7059-7100 SUN RIVER DATA SYSTEMS		X	
1010	1A,1B,1C,1D	1	406601781		CABLE, EXTENSION #BC00703 RS232, 6 FT, MALE TO MALE BLACK BOX		X	
1020	1	1	ED4A065-30,G6		ASSEMBLY, CABLE CONNECTOR		S	
1030	1,1A,1B	1	ED5D146-30,G2		ASSEMBLY, CABLE		S	
1035	1C,1D	1	ED5D146-30,G3		ASSEMBLY, CABLE		X	
1040	1	1	101427516	6PIA	CORD 6 FT SLATE		S	
1050	1,1A,1B,1C,1D	1	ED1P296-30,G1,G2		ASSEMBLY, MOBILE CART KIT		X	
1060	1	1	102998283	202T	SET, DATA L1A, L2		S	
1061	1,1A	1	102393402	47B1	MOUNTING, DATA E/W		S	
1062	1,1A	1	102998275	202TL1A	SET, DATA		S	
1063	1B	1	103872040	47B1	MOUNTING, DATA AT		S	
1064	1B	1	103872305	202T-L1A	SET, DATA AT CLEI = 2D02TALCAA		S	
1070	1	1	102393386	44A1	MOUNTING, DATA E/W		S	
1071	1,1A,1B	1	102906013	44A2	MOUNTING, DATA E/W		S	
1080	1	1	102402302	829ALL	SET		S	
1081	1,1A,1B	1	102860293	829A-L1A	SET, AUXILIARY DATA CLEI = 8D29AABAAA			
1085	1C,1D	1	106597768	3810-A1-001	MODEM, DATA TRANSFER		X	
1090	2	1	101153369	425A-3	PLUG		S	12
1100	2	1	403709371		CORD, CONDUCTOR #TT829 4 SWITCHCRAFT CO OR EQUIVALENT		S	12
1110	2	1	403715311		PLUG, TWIN #TT263 SWITCHCRAFT CO. OR EQUIVALENT		S	12
1120	A	1	500050968		TELE PRINTER #4340/BZJ TELETYPE CORP.		S	
1130	A	1	500050422		CARD #43FG210/AA/02 FEATURE GROUP TELETYPE CORP.		S	
1140	B	2	401272794	KS21387L1	CORD, TEST FOR ADAPTER SET		X	
1150	C	2	401272646	KS21386L1	ADAPTER, PLUG FOR BANTAM		X	
1160	D	1	500053715		PRINTER #5310-1BAA W/ KEYBOARD TELETYPE CORP.		S	
1170	D	1	501000939		PRINTER #CP53.015.400 FF KEYBOARD COLOR MODIFIED FOR 5ESS E/W FULL FORM TRACTOR TELETYPE CORP.		S	
1180	3	1	402310866		CORD, PATCH #FJ696 12 FT. ADC TELECOMMUNICATIONS CO. OR EQUIV		X	

STOCKLIST CONTINUED ON SHEET D2

ED5D061-30

S  
H  
O  
P  
T

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.

X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.

\* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.

\*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.

( ) INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.

{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.

< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.

"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.

"W\*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.

"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.

A/R AS REQUIRED.

"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.

X 12. GROUP-2 CORD ASSEMBLY SHALL BE WIRED PER THE FOLLOWING:

TT263	TT829	425A3
PLUG	CORD	PLUG
----	----	----
PLUG-1		PLUG-1
T	WHITE	T
R	BROWN	R
PLUG-2		PLUG-2
T	RED	T
R	GREEN	R
NOTE A	SHIELD	NOTE B
A:	GROUND IN LIP OF CABLE	
B:	TO SLV OF PLUG 1, STRAP SLV TOGETHER.	

COPYRIGHT © 1999 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
MOBILE TERMINAL  
AND RELATED DATA SET EQUIPMENT

DWG SIZE  
C2

ISSUE  
22

LUCENT TECHNOLOGIES INC ED5D061-30

SHEET D1  
OF 10

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1190	D	1	524308483	TP430848	PRINTER		S	
1210	E	1	406152983		PRINTER, DOT MATRIX #572-9500DR CITOH ELECTRONICS 572		S	
1215	H	1	407937309		PRINTER, DOT MATRIX #ML-320 TURBO OKIDATA		X	
1220	E	1	524161742		CABLE #TP416174 / FT TELETYPE CORP.		S	
1221	E	1	104295001	M25B	CORD, PATCH 27GA, 25 COND, 6FT LONG		S	
1230	F,G	1	107140048	3710-A2-211	MODEM, DATA TRANSFER		S	
1240	F	OMIT 1	102393402	47B1	MOUNTING, DATA		S	
1250	F,G	OMIT 1	102906013	44A2	MOUNTING, DATA		S	
1260	F,G	OMIT 1	102860293	829A-L1A	SET, AUXILIARY DATA CLEI = 8D29AABAAA		S	
1270	F,G	OMIT 1	ED5D146-30,G2		ASSEMBLY, CABLE		S	
1280	F	OMIT 1	102998275	202TL1A	SET, DATA		S	
1290	G	OMIT 1	103872040	47B1	MOUNTING, DATA AT			
1295	G	OMIT 1	103872305	202T-L1A	SET, DATA AT CLEI = 2D02TALCAA			

\*\*\*\*\* END OF STOCKLIST \*\*\*\*\*

COPYRIGHT © 1999 LUCENT TECHNOLOGIES  
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT  
SPECIFICATION FOR  
MOBILE TERMINAL  
AND RELATED DATA SET EQUIPMENT

DWG SIZE  
C2

ISSUE  
22


ED5D061-30

LUCENT TECHNOLOGIES INC ED5D061-30

SHEET D2  
OF 10

PRINTED IN U.S.A.

TO INTRAOFFICE COMMUNICATIONS CIRCUIT




GR. I  
 CONNECTION OF TERMINAL ON  
 MOBILE CART TO BELTLINE CHANNEL  
 ( DA )

PROJ-EGEDFORM.FRM-FEB-96

ED5D061-30

FOR PROPRIETARY NOTICE SEE SHEET A1		THIRD ANGLE PROJ	
MOBILE TERMINAL AND DATA SET EQUIPMENT			
DWG SIZE	ISSUE	C2	20
LUCENT TECHNOLOGIES	ED5D061-30	SHEET NO. E1	
MODEL NAME			



GR-2 " DA "  
CORD ASSEMBLY  
SEE NOTE 12

PROJ-EGEDFORM.FRM-FEB-96

ED5D061-30

FOR PROPRIETARY NOTICE SEE SHEET A1		THIRD ANGLE PROJN	
MOBILE TERMINAL AND DATA SET EQUIPMENT			
(P)	DWG SIZE C2	ISSUE 20	
LUCENT TECHNOLOGIES	ED5D061-30	SHEET NO. E2	MODEL NAME