

TABLE A-FEATURES											
EQUIPMENT			EQUIPMENT OR CIRCUIT DATA						SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
INTERFACE LABEL FOR HIGH SPEED SBUS SLOT 2. (HSI)			1								
INTERFACE LABEL FOR THE SERIAL/PARALLEL SBUS SLOT 3. (S/PI-0)			2								
INTERFACE LABEL FOR THE SERIAL/PARALLEL SBUS SLOT 1. (S/PI-1)			3								
END OF TABLE-A											

ISSUE NOTES				
INITIAL ISS. OF DRAWING. CASE #A6054				
ORIG ISS: 03/02/98 NDD NBR: NDD5D764NW-11 CHANGE CLASS:				
DRAFT: CWM	ENGR: JLK	SUPV: CDH	CERTIFIED: 03/02/98	ISSUE: 1

SHEET INDEX											
SHT NBR	A1 THRU A1 ISSUE 1										
ISSUE	D1 THRU D1 ISSUE 1										
SHT NBR	B1										
ISSUE	1										
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											
SHT NBR											
ISSUE											


TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
TABLE A	A1
B SECTION GRAPHICS	B1
STOCKLIST	D1

LUCENT TECHNOLOGIES- PROPRIETARY THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF LUCENT TECHNOLOGIES AND IS NOT TO BE DISCLOSED OR USED EXCEPT IN ACCORDANCE WITH APPLICABLE AGREEMENTS.			
COPYRIGHT © 1998 LUCENT TECHNOLOGIES UNPUBLISHED & NOT FOR PUBLICATION ALL RIGHTS RESERVED			
BT13			
VCDX LABEL DRAWING		DWG SIZE C2	ISSUE 1
LUCENT TECHNOLOGIES INC		ED5D764-31	SHEET A1 OF 3

ED5D764-31

NOTES:

- 1. LINEAR MEASURE IS IN MILLIMETERS. EQUIVALENT INCH DIMENSIONS ARE IN BRACKETS []. NONLIMITED DIMENSIONS OTHER THAN THE SIZE OF RAW MATERIAL SHALL BE NON-CUMULATIVE AND HELD AS FOLLOWS WHEN EXPRESSED:
TO 1 DECIMAL PLACE ± 0.8 [.03]
TO 2 DECIMAL PLACES ± 0.40 [.010]
- 2. MATERIAL: PRESSURE SENSITIVE POLYESTER TO BE AFFIXED TO PLASTIC.
- 3. DIMENSION, EXTENSION, CENTER LINES AND LABEL OUTLINES ARE FOR REFERENCE ONLY AND SHALL NOT APPEAR ON PART.
- 4. VERTICAL DIMENSIONS SHALL BE TO THE BOTTOM OF THE CHARACTERS.
- 5. CHARACTERS TO BE CENTERED HORIZONTALLY, UNLESS OTHERWISE SPECIFIED.
- 6. CHARACTER HEIGHT SHALL BE 2.5 [.10]. CHARACTER STYLE SHALL BE "HELVETICA MEDIUM".
- 7. CHARACTERS SHALL BE BLACK OS-10209. BACKGROUND SHALL BE CENTRAL OFFICE WHITE OS-11150.



GROUP	LINE	TEXT
1	1 2 3	HIGH SPEED INTERFACE (HSI) SBUS SLOT 2
2	1 2 3	SERIAL/PARALLEL INTERFACE-0 (S/PI-0) SBUS SLOT 3
3	1 2 3	SERIAL/PARALLEL INTERFACE-1 (S/PI-1) SBUS SLOT 1

PRO/E-EGEDFORM.FRM-FEB-96

ED5D764-31

PRO/E FILE- /home/cwml/pro/

VCDX LABEL DRAWING		THIRD ANGLE PROJ 	
(P) DWG SIZE C2		ISSUE 1	
LUCENT TECHNOLOGIES		ED5D764-31	SHEET NO. BI

LABEL

STOCKLIST

ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1000	1	1	407807106	ED5D764-31,G1	LABEL, DESIGNATION MARTEK			
1005	2	1	407807114	ED5D764-31,G2	LABEL, DESIGNATION MARTEK			
1010	3	1	407849215	ED5D764-31,G3	LABEL, DESIGNATION MARTEK			

***** END OF STOCKLIST *****

SEE PROPRIETARY NOTICE ON SHEET ONE
 COPYRIGHT © 1998 LUCENT TECHNOLOGIES
 UNPUBLISHED & NOT FOR PUBLICATION
 ALL RIGHTS RESERVED

BT13

VCDX LABEL DRAWING

DWG SIZE
C2

ISSUE
1

ED5D764-31

LUCENT TECHNOLOGIES INC ED5D764-31

SHEET D1
OF 3