

TABLE A-FEATURES											
EQUIPMENT		RAT- ING	LIST OR GROUP	EQUIPMENT OR CIRCUIT DATA				SD EQUIVALENT			
DESCRIPTION	REF NOTE			QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
FRAMEWORK, ASSEMBLY AND EQUIPMENT FOR ONE EXPORT MODEM POOLING CABINET EQUIPPED IN THE 5ESS CLASSIC CABINET. DA EFF:06/11/96 FE/RA:NONE		DA	1					SD5X220-01	AS1		
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 OR 20. PROVIDES ONE 106A3 DATA MOUNTING. (MAX. 2 LIST 2). DA EFF:06/11/96 FE/RA:NONE	54	DA	2					SD5X220-01	AS1		
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 OR 20. PROVIDES ONE 77A DATA MOUNTING. (MAX. 1 LIST 3). DA EFF:06/11/96 FE/RA:NONE		DA	3					SD5X220-01	AS1		
EQUIPMENT REQUIRED IN ADDITION TO LIST 1, 3 OR 20. PROVIDES ONE 7500A (13) L2 INTERNATIONAL UNIVERSAL DATA MODULE (IUDM). (MAX. 16 LIST 4). DA EFF:06/11/96 FE/RA:NONE		DA	4					SD5X220-01	AS1		
EQUIPMENT REQUIRED IN ADDITION TO LIST 2 TO PROVIDE ONE 2224G, L1/2 MODEM. (MAX. 16 LIST 5). DA EFF:06/11/96 FE/RA:NONE	54	DA	5					SD5X220-01	AS1		
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 OR 20. PROVIDES ONE KS20018, L9D SHELF (MAX. 4 LIST 6). DA EFF:06/11/96 FE/RA:NONE	55	DA	6								
EQUIPMENT REQUIRED IN ADDITION TO LIST 1 OR 20. PROVIDES ONE KS22100, L1 BLOWER. DA EFF:06/11/96 FE/RA:NONE	56	DA	7								
TABLE-A CONTINUED											

ENGINEERING NOTES

51. INFORMATION FURNISHED PER THIS DRAWING IS IN ACCORDANCE WITH AT&T PRACTICES-NONE.

52. THIS DOCUMENT CONTAINS COMPLETE ENGINEERING INFORMATION FOR THE SUBJECT EQUIPMENT. JOB INFORMATION SHALL BE RECORDED BY LIST OR GROUP.

53. FOR CABLING REQUIREMENTS ON THIS CABINET SEE ED5D666-11.

54. THE 106A3 DATA MTG WILL HOUSE UP TO EIGHT 2224G MODEMS, POSITION NINE IS RESERVED FOR THE SDU, WHICH IS NOT USED FOR THE MODEM POOLING ARRANGEMENT. SEE FIGURE 1.

55. LIST 6 SHALL BE ORDERED WHEN THE CUSTOMER PROVIDES LOCAL STAND ALONE MODEMS OR WHEN LIST 2 IS NOT SPECIFIED. SEE FIGURE 2. TO BE DETERMINED BY CUSTOMER.

56. LIST 7 SHALL BE ORDERED ONLY WHEN REQUESTED BY CUSTOMER.

ISSUE NOTES				
ORIG ISS: 03/14/88		CHANGE CLASS:		
DRAFT: DSL	ENGR: RFK	SUPV: JFM	CERTIFIED: 03/14/88	ISSUE: 1
LIST A, SL ITEMS 1300,1320 & 1330 ADDED. ITEMS 1010,1020,1030 LIST COL READ 1. ITEMS 1040,1050 LIST COL READ 1,2,3. ITEMS 1110,1120 LIST COL READ 1,2,3,6. ITEMS 1130,1140,1145,1150,1160 LIST COL READ 1,3.				
ORIG ISS: 03/14/88		CHANGE CLASS: M		
DRAFT: RJW	ENGR: RJW	SUPV:	CERTIFIED: 10/24/88	ISSUE: 2
LIST B & SL ITEMS 1330,1340,1350,1360 ADDED,				
ORIG ISS: 03/14/88		CHANGE CLASS: B		
DRAFT: RJW	ENGR: RJW	SUPV:	CERTIFIED: 10/24/88	ISSUE: 3
NOTES 13 & 14, LISTS 8 & C, SL LINES 1370 THRU 1440 ADDED, LIST B RATED 'DA'.				
ORIG ISS: 03/14/88		NDD NBR: NDD5X100NW-2	CHANGE CLASS: M	
DRAFT: TMR	ENGR: TMR	SUPV:	CERTIFIED: 05/31/91	ISSUE: 4
SHEET INDEX CORRECTED; SL ITEM 1010 LINED OUT 1015 ADDED.				
ORIG ISS: 03/14/88		CHANGE CLASS: M		
DRAFT: TMR	ENGR: TMR	SUPV:	CERTIFIED: 06/04/91	ISSUE: 5
LIST C, RATING WAS "STANDARD", LISTS 20,21,22,D AND E ADDED.				
ORIG ISS: 03/14/88		NDD NBR: NDD5X100NW-3	CHANGE CLASS: B	
DRAFT: PKK	ENGR: TMR	SUPV: PK	CERTIFIED: 09/02/93	ISSUE: 6
DA LISTS 1 TO 8, 20 TO 22, A, D AND E.				
ORIG ISS: 03/14/88		NDD NBR: NDD5X100NW-4	CHANGE CLASS: ME	
DRAFT: OW	ENGR: OW	SUPV: FNG	CERTIFIED: 06/11/96	ISSUE: 7
CHANGED ITEM 1332 FROM 403813009 TO 405701756.				
ORIG ISS: 03/14/88		CHANGE CLASS: MF		
DRAFT: OW	ENGR: OW	SUPV: FNG	CERTIFIED: 07/29/96	ISSUE: 8

SHEET INDEX									
SHT NBR	A1 THRU A2								ISSUE 8
ISSUE									
SHT NBR	D1 THRU D2								ISSUE 8
ISSUE									
SHT NBR	B1	B2	B3	B4	B5	B6	B7	B8	
ISSUE	6	6	6	6	6	6	6	6	
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									
SHT NBR									
ISSUE									

TABLE OF CONTENTS	
DESCRIPTION	SHT
SHEET INDEX	A1
ISSUE NOTES	A1
ENGINEERING-NOTES	A1
TABLE A	A1
B SECTION GRAPHICS	B1
MANUFACTURING NOTES	D1
STOCKLIST	D1

COPYRIGHT © 1996 LUCENT TECHNOLOGIES ALL RIGHTS RESERVED	
BT13	
5ESS SWITCHING EQUIPMENT SPECIFICATION FOR MODEM POOLING CABINET-EXPORT	
DWG SIZE C2	ISSUE 8
LUCENT TECHNOLOGIES INC	J5X100A-1
SHEET A1 OF 12	

J5X100A-1

TABLE A-FEATURES (CONTINUED)

EQUIPMENT		EQUIPMENT OR CIRCUIT DATA							SD EQUIVALENT		
DESCRIPTION	REF NOTE	RAT-ING	LIST OR GROUP	QTY	EQUIPMENT OR CIRCUIT	L/G OR FIG	WRG	APP	SCHEMATIC	FIG	OPT
ALWAYS REQUIRED IN ADDITION TO LIST ONE FOR NEW OFFICES. PROVIDES NEW FRONT AND REAR BEZEL COVER ASSEMBLYS AND TWO CABINET ADDRESS LABELS. DA EFF:06/11/96 FE/RA:NONE		DA	8	1	J5X100A-1	FIG. 3					
FRAMEWORK, ASSEMBLY, WIRING AND EQUIPMENT FOR ONE DATA SET CABINET EXPORT, EQUIPPED IN THE 5ESS-2000 CABINET. REPL:NONE DA EFF:06/11/96 FE/RA:NONE		DA	20	1	ED5D741-70	1			SD5X220-01	1	
EQUIPMENT REQUIRED IN ADDITION TO LIST 20. PROVIDES DOORS FOR THE 5ESS-2000 CABINET. REPL:NONE DA EFF:06/11/96 FE/RA:NONE		DA	21	1	ED5D741-70	2					
EQUIPMENT REQUIRED IN ADDITION TO LIST 20. PROVIDES INDICATOR STRIPS FOR THE 5ESS-2000 CABINET REPL:NONE DA EFF:06/11/96 FE/RA:NONE		DA	22	2	ED5D745-70	2					
ALWAYS REQUIRED IN ADDITION TO LIST 1. (SHIP LOOSE ITEMS ONLY). DA EFF:06/11/96 FE/RA:NONE		DA	A								
ALWAYS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE STEEL DOORS WITH IMPROVED AIR FLOW CHARACTERISTICS.		DA	B								
ALWAYS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE IMPROVED CABINET AND DOORS. DA EFF:09/02/93 FE:J5X100A-1,LD		DA	C								
ALWAYS REQUIRED IN ADDITION TO LIST 1 TO PROVIDE IMPROVED CABINET AND DOORS. REPL:J5X100A-1 LC DA EFF:06/11/96 FE/RA:NONE		DA	D								
EQUIPMENT REQUIRED IN ADDITION TO LIST 20. PROVIDES CABLE RACK AND END GUARDS FOR THE 5ESS-2000 CABINET. (SHIP LOOSE ITEMS ONLY.) REPL:NONE DA EFF:06/11/96 FE/RA:NONE		DA	E								
END OF TABLE-A											

J5X100A-1

COPYRIGHT © 1996 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT13


5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
MODEM POOLING CABINET-EXPORT

DWG SIZE C2 ISSUE 8


LUCENT TECHNOLOGIES INC J5X100A-1

SHEET A2 OF 12

CONVERSION TABLE	
INCH	MM
27.00	685.8
31.50	800.1
36.00	914.4
41.50	1,054.1
44.00	1,117.6
52.50	1,333.5
55.50	1,409.7
63.50	1,612.9



FRONT VIEW
FIG. 1




REAR VIEW
FIG. 1

EQUIPPED IN THE ED5D184-()
SESS CLASSIC CABINET


J5X100A-1

COPYRIGHT 1993 AT&T, ALL RIGHTS RESERVED		
MODEM POOLING CABINET EXPORT	DWG SIZE C2	ISSUE 6
AT&T	J5X100A-1 PRINTED IN U.S.A.	SHEET B1

CONVERSION TABLE	
INCH	MM
16.50	419.1




SKETCH A
REAR VIEW



FRONT
SKETCH B
TOP VIEW OF CABINET


EQUIPPED IN THE ED5D184-()
SESS CLASSIC CABINET

COPYRIGHT 1993 AT&T, ALL RIGHTS RESERVED		
MODEM POOLING CABINET EXPORT	DWG SIZE	ISSUE
	C2	6
AT&T	J5X100A-1	SHEET B3
<small>PRINTED IN U.S.A.</small>		



996096970
SHOULDER SCREW
900559121
SPRING WASHER
(2 REOD)

BEZEL IN THE
MAINTENANCE (OPEN) POSITION



ED5D694-30, GRP 2
BEZEL COVER ASSEMBLY

ED5D695-10, GRP 1510
CABINET ADDRESS LABEL

ADDRESS

 AT&T Network Systems

5ESS

FIG. 3
BEZEL COVER ASSEMBLY

EQUIPPED IN THE ED5D184-()
5ESS CLASSIC CABINET

COPYRIGHT 1993 AT&T, ALL RIGHTS RESERVED

MODEM POOLING CABINET EXPORT

DWG SIZE C2	ISSUE 6
----------------	------------

AT&T

J5X100A-1

SHEET B4

PRINTED IN U.S.A.

CONVERSION TABLE	
INCH	MM
27.00	685.8
31.50	800.1
36.00	914.4
41.50	1,054.1
44.00	1,117.6
52.50	1,333.5
55.50	1,409.7
63.50	1,612.9




FIG. 4
EQUIPPED IN THE ED5D741-()
SESS CABINET

COPYRIGHT 1993 AT&T, ALL RIGHTS RESERVED		
MODEM POOLING CABINET EXPORT	DWG SIZE C2	ISSUE 6
AT&T	J5X100A-1 PRINTED IN U.S.A.	SHEET B5

J5X100A-1





FIG. 5
EQUIPPED IN THE ED5D741-()
SESS-2000 CABINET

CONVERSION TABLE	
INCH	MM
20.00	508.0
23.50	596.9
26.00	660.4
32.00	812.8
35.50	901.7
38.00	965.2
41.50	1,054.1
44.50	1,130.3
52.50	1,333.5
54.50	1,384.3
63.50	1,612.9

COPYRIGHT 1993 AT&T, ALL RIGHTS RESERVED

MODEM POOLING CABINET EXPORT

AT&T

DWG SIZE
C2



ISSUE
6

J5X100A-1


SHEET
B6

PRINTED IN U.S.A.

J5X100A-1



Section "A - A"



COPYRIGHT 1993 AT&T, ALL RIGHTS RESERVED		
MODEM POOLING CABINET EXPORT	DWG SIZE C2	ISSUE 6
AT&T	J5X100A-1 <small>PRINTED IN U.S.A.</small>	SHEET B7





FIG. D
 WIRING SIDE
 (BEZEL REMOVED FOR CLARITY)
 (ED5D184-1) CABINET

COPYRIGHT 1993 AT&T, ALL RIGHTS RESERVED

MODEM POOLING CABINET EXPORT

DWG SIZE
C2

ISSUE

6

AT&T

J5X100A-1

SHEET

88

PRINTED IN U.S.A.

STOCKLIST									
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE		
							SYM	NBR	
1000	1	1	ED5D184-73,G3		ASSEMBLY, CABINET				
1010	A	1	ED5D508-70,G16,G17		ASSEMBLY, END GUARD		S		
1015	A	2	ED5D508-70,G24		ASSEMBLY, END GUARD		S		
1020	A	2	843071143		ASSEMBLY, END GUARD		S		
1030	A	1	ED5D509-70,G2		ASSEMBLY, LINE UP CABLE RACK		S		
1040	2,3,A	1	845624097		ASSEMBLY, SUPPORT		S		
1050	2,3,20,A	4	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		S		
1060	1	1	845622349		BRACKET, POWER STRIP				12
1070	1	10	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH				
1080	1,20	1	402574156	KS22291L1	STRIP, POWER				12
1090	1,20	1	401448121	KS14532L24	CORD				12
1100	1	1	843082439		LABEL				12
1110	2,3,6,A	1	845312180		ASSEMBLY, CABLE SUPPORT		S		
1120	2,3,6,A	2	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		S		
1130	3,A	1	105395370	77A	MOUNTING, DATA		S		
1140	3,A	2	845624121		BRACKET		S		
1145	3,A	1	405704032	WP90780L3	CABLE ASSEMBLY		S		
1150	3,A	2	801819533	P181953	SCREW, BINDING HEAD MACHINE .190-32 X 5/16		S		
1160	3,A	4	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		S		
1170	2	1	105267611	106A3	MOUNTING, DATA		S		
1180	2	2	845624139		BRACKET		S		
1190	2	4	801819533	P181953	SCREW, BINDING HEAD MACHINE .190-32 X 5/16		S		
1200	2	4	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		S		
1210	4	1	105442750	#7500A(13)-L2	UNIT, SERVICE DATA		S		
1220	4	1	102269669	M25B-87	CORD 4FT		S		
1230	5	1	105241095	2224G-L1/2/3	SET, DATA		S		
1231	5	1	105660112	2224G-L1A/2/3	SET, DATA		S		
1240	6	1	401509773	KS20018L9D	SHELF		S		
1245	6	1	403280233	KS20018L9D	SHELF		S		
1246	6	1	401509773	KS20018L9D	SHELF		S		
1250	6	2	834160244	P41W024	BRACKET		S		
1260	6	4	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		S		
1270	7	1	403020324	KS22100L1	FAN, BLOWER ATTIS				12
1280	7	2	843082637		BRACKET, MOUNTING				12
1290	7	8	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH				
1300	1	2	843077900		BEZEL				
1310	1	1	845310507		ASSEMBLY, DOOR				

STOCKLIST CONTINUED ON SHEET D2

J5X100A-1

S
H
O
P
I
N
S
T
A
L
L
E
R

MANUFACTURING NOTES

1. X PARTS REQUIRED FOR INSTALLATION.

X/ PARTS REQUIRED FOR MANUFACTURE WHEN EQUIPMENT IS SHOP MOUNTED OR BY THE INSTALLER WHEN THE EQUIPMENT IS TO BE FIELD MOUNTED.

* PARTS THAT ARE TO BE SHIPPED ATTACHED TO OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM.

*/ PARTS (A) REQUIRED FOR MANUFACTURE WHEN EQUIPMENT INVOLVED IS SHOP MOUNTED OR (B) TO BE SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED ASSEMBLED ITEM WHEN FIELD MOUNTED.

() INDICATES DESIGNATIONS TO BE STAMPED IN ACCORDANCE WITH JOB INFORMATION.

{ } INDICATES DESIGNATIONS SHOWN FOR INFORMATION ONLY AND ARE NOT TO BE STAMPED.

< > INDICATES DESIGNATIONS AND/OR INFORMATION PROVIDED IN ACCORDANCE WITH OTHER INFORMATION.

"W" PARTS ASSEMBLED AT THE SAME TIME THE EQUIPMENT IS MOUNTED.

"W*" PARTS TO BE (A) SHOP ASSEMBLED, BUT WHICH CANNOT BE ASSEMBLED UNTIL THE ASSOCIATED EQUIPMENT IS BEING MOUNTED, OR (B) SHIPPED ATTACHED TO, OR ENCLOSED IN THE SAME CONTAINER WITH THE ASSOCIATED EQUIPMENT WHEN FIELD MOUNTED.

"S" PARTS NOT ASSEMBLED, SHIPPED SEPARATELY.

A/R AS REQUIRED.

"B" PARTIAL ASSEMBLIES ON OTHER DRAWINGS WITH STOCKLISTS.

- X X 12. THIS MATERIAL IS TO BE MOUNTED IN ACCORDANCE WITH INFORMATION SHOWN IN SKETCH A AND/OR B.
- X 13. SHOULDER SCREW (.2495 X .188 LONG SHOULDER, .190-32) MAY BE OBTAINED FROM PIC, P.O. BOX 335, BENRUS CENTER, RIDGEFIELD, CT 60877, CATALOG NO. 4327 OR EQUIVALENT.
- X 14. MAY BE OBTAINED FROM ASSOCIATED SPRING, BRISTOL, CT 06010, AS THEIR PART NO. U250-0110.

COPYRIGHT © 1996 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
MODEM POOLING CABINET-EXPORT

DWG SIZE C2 ISSUE 8

LUCENT TECHNOLOGIES INC J5X100A-1

SHEET D1 OF 12

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1320	1	1	845310515		ASSEMBLY, DOOR			
1330	1	2	845081967		LABEL, BLANK			
1332	1,20	2	405701756		TERMINAL, LUG #M8-14R/SX 3M CO.			
1334	1	2	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH			
1336	1	2	845081991		LABEL, ESD			
1338	1	4	843084104		PANEL			
1340	B	OMIT 1	845310507		ASSEMBLY, DOOR			
1350	B	OMIT 1	845310515		ASSEMBLY, DOOR			
1360	B	2	846169993		ASSEMBLY, DOOR		S	
1370	8	OMIT 2	843077900		BEZEL			
1375	8	OMIT 1	845081967		LABEL, BLANK			
1380	8	2	ED5D694-30,G2		ASSEMBLY, BEZEL COVER			
1390	8	2	ED5D695-10, G1510		LABEL, CABINET ADDRESS			
1400	8	4	996096970		SCREW, SHOULDER #4327 PIC DESIGN CORP.			13
1410	8	4	900559121		WASHER, SPRING #UN250-0110 ASSOCIATED SPRING CO.			14
1420	C	OMIT 1	ED5D184-73,G3		ASSEMBLY, CABINET			
1430	C	1	ED5D184-74,G3		ASSEMBLY, CABINET			
1435	D	1	ED5D184-74,G3B		ASSEMBLY, CABINET			
1440	C,D	2	845622976		ASSEMBLY, DOOR PERFORATED (CENTER-OPENING)		S	
1460	20	1	ED5D741-70,G1		ASSEMBLY, CABINET			
1480	20	2	847118163		BRACKET, MOUNTING			
1500	20	2	840059042		SCREW, PAN HEAD MACHINE .164-32 X 1/4 STEEL 289A FINISH			
1510	20	2	843082439		LABEL			
1520	20	1	845081991		LABEL, ESD			
1530	20	1	845081967		LABEL, BLANK			
1540	21	1	ED5D741-70,G2		ASSEMBLY, CABINET		S	
1550	22	2	ED5D745-70,G2		STRIP, 5ESS-2000 CABINET INDICATOR			
1570	E	1	845624097		ASSEMBLY, SUPPORT		S	
1580	E	10	840026835		SCREW, TTF SLOTTED HEX, WASHER HD .216-24 X 5/8 TAPPING TYPE (SWAGE FORM) STEEL ZINC PLATE 289A FINISH		S	
1590	E	1	845312180		ASSEMBLY, CABLE SUPPORT		S	
1600	E	1	105395370	77A	MOUNTING, DATA		S	
1610	E	2	845624121		BRACKET		S	
1620	E	2	801819533	P181953	SCREW, BINDING HEAD MACHINE .190-32 X 5/16		S	
1630	1,20	1	405811845		TERMINAL #137 H.H. SMITH			
1640	1,20	1	406748145		LUG, TERMINAL #M10-14FLX 3M CO.			
1650	1,20	1	845623677		LABEL, GROUND POINT			
1660	20	1	ED5D695-11, G1510		LABELS, CABINET ADDRESS			

***** STOCKLIST CONTINUED AT RIGHT *****

J5X100A-1

STOCKLIST								
ITEM NBR	LIST GROUP CODE	QTY PER CODE	PRODUCT IDENTIFIER	CODE	DESCRIPTION	REFERENCE POSITION	NOTE	
							SYM	NBR
1670	E	2	ED5D743-70,G5, G6		ASSEMBLY, END GUARD		S	

***** END OF STOCKLIST *****

COPYRIGHT © 1996 LUCENT TECHNOLOGIES
ALL RIGHTS RESERVED

BT13

5ESS SWITCHING EQUIPMENT
SPECIFICATION FOR
MODEM POOLING CABINET-EXPORT

DWG SIZE C2 ISSUE 8

LUCENT TECHNOLOGIES INC J5X100A-1

SHEET OF D2 12

PRINTED IN U.S.A.