31.25

SHEET INDEX

CONTENTS	SHEET NO.	ISSUE NO. 1
SHEET INDEX SUPPORTING INFORMATION	A1	1
SHEET INDEX	A2	1
DESIGNATION MNEMONICS INDEX	A3	1
	A4	1
	A5	1
APPARATUS INDEX	A6	1
FS 1 CONTROL AND TIMING	B1AA	1
	B1AB	1
	B1AC	1
	B1AD	1
	B1AE	1
	B1CA	1
	B1CB	1
	B1CC	1
	B1CD	1
	B1CE	1
	B1CF	1
	B1GA	1
	B1GB	1
	B1GC	1
	B1GD	1
	B1GE	1
	B1GF	1
	B1GG	1
FS 2 ADDRESS AND DATA	B2AA	1
	B2AB	1
	B2AC	1
	B2AD	1
	B2AE	1
	B2CA	1
	B2CB	1
	B2CC	1
	B2CD	1
	B2CE	1
	B2CF	1
	B2GA	1
	B2GB	1
	B2GC	1
	B2GD	1
	B2GE	1
	B2GF	1
FS 3 REFRESH CONTROL	B3AA	1
	B3AB	1
	B3AC	1
	B3AD	1
	B3CA	1
	B3CB	1
	B3GA	1
	B3GB	1
	B3GC	1

CONTENTS	SHEET NO.	ISSUE NO. 1
FS 4 WRITE PROTECT	B4AA	1
	B4AB	1
	B4AC	1
	B4AD	1
	B4CA	1
	B4CB	1
	B4CC	1
	B4GA	1
	B4GB	*
	B4GC	1
	B4GD	1
	B4GE	1
FS 5 ERROR DETECTION	B5AA	1
	B5AB	1
	B5AC	1
	B5AD	1
	B5AE	1
	B5C4	1
	B5CB	1
	B5CC	1
	B5CD	1
	B5GA	1
	B5GB	1
	B5GC	1
	B5GD	1
	B5GE	1
	B5GF	1
	B5GG	1
	B5GH	1
	B5GJ	1
	B5GK	1
	B5GL	1
FS 6 DIAGNOSTIC ACCESS	B6AA	1
	B6AB	1
	B6AC	1
	B6AD	1
	B6AE	1
	B6CA	1
	B6CB	1
	B6CC	1
	B6CD	1
	B6GA	1
	B6GB	1
	B6GC	1
	B6GD	1

SUPPORTING INFORMATION

CATEGORY	NO.
CIRCUIT PACK SCHEMATIC	CPS-#
EQUIPMENT DRAWING	J1C052C
FF-DC CONVERTER (J87389F)	SD-87361-02
DC-DC CONVERTER (J87421A2,L2)	SD-82327-01
DC-DC CONVERTER (J87422B)	SD-82328-02

- SCHEMATICS OF ALL FA FB AND FC - CODED CIRCUIT PACKS USED IN THIS SD ARE SHOWN ON DRAWINGS NUMBERED WITH A CPS PREFIX FOLLOWED BY THE CODE OF THE PACK, (e.g. CPS-FA1060).

SHEET INDEX NOTES

1. WHEN CHANGES ARE MADE IN THIS DRAWING ONLY THE SHEETS AFFECTED WILL BE REISSUED.
2. THIS SHEET INDEX WILL BE REISSUED AND BROUGHT UP TO DATE EACH TIME ANY SHEET OF THE DRAWING IS REISSUED, OR A NEW SHEET IS ADDED.
3. THE ISSUE NUMBER ASSIGNED TO A CHANGED OR NEW SHEET WILL BE THE SAME ISSUE NUMBER AS THAT OF THE SHEET INDEX.
4. SHEETS THAT ARE NOT CHANGED WILL RETAIN THEIR EXISTING ISSUE NUMBER.
5. THE LAST ISSUE NUMBER OF THE SHEET INDEX IS RECOGNIZED AS THE LATEST ISSUE NUMBER OF THE DRAWING AS A WHOLE.

NOTICE - NOT FOR USE OR DISCLOSURE OUTSIDE THE BELL SYSTEM EXCEPT UNDER WRITTEN AGREEMENT

COMMON SYSTEMS

MAIN STORE CONTROLLER AND MEMORY CIRCUIT

SHEET INDEX

CONTENTS	SHEET NO.	ISSUE NO. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
FS 7 MEMORY	B7AA	1																								
	B7AB	1																								
	B7AC	1																								
	B7AD	1																								
	B7CA	1																								
	B7CB	1																								
	B7CC	1																								
	B7CD	1																								
	B7CE	1																								
	B7CF	1																								
	B7CG	1																								
	B7CH	1																								
	B7GA	1																								
	B7GB	1																								
FS 8 TERMINATIONS	B8AA	1																								
	B8AB	1																								
	B8CA	1																								
FS 9 MEMORY POWER	B9AA	1																								
	B9CA	1																								
	B9GA	1																								
FS 10 CONTROLLER POWER	B10AA	1																								
	B10AB	1																								
	B10CA	1																								
	B10CB	1																								
	B10CC	1																								
APP FIG. 1	C1	1																								
APP FIG. 2,3	C2	1																								
APP FIG. 4-6	C3	1																								
CIRCUIT NOTES EQUIMENT NOTES	D1	1																								
INFORMATION NOTES	D2	1																								
	D3	1																								
	D4	1																								

CONTENTS	SHEET NO.	ISSUE NO. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
CAD NOTES	GB1	1																								
CAD 1 UNIT SYMBOL	GB2	1																								
	GB3	1																								
P/B CAD 2	GB4	1																								
	GB5	1																								
	GB6	1																								
P/B CAD 2, CAD 3,4	GB7	1																								

ISSUE 1

MAIN STORE CONTROLLER AND MEMORY (2) SD-IC902-03-A2

BELL TELEPHONE LABORATORIES INCORPORATED 65

DESIGNATION MNEMONICS INDEX

MNEMONIC	FS/SYM	DEFINITION
+24V	10/4	+24 VOLT FRAME POWER
-48TMASC	10/4	-48 VOLT RETURN ON MAIN STORE CONTROLLER
-48TMEM(A-L)	9/1	-48 VOLT RETURN ON MEMORY MODULE
-48VMASC	10/4	-48 VOLT (POWER) ON MAIN STORE CONTROLLER
-48VMEM(A-L)	9/1	-48 VOLT (POWER) ON MEMORY MODULE
-5V	7/2	-5 VOLT (MEMORY POWER)
ADPARER0	5/5	ADDRESS PARITY ERROR (WITHIN MAIN STORE CONTROLLER)
AD150	2/6	ADDRESS 15 (TO FA1065 FOR WRITE PROTECT DECODING)
AD160	2/1	ADDRESS 16 (TO FA1065 FOR WRITE PROTECT DECODING)
APER0(A,B)	7/1,15	ADDRESS PARITY ERROR
AP17.81(A,B)	2/17	ADDRESS PARITY 17 THROUGH 8 (PARITY OVER ADDRESS BITS 8-17 TO FANOUT BOARD FROM MAIN STORE CONTROLLER)
AP7.01(A,B)	2/1	ADDRESS PARITY 7 THROUGH 1 (PARITY OVER ADDRESS BITS 1-7 TO FANOUT BOARD FROM MAIN STORE CONTROLLER)
ARREQ1	3/3	A REFRESH REQUEST (PRIMARY INDICATOR OF 'REFRESH CYCLE PENDING' FUNCTION)
ARTIM1	3/1	A REFRESH TIME (PRIMARY INDICATOR OF 'REFRESH CYCLE REQUESTED' FUNCTION)
ARTIM1B	5/2	A REFRESH TIME (PRIMARY INDICATOR OF 'REFRESH CYCLE REQUESTED' FUNCTION)
ASEL0	1/1	A SELECTED (PRIMARY INDICATOR OF 'THIS STORE SELECTED' FUNCTION)
A(00-15)1(A,B)	2/6-13	ADDRESS (00-15) (FROM MAIN STORE CONTROLLER TO FANOUT BOARD)
A(16,17)1(A,B)	2/1,14	ADDRESS (16,17) (FROM MAIN STORE CONTROLLER TO FANOUT BOARD)
BIT0010	1/1	BIT 0 (BIT 0 ACTIVE ON TIMING SHIFT REGISTER OF FA1071)
BIT480	1/1	BIT 4 (BIT 4 ACTIVE ON TIMING SHIFT REGISTER OF FA1071)
BIT580	1/1	BIT 5 (BIT 5 ACTIVE ON TIMING SHIFT REGISTER OF FA1071)
BLDWR0	1/2	BLIND WRITE (DECODED 2/4 STORE COMMAND)
BLNLD0	1/3	BLOCK NORMAL LOAD
BLWTOP0	5/3	BLIND WRITE OPTION
BSEL0	1/5	B SELECTED (SECONDARY INDICATOR OF 'THIS STORE SELECTED' FUNCTION)
BUSRD0(A-C)	1/2	BUS READ (A-C)
CEA(0-2)1(A,B)	7/1,15	CHIP ENABLE ADDRESS (0-2) (FANOUT BOARD TO MEMORY PLANE)
CHSAD0	2/15	CHECK STORE ADDRESS
CHSCM1	1/1	CHECK STORE COMPLETE (USED IN CHECK CIRCUITRY)
CLER0	6/3	CLEAR ERROR
CLINIT1	6/1	CLEAR INITIALIZE
CLOCK0(A,B)	1/20	CLOCK (OF MAIN STORE CONTROLLER)
CNLD0	1/1	COMMAND NORMAL LOAD
COMDE40	6/2	COMMAND DECODED EA (DECODED SERIAL I/O COMMAND TO LOAD ERROR REGISTER ON FA1063)
COMER0	5/2	COMMAND ERROR (ERROR ON 2/4 STORE COMMAND DECODING
COMPRD0(A-C)	5/4	COMPLEMENT READ (A-C)
COMWRT0(A-C)	1/3	COMPLEMENT WRITE (A-C)
CS0(A,B)	1/1	CHIP SELECT (A,B) (TO FANOUT BOARD FROM MAIN STORE CONTROLLER)
CVFA1	9/2	CONVERTER FUSE ALARM
DPH0	2/1	DATA PARITY HIGH (FROM FA1060 FOR PARITY CHECK)
DPL0	2/1	DATA PARITY LOW (FROM FA1060 FOR PARITY CHECK)
DPWER0	5/6	DATA PARITY WIRE ERROR
DSTB0	1/1	DATA STROBE
D(00-23)0	2/2-13	DATA BIT (00-23) (FROM FA1060 FOR PARITY CHECK)
ENGOXMT0	6/2	ENGAGE OUTWARD TRANSMIT (ENABLE OUTWARD SERIAL I/O TRANSMISSION)
ENSERC1	1/1	ENABLE STORE ERROR C
ERBPH1	6/3	ERROR REGISTER BIT PARITY HIGH
ERBPL1	6/3	REGISTER REGISTER BIT PARITY LOW
ERB(00-15)1	6/13-20	ERROR REGISTER BITS 0-15
FBIT690	6/2	FORCE BIT 9 (IN TIMING SHIFT REGISTER OF FA1071, TO ACTIVE)
FBIT110	6/3	FORCE BIT 11 (IN TIMING SHIFT REGISTER OF FA1071, TO ACTIVE)
FCHKER(A,B)0	6/3	FORCE CHECK ERROR (FORCE NORMAL SELECT ERROR CHECK ON FA1066 TO ERROR CONDITION)
FCLB110	6/3	FORCE CLEAR BIT 11 (IN TIMING SHIFT REGISTER OF FA1071)
FCLW(PB,P)0	6/2	FORCE CLEAR WRITE PROTECT (REGISTERS ON FA1060)
FDISRUN0	6/3	FORCE DISABLE RUN
FFOBRM0	6/2	FORCE FANOUT BOARD REFRESH
FLDSHT00	6/3	FORCE LOAD SHIFTER 0 (LOAD ACTIVE BIT INTO LOW ORDER POSITION OF FA1071 TIMING SHIFT REGISTER)
FLDXERB0	6/3	FORCE LOAD EXTRA ERROR
FLDXER0	6/3	FORCE LOAD EXTRA ERROR
FNOTIM0	6/3	FORCE NO TIMING (TO MEMORY)
FNRREQ0	6/2	FORCE NO REFRESH REQUEST
FNWRTMD0	6/3	FORCE 'NO WRITE' MODE
FOBATER0	5/3	FANOUT BOARD A TIMING ERROR
FOBBTER0	5/3	FANOUT BOARD B TIMING ERROR
FOBMT0	6/3	FANOUT BOARD MAINTENANCE
FOBMT1(A,B)	6/6	FANOUT BOARD MAINTENANCE
FRREQA0	6/3	FORCE REFRESH REQUEST A (PRIMARY)
FRREQB0	6/3	FORCE REFRESH REQUEST B (DUPLICATE)
FSELA0	6/2	FORCE SELECT A (PRIMARY)
FSELB0	6/3	FORCE SELECT B (SECONDARY)
FSTNM0	6/3	FORCE STORE TO NORMAL MODE
FSTOPCK0	6/2	FORCE STOP CLOCK (MAIN CLOCK IN MAIN STORE CONTROLLER)
FSTRM0	6/3	FORCE STORE TO REFRESH MODE
FSTSBY0	6/3	FORCE SET STORE BUSY
F0.10TM0	6/2	FORCE 0 THROUGH 10 TIMING (INDICATOR OF ACTIVE BIT IN FA1071 TIMING SHIFT REGISTER)
GCAS0(A,B)	7/1,15	GATED COLUMN ADDRESS STROBE
GRAS0(A,B)	7/1,15	GATED ROW ADDRESS STROBE
GRCA(0-6)0(A,B)	7/1,15	GATED ROW-COLUMN ADDRESS
GRDA	9/1	GROUND
GRW0(A,B)	7/1,15	GATED READ/WRITE
ICHDPARC	5/8	ISOLATION CHECK DATA PARITY
ICHD(16-19)0	5/9-12	ISOLATION CHECK DATA (16-19)
ICHEPAR0	6/22	ISOLATION CHECK EXTENDED PARITY
ICHTIM0	6/21	ISOLATION CHECK TIMING
INITBBB0	6/3	INITIALIZE
INITBB0	6/3	INITIALIZE
INITB0	6/3	INITIALIZE
INIT0	6/3	INITIALIZE
IOB(04-11)0	6/2	I/O BIT (4-11)
IOCHOR(N,P)1	6/1	I/O CHANNEL ONE RECEIVE (NEGATIVE, POSITIVE)
IOCHOS(N,P)1	6/1	I/O CHANNEL ONE SEND (NEGATIVE, POSITIVE)
IOCHZR(N,P)1	6/1	I/O CHANNEL ZERO RECEIVE (NEGATIVE, POSITIVE)
IOCHZS(N,P)1	6/1	I/O CHANNEL ZERO SEND (NEGATIVE, POSITIVE)
IODECCH0	5/7	I/O DECODER CHECK
IODIN0	6/1	I/O DATA INPUT
IODOUT0	6/2	I/O DATA OUTPUT
IOENCH00	1/5	I/O ENABLE CHANNEL ONE
IORESET0	6/1	I/O RESET
IOSHFT0	6/1	I/O SHIFT
ISOCHBB0	6/3	ISOLATION CHECK
ISOCHB0	6/3	ISOLATION CHECK
ISOCH0	6/3	ISOLATION CHECK
LADPH0	2/17	LATCHED ADDRESS PARITY HIGH
LAD170	2/14	LATCHED ADDRESS 17
LDDCFWT0	6/2	LOAD DECODER CHECK, FORCE WRITE (MODE)
LDIODCH0	6/7	LOAD I/O ORDER DECODER CHECK
LDSPARE0	1/2	LOAD SPARE READ
MADPH1	2/15	MODIFIED ADDRESS PARITY HIGH
MODEER0	5/2	MODE ERROR
MODSEL(0-7)0	4/1	MOD SELECT (0-7)
MSEL(A,B)	7/1,15	MOD SELECTED (HARD-WIRED ADDRESS OUTPUT ON FANOUT BOARD)
MSEL(0,1)0	7/1,15	MOD SELECTED (0,1)
NLD0	1/1	NORMAL LOAD
NOCS0	1/2	NO CHIP SELECT
NOZDPH(I,O)0	2/18	NUMBER 2 DATA PARITY HIGH (INPUT, OUTPUT)
NOZDPL(I,O)0	2/18	NUMBER 2 DATA PARITY LOW (INPUT, OUTPUT)
NPA0	10/8	NEGATIVE POWER ALARM (POWER ALARM STATUS AND RESET FOR CONVERTERS)
NSELER0	5/5	NORMAL SELECT ERROR
OSPAT0	10/8	START POWER ALARM TEST (INTERNAL POWER ALARM SIGNAL)
PAI1	9/2	POWER ALARM INPUT
PAI21	10/8	POWER ALARM INPUT
PAO1	10/8	POWER ALARM INPUT
PAT0	9/2	POWER ALARM TEST
PA1	9/1	POWER ALARM
PHER0	5/3	PARITY HIGH ERROR
PINIT0	1/20	POWER INITIALIZE
PINIT1	10/9	POWER INITIALIZE
PLER0	5/2	PARITY LOW ERROR
RADCL0	6/2	REFRESH ADDRESS CLEAR
RADCNT0	3/2	REFRESH ADDRESS COUNTER
RB(0-3)CAR0	3/6-9	REFRESH ADDRESS (0-3) CARRY
RB(4,5)CAR0	3/12,13	REFRESH ADDRESS (4,5) CARRY
RDDPH0(A,B)	7/2,16	READ DATA PARITY HIGH
RDDPL0(A,B)	7/2,16	READ DATA PARITY LOW
RDD(00-23)0 (A,B)	7/3-28	READ DATA (00-23)
RD(0-5)CAR0	3/9-12	REFRESH CHECK (0-5) CARRY

MAIN STORE CONTROLLER AND MEMORY		DWG SIZE: E2	ISSUE: 1
BELL LABORATORIES	SD-1C902-03		A3

PRINTED IN U. S. A.

DESIGNATION MNEMONICS INDEX

MNEMONIC	FS/SYM	DEFINITION
READAD80	6/3	READ ADDRESS (ONTO DATA BUS)
READAD0	6/3	READ ADDRESS (ONTO DATA BUS)
READ0(A-D)	1/2	READ
REFMD0(A,B)	1/1	REFRESH MODE
REFMODE0	1/1	REFRESH MODE
REF0(A,B)	7/1,15	REFRESH
RSELER0	5/5	REFRESH SELECT ERROR
RSEL(0-7)B1	5/5	REFRESH SELECT
RSEL(0,1)	7/1,15	REFRESH SELECT
RW0(A,B)	1/2	READ/WRITE
SAC(I,O)0	1/3	STORE AUTOMATIC CORRECTION (INPUT, OUTPUT)
SADD(18,19)0	2/16	STORE ADDRESS (18,19)
SAD(18,19)(0,1)	2/15,16	STORE ADDRESS (18,19)
SAPH(I,O)0	2/17	STORE ADDRESS PARITY HIGH (INPUT, OUTPUT)
SAPL(I,O)0	2/17	STORE ADDRESS PARITY LOW (INPUT, OUTPUT)
SA(00-19)(I,O)0	2/1-16	STORE ADDRESS (00-19) (INPUT, OUTPUT)
SBY(I,O)0	1/3	STORE BUSY (INPUT, OUTPUT)
SBY0	1/1	STORE BUSY
SC(B,C)0	1/3,4	STORE COMPLETE
SCMER0	5/3	STORE COMPLETE ERROR
SCM(I,O)0	1/3	STORE COMPLETE (INPUT, OUTPUT)
SCW(I,O)0	1/3	STORE COMPLEMENT WRITE (INPUT, OUTPUT)
SC(0-3)(I,O)0	1/2	STORE COMMAND (0-3) (INPUT, OUTPUT)
SDEPH(I,O)0	2/18	STORE DATA EXTENDED PARITY HIGH (INPUT, OUTPUT)
SDPH(I,O)0	2/1	STORE DATA PARITY HIGH (INPUT, OUTPUT)
SDPL(I,O)0	2/1	STORE DATA PARITY LOW (INPUT, OUTPUT)
SD(00-23)(I,O)0	2/2-13	STORE DATA (00-23) (INPUT, OUTPUT)
SELER0	5/1	SELECT ERROR
SELRC0(A,B)	7/1,15	SELECTED ROW-COLUMN
SELRW0(A,B)	7/1,15	SELECTED READ/WRITE (SANITY INDICATOR FROM FANOUT BOARD)
SEL0(G,1)	1/1,5	SELECT (0,2)
SEL1(0,1)	1/1,5	SELECT (1,3)
SERA(I,O)0	5/4	STORE ERROR A (INPUT, OUTPUT)
SERB(I,O)0	5/3	STORE ERROR B (INPUT, OUTPUT)
SERC(B,C)0	1/4	STORE ERROR C
SERC(I,O)0	5/4	STORE ERROR C (INPUT, OUTPUT)
SGO(A,B)1	1/3,4	STORE GO
SGO(I,O)0	1/1,3	STORE GO (INPUT, OUTPUT)
SGO(0,1)	1/1	STORE GO

MNEMONIC	FS/SYM	DEFINITION
SHBIT090	1/1	SHIFTER BIT 9 (AN FA1071 MAIN TIMING GENERATOR SHIFT REGISTER)
SHBIT110	1/1	SHIFTER BIT 11 (AN FA1071 MAIN TIMING GENERATOR SHIFT REGISTER)
SHIFTER0	5/1	SHIFT ERROR (ON FA1071 MAIN TIMING GENERATOR SHIFT REGISTER)
SMS(I,O)0	1/5	STORE MAINTENANCE STATE (INPUT, OUTPUT)
SPARE(00-23)	7/1-28	SPARE
SREQ(I,O)0	1/20	STORE REQUEST (INPUT, OUTPUT)
STA001	10/1	START A
STA011	9/2	START A
STB01	10/9	START B
STB1	10/9	START B
S9RTN	9/1	S9 RETURN (GROUND)
TERROR0	5/13	TIED ERROR (ESSENTIALLY ERROR A)
TINWP0	4/4	TIED IN WRITE PROTECTED (REGION OF MEMORY)
TLI1	10/7	TERMINATION LOOP INPUT
UNSLER0(A,B)	7/1,15	UNSELECTED ERROR
WPAD(12-14)0	2/7-9	WRITE PROTECT ADDRESS (12-14)
WPRRDB0	1/2	WRITE-PROTECT READ
WPRRD0	1/2	WRITE-PROTECT READ
WPSEG(0-7)0	4/2	WRITE-PROTECT SEGMENT (0-7)
WPWRTB0	1/2	WRITE-PROTECT WRITE
WPWRT0	1/2	WRITE-PROTECT WRITE
WRITE0	1/2	WRITE (COMMAND)
WRTDPH0(A,B)	2/1	WRITE DATA PARITY HIGH
WRTDPL0(A,B)	2/1	WRITE DATA PARITY LOW
WRTD(00-23)0 (A,B)	2/2-13	WRITE DATA (00-23)
WRTMD0(A-C)	1/3	WRITE MODE
WTDPHER0	5/4	WRITE DATA PARITY HIGH ERROR
WTDPLER0	5/4	WRITE DATA PARITY LOW ERROR
WTR0	1/5	WRITE
XBKSCM1	5/1	ON BOARD INTERCONNECT, BLOCK STORE COMPLETE
XBL84CS0	6/4	ON BOARD INTERCONNECT, BLOCK CHIP SELECT AT BIT 4 TIME
XBLDWR0	1/5	ON BOARD INTERCONNECT, BLIND WRITE
XBUSRDB(0,1)	1/19	ON BOARD INTERCONNECT, BUS READ
XBUSRD0(A-H, J-N)	2/6-18	ON BOARD INTERCONNECT, BUS READ
XBUSRD1(A-H, J-N)	1/6-18	ON BOARD INTERCONNECT, BUS READ
XCAAB0	6/3	ON BOARD INTERCONNECT, AA (DIAGNOSTIC 4/8 CODE)
XCBIT031	1/1	ON BOARD INTERCONNECT, BIT 3 (MAIN TIMING SHIFT REGISTER)
XCBIT5B1	1/1	ON BOARD INTERCONNECT, BIT 5 (MAIN TIMING SHIFT REGISTER)

MNEMONIC	FS/SYM	DEFINITION
XCBUSRD(0,1)	1/19	ON BOARD INTERCONNECT, BUS READ
XCB1B0	6/3	ON BOARD INTERCONNECT, CLOCK
XCB2B80	6/3	ON BOARD INTERCONNECT, B2 (DIAGNOSTIC 4/8 CODE)
XCCCB0	6/3	ON BOARD INTERCONNECT, CC (DIAGNOSTIC 4/8 CODE)
XCCK1B0	1/1	ON BOARD INTERCONNECT, CLOCK
XCCOMAB0	1/2	ON BOARD INTERCONNECT, COMMAND A
XCC(00,01)	1/2	ON BOARD INTERCONNECT, COMMAND 0
XCC11	1/2	ON BOARD INTERCONNECT, COMMAND 1
XCC(20,21)	1/2	ON BOARD INTERCONNECT, COMMAND 2
XCC30	1/2	ON BOARD INTERCONNECT, COMMAND 3
XCC6B0	6/3	ON BOARD INTERCONNECT, C6 (DIAGNOSTIC 4/8 CODE)
XCC9B0	6/3	ON BOARD INTERCONNECT, C9 (DIAGNOSTIC 4/8 CODE)
XCD4B0	6/3	ON BOARD INTERCONNECT, D4 (DIAGNOSTIC 4/8 CODE)
XCE4B0	6/3	ON BOARD INTERCONNECT, E4 (DIAGNOSTIC 4/8 CODE)
XCE8BBB0	6/3	ON BOARD INTERCONNECT, E8 (DIAGNOSTIC 4/8 CODE)
XCF0BB0	6/3	ON BOARD INTERCONNECT, F0 (DIAGNOSTIC 4/8 CODE)
XCID040	1/1	ON BOARD INTERCONNECT, IDLE 0-4 (SHIFT REGISTER BITS)
XCINIT0	6/5	ON BOARD INTERCONNECT, INITIALIZE
XCINIT0(A,B)	6/4	ON BOARD INTERCONNECT, INITIALIZE
XCINIT1(A-H, J-N)	6/8-20	ON BOARD INTERCONNECT, INITIALIZE
XCNLDB(0,1)	1/1	ON BOARD INTERCONNECT, NORMAL LOAD
XCNLDB1(A-H, J-N)	1/6-18	ON BOARD INTERCONNECT, NORMAL LOAD
XCNLD0(A-H, J-N)	1/6-18	ON BOARD INTERCONNECT, NORMAL LOAD
XCNOTWC1	1/2	ON BOARD INTERCONNECT, NOT A WRITE COMMAND
XCNRD1(A-H, J-N)	1/6-18	ON BOARD INTERCONNECT, NORMAL READ
XCOMWT0(A-H, J-N)	2/1-13	ON BOARD INTERCONNECT, COMPLEMENT WRITE
XCREF0(A-H, J-N)	1/6-18	ON BOARD INTERCONNECT, REFRESH
XCREF1(A-H, J-N)	1/6,18	ON BOARD INTERCONNECT REFRESH
XCRMBB0	5/1	ON BOARD INTERCONNECT, REFRESH MODE
XCRMB(0,1)	1/5,1	ON BOARD INTERCONNECT, REFRESH MODE
XCRM1	1/1	ON BOARD INTERCONNECT, REFRESH MODE
XCRREQ0	3/3	ON BOARD INTERCONNECT, REFRESH REQUEST
XCSD01B(A-H, J-N)	2/1-13	ON BOARD INTERCONNECT, STORE DATA 0
XCSD01C(A-H, J-N)	2/1-13	ON BOARD INTERCONNECT, STORE DATA

MNEMONIC	FS/SYM	DEFIN'TION
XCSD11B(A-H, J-N)	2/1-13	ON BOARD INTERCONNECT, STORE DATA 1
XCSD11C(A-H, J-N)	2/1-13	ON BOARD INTERCONNECT, STORE DATA
XCSEL0(A-H, J-N)	1/6-18	ON BOARD INTERCONNECT, CHIP SELECT
XCSEL1	1/1	ON BOARD INTERCONNECT, CHIP SELECT
XCSEL1(A-H, J-N)	1/6-18	ON BOARD INTERCONNECT, CHIP SELECT
XCTAD00(A-H, J-N)	2/1-13	ON BOARD INTERCONNECT, TIED ADDRESS 0
XCTAD10(A-H, J-N)	2/1-13	ON BOARD INTERCONNECT, TIED ADDRESS 1
XCTCLR00	3/2	ON BOARD INTERCONNECT, TIED CLEAR REFRESH REQUEST
XCTCL590	6/7	ON BOARD INTERCONNECT, TIED CLEAR 5 AND 9 (STAGES OF)
XCTINWP1	5/3	ON BOARD INTERCONNECT, TIED IN WRITE PROTECTED (AREA)
XCTS0(F,G)0	5/5	ON BOARD INTERCONNECT, TIED STORE COMMAND (F,G) (FORCE COMMAND CHECK INFO ERROR CONDITION)
XCTSEL0	1/1	ON BOARD INTERCONNECT, TIED SELECT
XC1B80	6/3	ON BOARD INTERCONNECT, 18 (DIAGNOSTIC 4/8 CODE)
XC17B0	6/3	ON BOARD INTERCONNECT, 17 (DIAGNOSTIC 4/8 CODE)
XC2B80	6/3	ON BOARD INTERCONNECT, 28 (DIAGNOSTIC 4/8 CODE)
XC33B0	6/3	ON BOARD INTERCONNECT, 33 (DIAGNOSTIC 4/8 CODE)
XC36B0	6/3	ON BOARD INTERCONNECT, 36 (DIAGNOSTIC 4/8 CODE)
XC39B0	6/3	ON BOARD INTERCONNECT, 39 (DIAGNOSTIC 4/8 CODE)
XC4DB0	6/3	ON BOARD INTERCONNECT, 4D (DIAGNOSTIC 4/8 CODE)

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE: C2

BELL LABORATORIES | SD-1C902-03

PRINTED IN U. S. A.

DESIGNATION MNEMONICS INDEX

MNEMONIC	FS/SYM	DEFINITION
XC4EB0	6/3	ON BOARD INTERCONNECT, 4E (DIAGNOSTIC 4/8 CODE)
XC55B0	6/3	ON BOARD INTERCONNECT, 55 (DIAGNOSTIC 4/8 CODE)
XC6CB0	6/3	ON BOARD INTERCONNECT, 6C (DIAGNOSTIC 4/8 CODE)
XC63B0	6/3	ON BOARD INTERCONNECT, 63 (DIAGNOSTIC 4/8 CODE)
XC69B0	6/3	ON BOARD INTERCONNECT, 69 (DIAGNOSTIC 4/8 CODE)
XC7RREQ1	3/3	ON BOARD INTERCONNECT, 7 REFRESH REQUEST (DELAYS)
XC71B0	6/3	ON BOARD INTERCONNECT, 71 (DIAGNOSTIC 4/8 CODE)
XC72B0	6/3	ON BOARD INTERCONNECT, 72 (DIAGNOSTIC 4/8 CODE)
XC8DB0	6/3	ON BOARD INTERCONNECT, 8D (DIAGNOSTIC 4/8 CODE)
XC8EB0	6/3	ON BOARD INTERCONNECT, 8E (DIAGNOSTIC 4/8 CODE)
XC9CB0	6/3	ON BOARD INTERCONNECT, 9C (DIAGNOSTIC 4/8 CODE)
XC93B0	6/3	ON BOARD INTERCONNECT, 93 (DIAGNOSTIC 4/8 CODE)
XC96B0	6/3	ON BOARD INTERCONNECT, 96 (DIAGNOSTIC 4/8 CODE)
XERCOL1(A-H, J-N)	4/3-15	ON BOARD INTERCONNECT, ERROR COLLECT
XFBIT090	6/4	ON BOARD INTERCONNECT, FORCE BIT 9
XFBIT110	6/4	ON BOARD INTERCONNECT, FORCE BIT 11
XFCLRE00	6/7	ON BOARD INTERCONNECT, FORCE CLEAR REQUEST (REFRESH)
XFLSB000	6/4	ON BOARD INTERCONNECT, FORCE LOAD SHIFT BIT 0
XFSTPCK0	6/1	ON BOARD INTERCONNECT, FORCE STOP CLOCK
XFSTRM0	6/4	ON BOARD INTERCONNECT, FORCE STORE REFRESH MODE
XFSTRR00	6/4	ON BOARD INTERCONNECT, FORCE STORE REFRESH REQUEST (ACTIVE)
XFSTSBY0	6/4	ON BOARD INTERCONNECT, FORCE STORE BUSY (ACTIVE)
XF110	6/6	ON BOARD INTERCONNECT, FORCE 11 (CHECK CIRCUIT DTO FAILURE MODE)
XINITB0	6/7	ON BOARD INTERCONNECT, INITIALIZE
XINITB0(A-D)	6/4	ON BOARD INTERCONNECT, INITIALIZE
XINIT0	6/1	ON BOARD INTERCONNECT, INITIALIZE
XISOCK0(A-H, J-N)	6/8-20	ON BOARD INTERCONNECT, ISOLATION CHECK
XLBT13A1	1/1	ON BOARD INTERCONNECT, LATCHED BIT 13
XLDSPR0	1/5	ON BOARD INTERCONNECT, LOAD SPARE READ (STORE COMMAND)
XLDWP0	1/5	ON BOARD INTERCONNECT, LOAD WRITE PROTECT
XLSAC0	1/3	ON BOARD INTERCONNECT, LATCHED STORE AUTOMATIC CORRECTION
XLSCW0	1/3	ON BOARD INTERCONNECT, LATCHED STORE COMPLEMENT WRITE
XNFOBRM0	5/1	ON BOARD INTERCONNECT, NO FAN-OUT-BOARD REFRESH MODE
XNITBC0	6/3	ON BOARD INTERCONNECT, INITIALIZE
XNIT0A	6/6	ON BOARD INTERCONNECT, INITIALIZE
XNIT0A(A-H, J-N)	2/1-3	ON BOARD INTERCONNECT, INITIALIZE
XNIT0(B-D)A	6/6	ON BOARD INTERCONNECT, INITIALIZE
XNLDB1	1/5	ON BOARD INTERCONNECT, NORMAL LOAD
XNLD0	1/5	ON BOARD INTERCONNECT, NORMAL LOAD
XRDSTB0(A-H, J-N)	1/6-18	ON BOARD INTERCONNECT, READ STROBE
XRDSTB1(A-H, J-N)	1/6-18	ON BOARD INTERCONNECT, READ STROBE
XRD1	1/1	ON BOARD INTERCONNECT, READ
XREF0	3/4	ON BOARD INTERCONNECT, REFRESH
XRM0	1/5	ON BOARD INTERCONNECT, REFRESH MODE
XRM0(A,B)	1/2	ON BOARD INTERCONNECT, REFRESH MODE
XRM1	1/5	ON BOARD INTERCONNECT, REFRESH MODE
XSDPW0	2/18	ON BOARD INTERCONNECT, STORE DATA PARITY W
XSDPW1(A,B)	2/18	ON BOARD INTERCONNECT, STORE DATA PARITY W
XSDPX1B	2/18	ON BOARD INTERCONNECT, STORE DATA PARITY X
XSDPYZ1B	2/18	ON BOARD INTERCONNECT, STORE DATA PARITY YZ
XSEL(0,1)	1/19	ON BOARD INTERCONNECT, SELECTED
XSEL0A	1/3	ON BOARD INTERCONNECT, SELECTED
XSOCKB1(A-H, J-N)	2/1-13	ON BOARD INTERCONNECT, ISOLATION CHECK
XSTRWP0	1/5	ON BOARD INTERCONNECT, STORE READ (OF) WRITE PROTECT (REGISTERS)
XTBIT001	1/1	ON BOARD INTERCONNECT, TIED BIT 0 (MAIN TIMING SHIFT REGISTER)
XTBKSCM0	5/1	ON BOARD INTERCONNECT, TIED BLOCK STORE COMPLETE
XTCLCOM0	1/2	ON BOARD INTERCONNECT, TIED CLEAR COMMAND REGISTERS
XTCLER0(A-H, J-N)	5/9-20	ON BOARD INTERCONNECT, TIED CLEAR ERROR
XTCLRM0	1/1	ON BOARD INTERCONNECT, TIED CLEAR REFRESH MODE
XTCLRRQ0	1/1	ON BOARD INTERCONNECT TIED CLEAR REFRESH MODE
XTCLSB10	1/1	ON BOARD INTERCONNECT, TIED CLEAR STORE BUSY
XTCLSCM0	1/1	ON BOARD INTERCONNECT, TIED CLEAR STORE COMPLETE
XTCL590	6/6	ON BOARD INTERCONNECT, TIED CLEAR 5 & 9 (STAGES OF REFRESH COUNTER)
XTDB120	6/4	ON BOARD INTERCONNECT, TIED DISABLE BIT 12, (MAIN TIMING SHIFT REGISTER)
XTFOBRM0	1/1	ON BOARD INTERCONNECT, TIED FAN-OUT BOARD (TO) REFRESH MODE
XTNOCS0	1/1	ON BOARD INTERCONNECT, TIED NO CHIP SELECT
XTPWHEV0	2/18	ON BOARD INTERCONNECT, TIED PARITY W HIGH (EVEN)
XTPWHOD0	2/18	ON BOARD INTERCONNECT, TIED PARITY W HIGH (ODD)
XTPWLEV0	2/18	uN BOARD INTERCONNECT, TIED PARITY W LOW (EVEN)
XTPWLOD0	2/18	ON BOARD INTERCONNECT, TIED PARITY W LOW (ODD)
XTRED00(A-H, J-N)	4/3-15	ON BOARD INTERCONNECT, TIED READ ERROR DATA
XTRED01(A-H, J-N)	2/1-3	ON BOARD INTERCONNECT, TIED READ ERROR DATA
XTRED10(A-H, J-N)	4/3-15	ON BOARD INTERCONNECT, TIED READ ERROR DATA
XTRED11(A-H, J-N)	2/1-13	ON BOARD INTERCONNECT, TIED READ ERROR DATA
XTRTTIM0	1/1	ON BOARD INTERCONNECT, TIED RESET TIMING
XTSC31(B-D)	1/2	ON BOARD INTERCONNECT, TIED STORE COMMAND 3
XTSER00(A-H, J-N)	5/8-20	ON BOARD INTERCONNECT, TIED STORE ERROR REGISTER
XTSER10(A-H, J-N)	5/8-20	ON BOARD INTERCONNECT, TIED STORE ERROR REGISTER
XTWRTPK1	1/3	ON BOARD INTERCONNECT, TIED WRITE PARITY CHECK
XWR0	1/5	ON BOARD INTERCONNECT, WRITE
XXINIT0	6/21	ON BOARD INTERCONNECT, INITIALIZE
XXNLDB1	1/20	ON BOARD INTERCONNECT, NORMAL LOAD
XXNLD0	1/20	ON BOARD INTERCONNECT, NORMAL LOAD
0.10TIM0	1/1	0 THROUGH 10 TIMING (MAIN TIMING SHIFT REGISTER)
0GRDMOD(A,B)	7/1,15	GROUND
12F046	10/5	+12 VOLT REFERENCE
12T046	10/5	+12 VOLT RETURN (FOR REFERENCE)
12V	7/2	+12 VOLT (MEMORY POWER)
3F046(A-D)	10/5,6	+3 VOLT REFERENCE
3G046(A-D)	10/5,6	+3 VOLT REFERENCE RETURN
3T046(A-D)	1/1-3,7	+3 VOLT RETURN (TO STORE CONTROLLER)
3T046(AA-AG)	10/1	+3 VOLT RETURN (TO STORE CONTROLLER)
3T046(BA-BG)	10/2	+3 VOLT RETURN (TO STORE CONTROLLER)
3T046(CA-CG)	10/3	+3 VOLT RETURN (TO STORE CONTROLLER)
3T046(DA-DG)	10/4	+3 VOLT RETURN (TO STORE CONTROLLER)
3VG08(08-16)T	1/6-12	GROUND
3VG0812(A,B)	1/1	GROUND
3VG0818T	1/1	GROUND
3VG0819T	2/17	GROUND
3VG0821C	1/2	GROUND
3VG0822B	6/1	GROUND
3VG0822T	6/2	GROUND
3VG0824B	1/3	GROUND
3VG0824T	1/3	GROUND
3V046(A-D)	1/1	+3 VOLT (POWER TO STORE CONTROLLER)
3V046(AA-AG,AS)	10/1	+3 VOLT (POWER TO STORE CONTROLLER)
3V046(BA-BG,BS)	10/2	+3 VOLT (POWER TO STORE CONTROLLER)
3V046(CA-CG,CS)	10/3	+3 VOLT (POWER TO STORE CONTROLLER)
3V046(DA-DG,DS)	10/4	+3 VOLT (POWER TO STORE CONTROLLER)
5T	9/2	+5V RETURN (TO MEMORY)
5T039A	9/3	+5V RETURN (TO TERMINATIONS)
5V	7/1	+5V (MEMORY POWER)
5V039A	9/4	+5V (TO TERMINATIONS)

MAIN STORE CONTROLLER AND MEMORY		DWG SIZE C2	ISSUE 1
BELL LABORATORIES	SD-1C902-03		AS

PRINTED IN U. S. A.
10/10/77

APPARATUS INDEX

EQUIP LOC	APP NO.	FIGURE SH NO.
CIRCUIT PACKS		
03-02	2	C2
03-04	2	C2
03-05	2	C2
03-06	2	C2
03-07	2	C2
03-08	2	C2
03-09	2	C2
03-10	2	C2
03-11	2	C2
03-12	3	C2
03-13	3	C2
03-14	3	C2
03-16	3	C2
03-17	2	C2
03-18	4	C3
03-19	5	C3
03-20	5	C3
03-21	5	C3
03-22	5	C3
03-23	4	C3
03-24	4	C3
03-25	4	C3
03-26	4	C3
03-27	4	C3
03-28	4	C3
03-29	4	C3
03-31	4	C3
03-33	4	C3
08-01	1	C1
08-02	1	C1
08-03	1	C1
08-04	1	C1
08-05	1	C1
08-06	1	C1
08-07	1	C1
08-08	1	C1
08-09	1	C1
08-10	6	C3
08-11	6	C3
08-12	6	C3
08-13	6	C3
08-14	6	C3
08-16	1	C1
08-17	1	C1
08-18	1	C1
08-19	1	C1
08-20	1	C1
08-21	1	C1
08-22	1	C1
08-23	1	C1
08-24	1	C1
08-25	1	C1
08-31	1	C1
08-40	1	C1

DESIG			
3VREGA.B	1	C1	
3VREGC.D	1	C1	
A19.MPH	2	C2	
A19.MPL	4	C3	
ABIT17	2	C2	
ABIT18	2	C2	
A.D08.00	2	C2	
A.D09.01	2	C2	
A.D10.02	2	C2	
A.D11.03	2	C2	
A.D12.04	2	C2	
A.D13.05	2	C2	
A.D14.06	2	C2	
A.D15.07	2	C2	
ADPH.PDR	2	C2	
A.DPH.PL	2	C2	
ALARMS	10	C2	
BSC08.00	1	C1	
BSC09.01	1	C1	
BSC10.02	1	C1	
BSC11.03	1	C1	
BSC12.04	1	C1	
BSC13.05	1	C1	
BSC14.06	1	C1	
BSC15.07	1	C1	
BSC20.16	1	C1	
BSC21.17	1	C1	
BSC22.18	1	C1	
BSC23.19	1	C1	
BSCPH.PL	1	C1	
CLK.PINT	1	C1	
CM.NLDRV	1	C1	
CNTLOPLC	5	C2	
CNTTIMGN	1	C1	

DESIG	APP NO.	FIG. SH NO.
CIRCUIT PACKS(CONT)		
MP008.00	2	C2
MP009.01	2	C2
MP010.02	2	C2
MP011.03	2	C2
MP012.04	2	C2
MP013.05	2	C2
MP014.06	2	C2
MP015.07	2	C2
MP020.16	3	C2
MP021.17	3	C2
MP022.18	3	C2
MP023.19	3	C2
MP108.00	4	C3
MP109.01	4	C3
MP110.02	4	C3
MP111.03	4	C3
MP112.04	4	C3
MP113.05	4	C3
MP114.06	4	C3
MP115.07	4	C3
MP120.16	5	C3
MP121.17	5	C3
MP122.18	5	C3
MP123.19	5	C3
TS1	1	C1

DESIG	LOCATION FS/SYM	APPFIG	EQPT
BTR ASSY			
BTR0	8/1	1	07-27T
BTR1	8/2	1	07-27B
BTR2	8/3	1	07-20T
BTR3	8/4	1	07-20B
BTR4	8/5	1	07-13T
BTR5	8/6	1	07-13B
BTR6	8/7	1	07-09T
BTR7	8/8	1	07-09B
BTR8	8/9	1	07-05T
BTR9	8/10	1	07-05B
BTR10	8/11	1	01-34T
BTR11	8/12	1	01-34B
BTR12	8/13	1	01-32B
BTR13	8/14	1	01-29B
BTR14	8/15	1	01-26B
BTR15	8/16	1	01-23B
BTR16	8/17	1	01-21B
BTR17	8/18	1	01-16B
BTR18	8/19	1	01-14B
BTR19	8/20	1	01-11B
BTR20	8/21	1	01-08B
BTR21	8/22	1	01-05B
BTR22	8/23	1	01-03B
BTR23	8/24	1	01-03T
CIRCUIT PACK-CP			
2BDPARBD	1/19	6	08-14
2BPARCHK	5/6	6	08-14
2BPARCNV	2/18	6	08-14
2BPISODA	6/22	6	08-14
3VREGA.B	10/5	1	08-35
3VREGC.D	10/6	1	08-40
A19.MPH	2/15	1	08-17
ABIT17	2/14	1	08-23
ABIT18	2/16	1	08-18
A.D08.00	2/13	1	08-02
A.D09.01	2/12	1	08-03
A.D10.02	2/11	1	08-04
A.D11.03	2/10	1	08-05
A.D12.04	2/9	1	08-06
A.D13.05	2/8	1	08-07
A.D14.06	2/7	1	08-08
A.D15.07	2/6	1	08-09
ADPH.PDR	2/17	1	08-19
A.DPH.PL	2/1	1	08-16
ALARMS	10/8	1	08-25
BSC08.00	1/18	1	08-02
BSC09.01	1/17	1	08-03
BSC10.02	1/16	1	08-04
BSC11.03	1/15	1	08-05
BSC12.04	1/14	1	08-06
BSC13.05	1/13	1	08-07
BSC14.06	1/12	1	08-08
BSC15.07	1/11	1	08-09
BSC20.16	1/10	6	08-10
BSC21.17	1/9	6	08-11
BSC22.18	1/8	6	08-12
BSC23.19	1/7	6	08-13
BSCPH.PL	1/6	1	08-16
CLK.PINT	1/20	1	08-23
CM.NLDRV	1/5	1	08-17
CNTLOPLC	5/2	1	08-17
CNTTIMGN	1/1	1	08-18

DESIG	LOCATION FS/SYM	APPFIG	EQPT
CIRCUIT PACK-CP (CONT)			
CREG.DEC	1/2	1	08-21
CTLSGDLY	1/4	1	08-25
CTLSGRPT	1/3	1	08-24
CTSSDA	6/4	1	08-18
D2B20.16	2/5	6	08-10
D2B21.17	2/4	6	08-11
D2B22.18	2/3	6	08-12
D2B23.19	2/2	6	08-13
DGA08.00	6/20	1	08-02
DGA09.01	6/19	1	08-03
DGA10.02	6/18	1	08-04
DGA11.03	6/17	1	08-05
DGA12.04	6/16	1	08-06
DGA13.05	6/15	1	08-07
DGA14.06	6/14	1	08-08
DGA15.07	6/13	1	08-09
DGA20.16	6/12	6	08-10
DGA21.17	6/11	6	08-11
DGA22.18	6/10	6	08-12
DGA23.19	6/9	6	08-13
DGAPH.PL	6/8	1	08-16
DPREFCNT	3/2	1	08-17
ERR08.00	5/20	1	08-02
ERR09.01	5/19	1	08-03
ERR10.02	5/18	1	08-04
ERR11.03	5/17	1	08-05
ERR12.04	5/16	1	08-06
ERR13.05	5/15	1	08-07
ERR14.06	5/14	1	08-08
ERR15.07	5/13	1	08-09
FOB0	7/1	2	03-02
FOB1	7/15	4	03-33
IODECHK	5/7	1	08-20
IOINTFCE	6/1	1	08-23
IOORDDEC	6/3	1	08-20
IOSR.BUF	6/2	1	08-22
ISEQSHUT	10/9	1	08-25
ISO20.16	5/12	6	08-10
ISO21.17	5/11	6	08-11
ISO22.18	5/10	6	08-12
ISO23.19	5/9	6	08-13
ISOPH.PL	5/8	1	08-16
ISO.WRMD	6/21	1	08-24
MPOPH.PL	7/2	2	03-17
MP1PH.PL	7/16	4	03-18
MP008.00	7/14	2	03-04
MP009.01	7/13	2	03-05
MP010.02	7/12	2	03-06
MP011.03	7/11	2	03-07
MP012.04	7/10	2	03-08
MP013.05	7/9	2	03-09
MP014.06	7/8	2	03-10
MP015.07	7/7	2	03-11
MP020.16	7/6	3	03-12
MP021.17	7/5	3	03-13
MP022.18	7/4	3	03-14
MP023.19	7/3	3	03-16
MP108.00	7/25	4	03-31
MP109.01	7/27	4	03-29
MP110.02	7/26	4	03-28
MP111.03	7/25	4	03-27
MP112.04	7/24	4	03-26
MP113.05	7/23	4	03-25
MP114.06	7/22	4	03-24

DESIG	LOCATION FS/SYM	APPFIG	EQPT
CIRCUIT PACK-CP (CONT)			
MP115.07	7/21	4	03-23
MP120.16	7/20	5	03-22
MP121.17	7/19	5	03-21
MP122.18	7/18	5	03-20
MP123.19	7/17	5	03-19
NCR20.16	3/17	6	08-10
NCR21.17	3/16	6	08-11
NCR22.18	3/15	6	08-12
NCR23.19	3/14	6	08-13
NCW20.16	4/15	6	08-10
NCW21.17	4/14	6	08-11
NCW22.18	4/13	6	08-12
NCW23.19	4/12	6	08-13
NMPFADCK	5/5	1	08-19
REF08.00	3/13	1	08-02
REF09.01	3/12	1	08-03
REF10.02	3/11	1	08-04
REF11.03	3/10	1	08-05
REF12.04	3/9	1	08-06
REF13.05	3/8	1	08-07
REF14.06	3/7	1	08-08
REF15.07	3/6	1	08-09
REF16.PL	3/5	1	08-16
REFA17	3/4	1	08-23
REFCNTRL	3/3	1	08-18
REFCOUNT	3/1	1	08-19
RFMCCDA	6/6	1	08-19
SDOP.ERA	5/4	1	08-24
SELSFTCK	5/1	1	08-18
TARSELDA	6/7	1	08-17
T.BDDA	6/5	1	08-21
TMWPDPHC	5/3	1	08-21
TRM-VMON	10/7	1	08-25
WPMODDEC	4/1	1	08-21
WPRSEG0	4/11	1	08-02
WPRSEG1	4/10	1	08-03
WPRSEG2	4/9	1	08-04
WPRSEG3	4/8	1	08-05
WPRSEG4	4/7	1	08-06
WPRSEG5	4/6	1	08-07
WPRSEG6	4/5	1	08-08
WPRSEG7	4/4	1	08-09
WPRSPAR	4/3	1	08-16
WPSEGDEC	4/2	1	08-17
CONNECTOR			
TS1	10/10	1	08-01
POWER MODULE			
+5VPM	9/2	1	03-38
PM0829	10/1	1	08-29
PM0834	10/2	1	08-34
PM0839	10/3	1	08-39
PM0844	10/4	1	08-44
SWPM	9/1	1	03-44

MAIN STORE CONTROLLER AND MEMORY

BELL TELEPHONE LABORATORIES INCORPORATED

DWG SIZE C2

SD-1C902-13-A

PART OF FS 1

CONTROL AND TIMING
INTERCONNECTION AND FLOW DIAGRAM

NOTES:

1. LEADS SHOWN COULD FUNCTION AS EITHER OUTPUTS OR INPUTS (BI). OFF-PAGE REFERENCING WILL BE SHOWN ON OUTPUT LEAD.

SYMBOL NO. 1
CONTROL AND TIMING GENERATION
CNTTIMCN
08-18
FA1071
A
(SEE COMPOSITE DIAGRAMS 1-6)

SYMBOL NO. 2
COMMAND REGISTERS AND DECODING
CREG, DEC
08-21
FA1065
A
(SEE COMPOSITE DIAGRAMS 1-3,5)

SYMBOL NO. 3
CONTROL SIGNAL REPEATERS
CTLSGRPT
03-24
FA1068
A
(SEE COMPOSITE DIAGRAMS 1-3)

SYMBOL NO. 4
CONTROL SIGNAL DELAYS
CTLSGDLY
08-25
FC262
D
(SEE COMP DIAG 1-3)

SYMBOL NO. 5
COMMAND AND NORMAL LOAD DRIVERS
CM,NLDRV
08-17
FA1062
A
(SEE COMPOSITE DIAGRAM 1,2,6)

SEE NOTE 1

(9 LEADS)

(12 LEADS)

(3 LEADS)

(2 LEADS)

(4 LEADS)

TO CONN CKT

LDSPARCO

MAIN STORE CONTROLLER AND MEMORY	SME-SYZ
BELL LABORATORIES	SD-1C902-03

PART OF FS I

CONTROL AND TIMING
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 1
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE 65	ISSUE 1
BELL LABORATORIES	SD-1C902-03	BIAB

E - 7925 (12 - 73) PRINTED IN U.S.A.

PART OF FS 1

CONTROL AND TIMING
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 1
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY

BELL LABORATORIES | SD-1C902-03

PART OF FS 1

CONTROL AND TIMING
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 1
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE
6S

BELL LABORATORIES

SD-1C902-03

E - 7921 (12 - 73)

PRINTED IN U.S.A.

PART OF FS 1

CONTROL AND TIMING
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 1
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE E5	ISSUE 1
BELL LABORATORIES	SD-IC902-03	BIAE

E-7423(12-73) PRINTED IN U.S.A.

PART OF FS 1

CONTROL AND TIMING

SYMBOL NO. 1

CONTROL AND TIMING GENERATION

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CNTTIMGN	08-18	FA1071	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		002			GRD002	2A8
		010			IDO.120	7H1
		101			GRD101	2A7
		102			GRD102	2A7
		105			BIT13G00	4H0
		106			LSHB001	3H4
		110			IDLE0	2H4
		202			GRD202	2A6
		206			BIT02B1	5G9
		301			GRD301	2A5
		305			BIT10G00	4H4
ASEL0	OI	103	1/3,1/6 1/7,1/8 1/9,1/10 1/11,1/12 1/13,1/14 1/15,1/16 1/17,1/18 1/19		SEL0	7H5
BIT00I0	O	314	5/3		BIT00B0	6G8
BIT4B0	O	104	5/2		BIT04B0	5H7
BIT5B0	O	203	5/3		BIT050	5H5
BLNLD0	I	217	1/3		BLNLDI0	3A2
CHSCM1	O	212	5/3,5/4		CHSCM1	4H7
CLOCK0A	I	208	1/20		CKI0	4A0
CNLD0	O	311	1/2,1/3		CNLD0	3H5
CS0A	O	302	7/1 8/11-24(BTR)		CS0A	6H2
CS0B	O	300	7/15 8/11-24(BTR)		CS0B	6H1
DST80	O	201	1/6,1/7 1/8,1/9 1/10,1/11 1/12,1/13 1/14,1/15 1/16,1/17 1/18		CS0C	6H1
ENSERC1	O	204	5/4		LBIT13B1	4H9
NLD0	OI	309	1/5,1/6 1/7,1/8 1/9,1/10 1/11,1/12 1/13,1/14 1/15,1/16 1/17,1/18 1/20.2/17		NLD0	3H2
NOCS0	I	008	1/2		NOCSI0	6A0
READ0B	I	019	1/2		RDI0	5A7
REFMD0A	O	100	7/1 8/11-24(BTR)		FOBRM0A	3H7
REFMD0B	O	001	7/15 8/11-24(BTR)		FOBRM0B	3H8
REFMODE0	O	003	1/2,1/5 1/6,1/7 1/8,1/9 1/10,1/11 1/12,1/13 1/14,1/15 1/16,1/17 1/18,3/4 5/5,5/6 6/2		REFMOD0	3H6
SBY00	OI	115	1/3		SBY0	6H3
SBY0	O	209	1/2		SBYB0	6H4
SCM00	OT	214	1/3		SCM0	4H7
SEL01	I	109	TO CONN CKT		SELDI1	7A3

SYMBOL NO. 1 (CONT)

CONTROL AND TIMING GENERATION

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CNTTIMGN	08-18	FA1071	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
SEL11	I	210	TO CONN CKT		SEL1I1	7A3
SGDI0	I	116	TO CONN CKT		SGDI0	2A1
SGD0	O	074	1/3		GSGD0	2H2
SGD1	O	316	1/2,5/2		SGD1B	2H1
SH8IT090	O	012	5/8,5/13 5/14,5/15 5/16,5/17 5/18,5/19 5/20		BIT09B0	4H6
SH8IT110	O	006	3/2		BIT11G00	4H3
XBKSCM1	I	IC	5/1		BKSCM1	4A8
XBLB4CS0	I	IC	6/4		BLB4CS0	5A6
XCBIT031	O	IC	5/1		BIT031	5G8
XCBIT5B1	O	IC	5/1		BIT05B1	5H4
XCCK1B0	O	IC	5/1		CK1B0	5G9
XCID040	O	IC	5/1		IDO.40	7D6
XCINITOA	I	IC	6/4		INITOA	6D0
XCNLDB0	O	IC	Z/16		NLDB0	3H3
XCNLDB1	O	IC	Z/16		NLDB1	3H3
XCRMBB0	I	IC	5/1		RMBB0	7A2
XCRM1	O	IC	5/1		RM1	3H5
XCRREQ0	I	IC	3/3		RREQ0	3D0
XCSEL1	O	IC	5/1		SEL1	7D5
XCTSEL0	CT I	IC	6/4 5/1		TSEL0	7A3
XC7RREQ1	I	IC	3/3		7RREQ1	2A4
XFBIT090	I	IC	6/4		FBIT090	4A6
XFBIT110	I	IC	6/4		FBIT110	4A3
XFLSB000	I	IC	6/4		FLSHB000	6C0
XFSTRM0	I	IC	6/4		FSTRM0	2A4
XFSTSBY0	I	IC	6/4		FSTSBY0	6C0
XINITB0A	I	IC	6/4		INITB0A	5A6
XINITB0B	I	IC	6/4		INITB0B	5A2
XINITB0C	I	IC	6/4		INITB0C	4A4
XINITB0D	I	IC	6/4		INITB0D	4A0
XLBT13A1	O	IC	5/1		LBIT13A1	4G9
XNFOBRM0	I	IC	5/1		NOFOBRM0	2A4
XRD1	O	IC	5/1		RD1	5G7
XTBIT001	OT	IC	6/4		TBIT001	6E9
XTBKSCM0	I	IC	5/1		TBKSCM0	4A6
XTCLRM0	OT	IC	6/4		TCLRM0	4A2
XTCLRRQ0	OT I	IC	6/4 3/3		TCLRRQ0	5H3
XTCLSB10	OT	IC	6/4		TCLSB10	6H5
XTCLSCM0	OT	IC	6/4		TCLSCM0	2A3
XTD8120	I	IC	6/4		TDB120	4A1
XTFOBRM0	OT	IC	6/4		TFOBRM0	2A3
XTNOCS0	OT	IC	5/1		TNOCS0	6F0
XTRTTIM0	OT	IC	6/4		TRTTIM0	7A2
0.10TIM0	OT I	111	5/2,6/7 1/3,5/2		0.10TIM0	7H2
3T046A	GRD	0GD		202	GRD	
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	319		202	GRD	
3VG0818A	GRD	005			GRD005	2A7
	GRD	2GD			GRD	
	GRD	205			GRD205	2A6
3VG0818B	GRD	200			GRD	
	GRD	303			GRD303	2A5
3VG0818T	GRD	011			GRD011	2A7

SYMBOL NO. 1 (CONT)

CONTROL AND TIMING GENERATION

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CNTTIMGN	08-18	FA1071	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
3VG0818T	GRD	114			GRD114	2A6
	GRD	211			GRD211	2A6
	GRD	319			GRD	
3V046A	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 2

COMMAND REGISTERS AND DECODING

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CREG.DEC	08-21	FA1065	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
BLDWR0	O	305	1/5,5/6		COM50	3H5
BUSRD0A	O	310	1/14,1/15 1/16,1/17 1/18		SC30A	2H2
BUSRD0B	O	117	1/6,1/11 1/12,1/13 1/19		SC30B	2H2
BUSRD0C	O	019	1/7,1/8 1/9,1/10		SC30C	2H2
CNLD0	I	115	1/1		NLDI0	2A3
LDSPARE0	OI	209	1/5		COMA0	3H4
NOCS0	OI	307	6/5 1/1		TNOCS0	4H4
READ0A	OT I	IC307 0 011	1/2 1/15,1/16 1/17,1/18 5/4		TNOCS0 COMCB0B	4A4 2H3
READ0B	O	016	1/1,1/5 1/6,1/7 1/8		COMCB0A	2H3
READ0C	OI	012	1/9,1/10 1/11,1/12		COMC0	2H4
REFMODE0	I	215	1/1		RMI0	4A0
RW0A	O	100	7/1 8/11-24(BTR)		RW0A	4H4
RW0B	O	300	7/15 8/11-24(BTR)		RW0B	4H3
SBY0	I	211	1/1		SBYI0	3A1
SC010	I	219	TO CONN CKT		SC0I0	3A5
SC000	O	105	TO CONN CKT		SC00	3H5
SC110	I	103	TO CONN CKT		SC1I0	3A3
SC100	O	213	TO CONN CKT		SC10	3H3
SC210	I	216	TO CONN CKT		SC2I0	2A6
SC200	O	312	TO CONN CKT		SC20	2H6
SC310	I	218	TO CONN CKT		SC3I0	2A1
SC300	O	205	TO CONN CKT		SC30D	2H1
SGD1	I	314	1/1		GDI1	3A1
WPRRD0	O	207	4/7,4/8 4/9,4/10 4/11		COM90B	3H5
WPRRD0	O	007	1/5,4/3 4/4,4/5 4/6		COM90A	3H4
WPWRTB0	O	306	1/5,4/3 4/4,4/5 4/6		COM60B	2H5

SYMBOL NO. 2 (CONT)

COMMAND REGISTERS AND DECODING

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CREG.DEC	08-21	FA1065	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
WPWRT0	O	107	4/7,4/8 4/9,4/10 4/11		COM60A	2H5
WRITE0	OT I	014	1/3 1/5,5/6		COM30	3H4
XCCOMA80	O	IC	5/3		COMA80	3H3
XCC00	O	IC	5/3		C00	3D7
XCC01	O	IC	5/3		C01	3E7
XCC11	O	IC	5/3		C11	3E7
XCC20	O	IC	5/3		C20	2H4
XCC21	O	IC	5/3		C21	2H4
XCC30	O	IC	5/3		C30	2H4
XCNOTWC1	O	IC	5/3		NOTWC1	4H1
XCTINWP1	I	IC	5/3		TINWP1	4A2
XRM0A	O	IC	5/3		RM0A	4H0
XRM0B	O	IC	5/3		RM0B	4H0
XTCLCOM0	OT	IC	6/5		TCLCOM0	3C0
XTSC31B	OT	IC	6/5		TSC31B	2D0
XTSC31C	OT	IC	6/5		TSC31C	2D0
XTSC31D	OT	IC	6/5		TSC31D	2E0
3T046D	GRD	0GD		202	GRD	
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	319		202	GRD	
3VG0821C	GRD	104			GRD	
	GRD	2GD			GRD	
3V046D	PWR	000		202	+3	
	PWR	119		202	+3	

PART OF FS 1
SYMBOL(S) 1 2

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE C2 | ISSUE 1

BELL LABORATORIES | SD-1C902-03 | B1CA

PRINTED IN U. S. A. 03-06-78

PART OF FS 1

CONTROL AND TIMING

SYMBOL NO. 3

CONTROL SIGNAL REPEATERS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CTLSGRPT	08-24	FA1068	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		001		
		300		
ASEL0	I	110	1/1	
BLNLD0	O	013	1/1	
CNLD0	I	210	1/1	
COMWRT0A	O	312	2/9,2/10 2/11,2/12 2/13	
COMWRT0B	O	311	2/1,2/2 2/3,5/6	
COMWRT0C	O	112	2/4,2/5 2/6,2/7 2/8	
SAC10	I	214	TO CONN CKT	
SAC00	O	016	TO CONN CKT	
SBY10	IO	115	6/21 TO CONN CKT	
	OT	IC115	1/3	
SBY00	OI	106	1/1 6/21 TO CONN CKT	
	O	IC106	1/3	
SCMB0	O	313	1/4	
SCMC0	I	306	1/4	
SCMI0	IO	111	6/21 TO CONN CKT	
	OT	IC111	1/3	
SCM00	OI	202	1/1 6/21 TO CONN CKT	
	OT	IC202	1/3	
SCWI0	I	207	TO CONN CKT	
SCW00	O	014	TO CONN CKT	
SGOA1	O	316	1/4	
SGOB1	I	304	1/4	
SGO00	O	010	TO CONN CKT	
SGO0	I	018	1/1	
WRITE0	OT	301	1/2	
WRTMD0A	O	209	2/6,2/7 2/8,2/9	
WRTMD0B	O	009	2/1,2/2 2/3,2/4 2/5	
WRTMD0C	O	113	2/10,2/11 2/12,2/13	
WTR0	I	011	1/5	
XLSAC0	O	IC	5/4	
XLSCW0	O	IC	5/4	
XSEL0A	O	IC	5/4	
XTWRTPK1	OT	IC	6/21	
	I		5/4	
XXINIT0	I	IC	6/21	
0.10TIM0	I	305	1/1	
3T046C	GRD	0GD		202
	GRD	2GD		202
	GRD	200		202
	GRD	319		202
3VG0824B	GRD	005		
	GRD	102		
	GRD	107		
	GRD	200		
	GRD	205		
	GRD	302		
	GRD	307		

CP INFO

TERM. MOD	LOC
TIMACT0A	2H6
TIMACT0B	2H5
SELI0	3A
SCW0B	2H3
NLDI0	2A4
LSCW0A	2H4
LSCW0B	2H5
LSCW0C	2H5
SACI0	2A2
SAC0	2H2
TSBYI0	3A1
TSBYI0	3A1
SBYB0	3H1
SBYB0	3H1
SCM0	3H3
SCMI0	3A3
TSCMI0	3A3
TSCMI0	3A4
GSCM0	3H3
GSCM0	3H3
SCWI0	2A2
SCW0A	2H2
SGO1	3H5
SGOI1	3A6
SGO0	3H6
SGOI0	3A5
LSCW0D	2H4
WRTMD0A	2H0
WRTMD0B	2H0
WRTMD0C	2H1
WRTI0	2A0
LSAC0	2H5
LSCW0	2H4
SEL0	3H1
TWRTPCK1	2A0
INIT0	2A2
TIMACTI0	2A5
GRD	
GRD	
GRD	
GRD005	2A8
GRD102	2A8
GRD107	2A8
GRD	
GRD205	2A7
GRD302	2A7
GRD307	2A7

SYMBOL NO. 3 (CONT)

CONTROL SIGNAL REPEATERS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CTLSGRPT	08-24	FA1068	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
3VG0824T	GRD	012		
3VG0824T	GRD	017		
	GRD	114		
	GRD	212		
	GRD	217		
	GRD	314		
	GRD	319		
3V046C	PWR	000		202
	PWR	119		202

CP INFO

TERM. MOD	LOC
GRD01Z	2A8
GRD017	2A8
GRD114	2A7
GRD212	2A7
GRD217	2A7
GRD314	2A6
GRD	
+3	
+3	

SYMBOL NO. 4

CONTROL SIGNAL DELAYS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CTLSGDLY	08-25	FC262	D	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
SCMB0	I	013	1/3	
SCMC0	O	006	1/3	
SERCB0	I	010	5/4	
SERCC0	O	008	5/4	
SGOA1	I	016	1/3	
SGOB1	O	004	1/3	

CP INFO

TERM. MOD	LOC
SCMI0	
SCM0	
SERCI0	
SERC0	
SGOI1	
SGO1	

SYMBOL NO. 5

COMMAND AND NORMAL LOAD DRIVERS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CM.NLDRV	08-17	FA1062	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
BLDWR0	I	114	1/2	
BSEL0	OT	IC111	6/7	
	I		5/1	
	OT	111	1/5	
IOENCH00	O	212	6/1	
LDSPARE0	I	215	1/2	
NLD0	I	301	1/1	
READ0B	I	315	1/2	
READ0	O	IC012	1/13,1/14 5/2	
	OI	012	1/5	
PERMODE0	I	310	1/1	
SEL00	I	101	TO CONN CKT	
SEL10	I	011	TO CONN CKT	

CP INFO

TERM. MOD	LOC
BLDWRI0	2A7
TSEL0	2A4
TSEL0	2H4
SMS0B	2H1
LDSPRI0	2A5
NLDI0	2A3
RDI0	2A6
RD0	2G6
RD0	2H6
RMI0	2A2
SELOI0	2A4
SEL1I0	2A4

SYMBOL NO. 5 (CONT)

COMMAND AND NORMAL LOAD DRIVERS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CM.NLDRV	08-17	FA1062	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
SMSI0	I	312	TO CONN CKT	
SMS00	O	112	TO CONN CKT	
WPRRD0	I	115	1/2	
WPWRTB0	I	314	1/2	
WRITE0	I	015	1/2	
WTR0	O	018	1/3	
XBLDWR0	O	IC	5/2	
XCRMB0	O	IC	5/2	
XCRMB1	O	IC	2/15,3/2	
XLDSPR0	O	IC	5/2	
XLDWP0	O	IC	5/2	
XNLDB1	O	IC	2/15,5/2	
XNLD0	O	IC	2/15	
XRM0	O	IC	5/2	
XRM1	O	IC	5/2	
XSTRWP0	O	IC	5/2	
XWR0	O	IC	5/2	
3T046D	GRD	0GD		202
	GRD	2GD		202
	GRD	200		202
	GRD	319		202
3V046D	PWR	000		202
	PWR	119		202

CP INFO

TERM. MOD	LOC
SMSI0	2A1
SMS0A	2H1
LDWPI0	2A6
STRWPI0	2A6
WRI0	2A7
TWRTMD0	2G8
BLDWR0	2G7
RMB0	2G3
RMB1	2G3
LDSPR0	2G5
LDWP0	2G6
NLDB1	2G4
NLD0	2G3
RM0	2G2
RM1	2G2
STRWP0	2G6
WR0	2G7
GRD	
GRD	
GRD	
+3	
+3	

SYMBOL NO. 6

BIT SLICE BOARD ADRS AND DATA CONTROL (DATA BITS PH AND PL,ADRS BITS 16 AND PL)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSCPH.PL	08-16	FA1060	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		110		
		310		
ASEL0	I	211	1/1	
BUSRD0B	I	109	1/2	
DSTB0	I	209	1/1	
NLD0	I	306	1/1	
READ0B	I	309	1/2	
REFMODE0	I	206	1/1	
XBUSRD0N	O	IC	2/1	
XBUSRD1N	O	IC	2/1	
XCNLDB1N	O	IC	2/1	
XCNLD0N	O	IC	2/1	
XCNRD1N	O	IC	2/1	
XCREF0N	O	IC	2/1	
XCREF1N	O	IC	3/5	
XCSEL0N	O	IC	2/1,6/8	
XCSEL1N	O	IC	2/1	
XRDSTB0N	O	IC	2/1	
XRDSTB1N	O	IC	2/1	
3T046C	GRD	0GD		202
	GRD	002		202

CP INFO

TERM. MOD	LOC
GRD110	2A7
GRD310	2A7
SELI0	2A2
BUSRDI0	2A3
CSTB10	2A5
NLDI0	2A0
NRDI0	2A6
REFI0	2A5
BUSRD0	2G3
BUSRD1	2G3
NLDB1	2G0
NLD0	2G0
NRD1	2G6
REF0	2G5
REF1	2G4
SEL0	2G2
SEL1	2G1
RDDSTB0	2G5
RDDSTB1	2G5
GRD	
GRD002	2A8

SYMBOL NO. 6 (CONT)

BIT SLICE BOARD ADRS AND DATA CONTROL (DATA BITS PH AND PL,ADRS BITS 16 AND PL)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSCPH.PL	08-1e	FA1060	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
3T046C	GRD	003		202
	GRD	005		202
	GRD	102		202
	GRD	105		202
	GRD	2GD		202
	GRD	200		202
	GRD	202		202
	GRD	205		202
	GRD	302		202
	GRD	304		202
	GRD	319		202
3VG0816T	GRD	319	3/5	
3V046C	PWR	000		202
	PWR	119		202

CP INFO

TERM. MOD	LOC
GRD003	2A8
GRD005	2A8
GRD102	2A8
GRD105	2A8
GRD	
GRD	
GRD202	2A7
GRD205	2A7
GRD302	2A7
GRD304	2A7
GRD	
GRD	
+3	
+3	

PART OF FS 1

SYMBOL(S) 3 4 5 6

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE C2

BELL LABORATORIES | SD-1C902-03

PRINTED IN U. S. A.

PART OF FS 1

CONTROL AND TIMING

SYMBOL NO. 7

BIT SLICE BOARD DATA CONTROL
(BITS 23 AND 19)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC23.19	08-13	FA1060	A	

FS INFO LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO TERM. MOD	LOC
		110			GRD110	2A7
		310			GRD310	2A7
ASEL0	I	211	1/1		SEL10	2A_
BUSRD0C	I	109	1/2		BUSRD10	2A3
DSTB0	I	209	1/1		DSTB10	2A5
NLD0	I	306	1/1		NLD10	2A0
READ0B	I	309	1/2		NRD10	2A6
REFMODE0	I	206	1/1		REF10	2A5
XBUSRD0M	O	IC	2/2		BUSRD0	2G3
XBUSRD1M	O	IC	2/2		BUSRD1	2G3
XCNLDB1M	O	IC	2/2		NLDB1	2G0
XCNLD0M	O	IC	2/2		NLD0	2G0
XCNRD1M	O	IC	2/2		NRD1	2G6
XCREF0M	O	IC	2/2		REF0	2G5
XCREF1M	O	IC	3/14		REF1	2G4
XCSEL0M	O	IC	2/2,6/9		SEL0	2G2
XCSEL1M	O	IC	2/2		SEL1	2G1
XRDSTB0M	O	IC	2/2		RDDSTB0	2G5
XRDSTB1M	O	IC	2/2		RDDSTB1	2G5
3T046B	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3VG0813T	GRD	319	3/14		GRD	
3V046B	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 8

BIT SLICE BOARD DATA CONTROL
(BITS 22 AND 18)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC22.18	08-12	FA1060	A	

FS INFO LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO TERM. MOD	LOC
		110			GRD110	2A7
		310			GRD310	2A7
ASEL0	I	211	1/1		SEL10	2A2
BUSRD0C	I	109	1/2		BUSRD10	2A3
DSTB0	I	209	1/1		DSTB10	2A5
NLD0	I	306	1/1		NLD10	2A0
READ0C	I	309	1/2		NRD10	2A6
REFMODE0	I	206	1/1		REF10	2A5
XBUSRD0L	O	IC	2/3		BUSRD0	2G3
XBUSRD0K	O	IC	2/4		BUSRD0	2G3
XCNLDB1K	O	IC	2/4		NLDB1	2G0
XCNLD0K	O	IC	2/4		NLD0	2G0
XCNRD1K	O	IC	2/4		NRD1	2G6
XCREF0K	O	IC	2/4		REF0	2G5
XCREF1K	O	IC	3/16		REF1	2G4
XCSEL0K	O	IC	2/4,6/11		SEL0	2G2
XCSEL1K	O	IC	2/4		SEL1	2G1
XRDSTB0K	O	IC	2/4		RDDSTB0	2G5

SYMBOL NO. 8 (CONT)

BIT SLICE BOARD DATA CONTROL
(BITS 22 AND 18)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC22.18	08-12	FA1060	A	

FS INFO LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO TERM. MOD	LOC
XBUSRD1L	O	IC	2/3		BUSRD1	2G3
XCNLDB1L	O	IC	2/3		NLDB1	2G0
XCNLD0L	O	IC	2/3		NLD0	2G0
XCNRD1L	O	IC	2/3		NRD1	2G6
XCREF0L	O	IC	2/3		REF0	2G5
XCREF1L	O	IC	3/15		REF1	2G4
XCSEL0L	O	IC	2/3,6/10		SEL0	2G2
XCSEL1L	O	IC	2/3		SEL1	2G1
XRDSTB0L	O	IC	2/3		RDDSTB0	2G5
XRDSTB1L	O	IC	2/3		RDDSTB1	2G5
3T046D	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3VG0812T	GRD	319	3/15		GRD	
3V046D	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 9

BIT SLICE BOARD DATA CONTROL
(BITS 21 AND 17)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC21.17	08-11	FA1060	A	

FS INFO LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO TERM. MOD	LOC
		110			GRD110	2A7
		310			GRD310	2A7
ASEL0	I	211	1/1		SEL10	2A2
BUSRD0C	I	109	1/2		BUSRD10	2A3
DSTB0	I	209	1/1		DSTB10	2A5
NLD0	I	306	1/1		NLD10	2A0
READ0C	I	309	1/2		NRD10	2A6
REFMODE0	I	206	1/1		REF10	2A5
XBUSRD0J	O	IC	2/5		BUSRD0	2G3
XBUSRD1J	O	IC	2/5		BUSRD1	2G3
XCNLDB1J	O	IC	2/5		NLDB1	2G0
XCNLD0J	O	IC	2/5		NLD0	2G0
XCNRD1J	O	IC	2/5		NRD1	2G6
XCREF0J	O	IC	2/5		REF0	2G5
XCREF1J	O	IC	3/17		REF1	2G4
XCSEL0J	O	IC	2/5,6/12		SEL0	2G2
XCSEL1J	O	IC	2/5		SEL1	2G1
XRDSTB0J	O	IC	2/5		RDDSTB0	2G5
XRDSTB1J	O	IC	2/5		RDDSTB1	2G5
3T046B	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3VG0811T	GRD	319	3/16		GRD	
3V046C	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 9 (CONT)

BIT SLICE BOARD DATA CONTROL
(BITS 21 AND 17)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC21.17	08-11	FA1060	A	

FS INFO LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO TERM. MOD	LOC
XRDSTB1K	O	IC	2/4		RDDSTB1	2G5
3T046C	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3VG0810T	GRD	319	3/17		GRD	
3V046B	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 10

BIT SLICE BOARD DATA CONTROL
(BITS 20 AND 16)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC20.16	08-10	FA1060	A	

FS INFO LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO TERM. MOD	LOC
		110			GRD110	2A7
		310			GRD310	2A7
ASEL0	I	211	1/1		SEL10	2A2
BUSRD0C	I	109	1/2		BUSRD10	2A3
DSTB0	I	209	1/1		DSTB10	2A5
NLD0	I	306	1/1		NLD10	2A0
READ0C	I	309	1/2		NRD10	2A6
REFMODE0	I	206	1/1		REF10	2A5
XBUSRD0J	O	IC	2/5		BUSRD0	2G3
XBUSRD1J	O	IC	2/5		BUSRD1	2G3
XCNLDB1J	O	IC	2/5		NLDB1	2G0
XCNLD0J	O	IC	2/5		NLD0	2G0
XCNRD1J	O	IC	2/5		NRD1	2G6
XCREF0J	O	IC	2/5		REF0	2G5
XCREF1J	O	IC	3/17		REF1	2G4
XCSEL0J	O	IC	2/5,6/12		SEL0	2G2
XCSEL1J	O	IC	2/5		SEL1	2G1
XRDSTB0J	O	IC	2/5		RDDSTB0	2G5
XRDSTB1J	O	IC	2/5		RDDSTB1	2G5
3T046B	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	

SYMBOL NO. 10 (CONT)

BIT SLICE BOARD DATA CONTROL
(BITS 20 AND 16)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC20.16	08-10	FA1060	A	

FS INFO LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO TERM. MOD	LOC
3T046B	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3VG0810T	GRD	319	3/17		GRD	
3V046B	PWR	000		202	+3	
	PWR	119		202	+3	

PART OF FS 1
SYMBOL(S) 7 8 9 10

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE	ISSUE
C2	1

BELL LABORATORIES | SD-1C902-03 | BiCC

PRINTED IN U. S. A. 03/76

PART OF FS 1

CONTROL AND TIMING

SYMBOL NO. 11

BIT SLICE BOARD ADDRESS AND DATA CONTROL
(BITS 15 AND 07)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC15.07	08-09	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		110			GRD110	2A7
		310			GRD310	2A7
ASEL0	I	211	1/1		SEL10	2A.
BUSRD0B	I	109	1/2		BUSRD10	2A3
DSTB0	I	209	1/1		DSTB10	2A5
NLD0	I	306	1/1		NLD10	2A0
READ0C	I	309	1/2		NRD10	2A6
REFMODE0	I	206	1/1		REF10	2A5
XBUSRD0H	O	IC	2/6		BUSRD0	2G3
XBUSRD1H	O	IC	2/6		BUSRD1	2G3
XCNLDB1H	O	IC	2/6		NLDB1	2G0
XCNLD0H	O	IC	2/6		NLD0	2G0
XCNRD1H	O	IC	2/6		NRD1	2G6
XCREF0H	O	IC	2/6		REF0	2G5
XCREF1H	O	IC	3/6		REF1	2G4
XCSEL0H	O	IC	2/6,6/13		SEL0	2G2
XCSEL1H	O	IC	2/6		SEL1	2G1
XRDSTB0H	O	IC	2/6		RDDSTB0	2G5
XRDSTB1H	O	IC	2/6		RDDSTB1	2G5
3T046A	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3VG0809T	GRD	319	3/6		GRD	
3V046A	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 12

BIT SLICE BOARD ADDRESS AND DATA CONTROL
(BITS 14 AND 06)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC14.06	08-08	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		110			GRD110	2A7
		310			GRD310	2A7
ASEL0	I	211	1/1		SEL10	2A2
BUSRD0B	I	109	1/2		BUSRD10	2A3
DSTB0	I	209	1/1		DSTB10	2A5
NLD0	I	306	1/1		NLD10	2A0
READ0D	I	309	1/5		NRD10	2A6
REFMODE0	I	206	1/1		REF10	2A5
XBUSRD0F	O	IC	2/8		BUSRD0	2G3
XBUSRD1F	O	IC	2/8		BUSRD1	2G3
XCNLDB1F	O	IC	2/8		NLDB1	2G0
XCNLD0F	O	IC	2/8		NLD0	2G0
XCNRD1F	O	IC	2/8		NRD1	2G6
XCREF0F	O	IC	2/8		REF0	2G5
XCREF1F	O	IC	3/8		REF1	2G4
XCSEL0F	O	IC	2/8,6/15		SEL0	2G2
XCSEL1F	O	IC	2/8		SEL1	2G1
XRDSTB0F	O	IC	2/8		RDDSTB0	2G5
XRDSTB1G	O	IC	2/7		RDDSTB1	2G5
3T046D	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3VG0808T	GRD	319	3/7		GRD	
3V046D	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 12 (CONT)

BIT SLICE BOARD ADDRESS AND DATA CONTROL
(BITS 14 AND 06)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC14.06	08-08	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
XBUSRD1G	O	IC	2/7		BUSRD1	2G3
XCNLDB1G	O	IC	2/7		NLDB1	2G0
XCNLD0G	O	IC	2/7		NLD0	2G0
XCNRD1G	O	IC	2/7		NRD1	2G6
XCREF0G	O	IC	2/7		REF0	2G5
XCREF1G	O	IC	3/7		REF1	2G4
XCSEL0G	O	IC	2/7,6/14		SEL0	2G2
XCSEL1G	O	IC	2/7		SEL1	2G1
XRDSTB0G	O	IC	2/7		RDDSTB0	2G5
XRDSTB1G	O	IC	2/7		RDDSTB1	2G5
3T046D	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3VG0808T	GRD	319	3/7		GRD	
3V046D	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 13

BIT SLICE BOARD ADDRESS AND DATA CONTROL
(BITS 13 AND 05)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC13.05	08-07	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		110			GRD110	2A7
		310			GRD310	2A7
ASEL0	I	211	1/1		SEL10	2A2
BUSRD0A	I	109	1/2		BUSRD10	2A3
DSTB0	I	209	1/1		DSTB10	2A5
NLD0	I	306	1/1		NLD10	2A0
READ0D	I	309	1/5		NRD10	2A6
REFMODE0	I	206	1/1		REF10	2A5
XBUSRD0E	O	IC	2/9		BUSRD0	2G3
XBUSRD1E	O	IC	2/9		BUSRD1	2G3
XCNLDB1E	O	IC	2/9		NLDB1	2G0
XCNLD0E	O	IC	2/9		NLD0	2G0
XCNRD1E	O	IC	2/9		NRD1	2G6
XCREF0E	O	IC	2/9		REF0	2G5
XCREF1E	O	IC	3/9		REF1	2G4
XCSEL0E	O	IC	2/9,6/16		SEL0	2G2
XCSEL1E	O	IC	2/9		SEL1	2G1
XRDSTB0E	O	IC	2/9		RDDSTB0	2G5
XRDSTB1E	O	IC	2/9		RDDSTB1	2G5
3T046B	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	

SYMBOL NO. 13 (CONT)

BIT SLICE BOARD ADDRESS AND DATA CONTROL
(BITS 13 AND 05)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC13.05	08-07	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
XRDSTB1F	O	IC	2/8		RDDSTB1	2G5
3T046C	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3V046C	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 14

BIT SLICE BOARD ADDRESS AND DATA CONTROL
(BITS 12 AND 04)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC12.04	08-06	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		110			GRD110	2A7
		310			GRD310	2A7
ASEL0	I	211	1/1		SEL10	2A2
BUSRD0A	I	109	1/2		BUSRD10	2A3
DSTB0	I	209	1/1		DSTB10	2A5
NLD0	I	306	1/1		NLD10	2A0
READ0D	I	309	1/5		NRD10	2A6
REFMODE0	I	206	1/1		REF10	2A5
XBUSRD0E	O	IC	2/9		BUSRD0	2G3
XBUSRD1E	O	IC	2/9		BUSRD1	2G3
XCNLDB1E	O	IC	2/9		NLDB1	2G0
XCNLD0E	O	IC	2/9		NLD0	2G0
XCNRD1E	O	IC	2/9		NRD1	2G6
XCREF0E	O	IC	2/9		REF0	2G5
XCREF1E	O	IC	3/9		REF1	2G4
XCSEL0E	O	IC	2/9,6/16		SEL0	2G2
XCSEL1E	O	IC	2/9		SEL1	2G1
XRDSTB0E	O	IC	2/9		RDDSTB0	2G5
XRDSTB1E	O	IC	2/9		RDDSTB1	2G5
3T046B	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	

SYMBOL NO. 14 (CONT)

BIT SLICE BOARD ADDRESS AND DATA CONTROL
(BITS 12 AND 04)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC12.04	08-06	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
3T046B	GRD	202		202	GRD	
	GRD	205		202	GRD	
	GRD	302		202	GRD	
	GRD	304		202	GRD	
	GRD	319		202	GRD	
3V046B	PWR	000		202	+3	
	PWR	119		202	+3	

PART OF FS 1
SYMBOL(S) 11 12 13 14

MAIN STORE CONTROLLER AND MEMORY

BELL LABORATORIES | SD-1C902-03

PART OF FS 1

CONTROL AND TIMING

SYMBOL NO. 15

BIT SLICE BOARD ADDRESS AND DATA CONTROL (BITS 11 AND 03)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC11.03	08-05	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		110			GRD110	2A7
		310			GRD310	2A7
ASEL0	I	211	1/1		SEL10	2A.
BUSRD0A	I	109	1/2		BUSRD10	2A3
DSTB0	I	209	1/1		DSTB10	2A5
NLD0	I	306	1/1		NLD10	2A0
READ0A	I	309	1/2		NRD10	2A6
REFMODE0	I	206	1/1		REF10	2A5
XBUSRD0D	0	IC	2/10		BUSRD0	2G3
XBUSRD1D	0	IC	2/10		BUSRD1	2G3
XCNLDB1D	0	IC	2/10		NLDB1	2G0
XCNLD0D	0	IC	2/10		NLD0	2G0
XCNRD1D	0	IC	2/10		NRD1	2G6
XCREF0D	0	IC	2/10		REF0	2G5
XCREF1D	0	IC	3/10		REF1	2G4
XCSEL0D	0	IC	2/10,6/17		SEL0	2G2
XCSEL1D	0	IC	2/10		SEL1	2G1
XRDSTB0D	0	IC	2/10		RDDSTB0	2G5
XRDSTB1D	0	IC	2/10		RDDSTB1	2G5
3T046A	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3V046A	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 16

BIT SLICE BOARD ADDRESS AND DATA CONTROL (BITS 10 AND 02)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC10.02	08-04	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		110			GRD110	2A7
		310			GRD310	2A7
ASEL0	I	211	1/1		SEL10	2A2
BUSRD0A	I	109	1/2		BUSRD10	2A3
DSTB0	I	209	1/1		DSTB10	2A5
NLD0	I	306	1/1		NLD10	2A0
READ0A	I	309	1/2		NRD10	2A6
REFMODE0	I	206	1/1		REF10	2A5
XBUSRD0C	0	IC	2/11		BUSRD0	2G3

SYMBOL NO. 16 (CONT)

BIT SLICE BOARD ADDRESS AND DATA CONTROL (BITS 10 AND 02)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC10.02	08-04	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
XBUSRD1C	0	IC	2/11		BUSRD1	2G3
XCNLDB1C	0	IC	2/11		NLDB1	2G0
XCNLD0C	0	IC	2/11		NLD0	2G0
XCNRD1C	0	IC	2/11		NRD1	2G6
XCREF0C	0	IC	2/11		REF0	2G5
XCREF1C	0	IC	3/11		REF1	2G4
XCSEL0C	0	IC	2/11,6/18		SEL0	2G2
XCSEL1C	0	IC	2/11		SEL1	2G1
XRDSTB0C	0	IC	2/11		RDDSTB0	2G5
XRDSTB1C	0	IC	2/11		RDDSTB1	2G5
3T046D	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3V046D	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 17

BIT SLICE BOARD ADDRESS AND DATA CONTROL (BITS 09 AND 01)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC09.01	08-03	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		110			GRD110	2A7
		310			GRD310	2A7
ASEL0	I	211	1/1		SEL10	2A2
BUSRD0A	I	109	1/2		BUSRD10	2A3
DSTB0	I	209	1/1		DSTB10	2A5
NLD0	I	306	1/1		NLD10	2A0
READ0A	I	309	1/2		NRD10	2A6
REFMODE0	I	206	1/1		REF10	2A5
XBUSRD0A	0	IC	2/13		BUSRD0	2G3
XBUSRD1A	0	IC	2/13		BUSRD1	2G3
XCNLDB1A	0	IC	2/13		NLDB1	2G0
XCNLD0A	0	IC	2/13		NLD0	2G0
XCNRD1A	0	IC	2/13		NRD1	2G6
XCREF0A	0	IC	2/13		REF0	2G5
XCREF1A	0	IC	3/13		REF1	2G4
XCSEL0A	0	IC	2/13,6/20		SELC	2G2
XCSEL1A	0	IC	2/13		SEL1	2G1
XRDSTB0A	0	IC	2/13		RDDSTB0	2G5
XRDSTB1A	0	IC	2/13		RDDSTB1	2G5
3T046B	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	

SYMBOL NO. 17 (CONT)

BIT SLICE BOARD ADDRESS AND DATA CONTROL (BITS 09 AND 01)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC09.01	08-03	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
XRDSTB1B	0	IC	2/12		RDDSTB1	2G5
3T046C	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3V046C	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 18

BIT SLICE BOARD ADDRESS AND DATA CONTROL (BITS 08 AND 00)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC08.00	08-02	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		110			GRD110	2A7
		310			GRD310	2A7
ASEL0	I	211	1/1		SEL10	2A2
BUSRD0A	I	109	1/2		BUSRD10	2A3
DSTB0	I	209	1/1		DSTB10	2A5
NLD0	I	306	1/1		NLD10	2A0
READ0A	I	309	1/2		NRD10	2A6
REFMODE0	I	206	1/1		REF10	2A5
XBUSRD0A	0	IC	2/13		BUSRD0	2G3
XBUSRD1A	0	IC	2/13		BUSRD1	2G3
XCNLDB1A	0	IC	2/13		NLDB1	2G0
XCNLD0A	0	IC	2/13		NLD0	2G0
XCNRD1A	0	IC	2/13		NRD1	2G6
XCREF0A	0	IC	2/13		REF0	2G5
XCREF1A	0	IC	3/13		REF1	2G4
XCSEL0A	0	IC	2/13,6/20		SELC	2G2
XCSEL1A	0	IC	2/13		SEL1	2G1
XRDSTB0A	0	IC	2/13		RDDSTB0	2G5
XRDSTB1A	0	IC	2/13		RDDSTB1	2G5
3T046B	GRD	0GD		202	GRD	
	GRD	002		202	GRD002	2A8
	GRD	003		202	GRD003	2A8
	GRD	005		202	GRD005	2A8
	GRD	102		202	GRD102	2A8
	GRD	105		202	GRD105	2A8
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	

SYMBOL NO. 18 (CONT)

BIT SLICE BOARD ADDRESS AND DATA CONTROL (BITS 08 AND 00)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
BSC08.00	08-02	FA1060	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
3T046B	GRD	202		202	GRD202	2A7
	GRD	205		202	GRD205	2A7
	GRD	302		202	GRD302	2A7
	GRD	304		202	GRD304	2A7
	GRD	319		202	GRD	
3V046B	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 19

NO. 2B DATA PARITY BUS DIRECTION CONTROL

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
2BDPARBD	08-14	FA1067	A	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
ASEL0	I	309	1/1		SEL10	2A
BUSRD0B	I	211	1/2		BUSRD10	2A
XBUSRD0B0	0	IC	2/18		BUSRD0B0	2H
XBUSRD0B1	0	IC	2/18		BUSRD0B1	2H
XCBUSRD0	0	IC	2/18		BUSRD0	2H
XCBUSRD1	0	IC	2/18		BUSRD1	2H
XSEL0	0	IC	2/18		SEL0	2H
XSEL1	0	IC	2/18		SEL1	2H
3T046A	GRD	0GD		202	GRD	
	GRD	005		202	GRD005	2A
	GRD	012		202	GRD012	2A
	GRD	017		202	GRD017	2A
	GRD	102		202	GRD102	2A
	GRD	107		202	GRD107	2A
	GRD	114		202	GRD114	2A
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	205		202	GRD205	2A
	GRD	212		202	GRD212	2A
	GRD	217		202	GRD217	2A
	GRD	302		202	GRD302	2A
	GRD	314		202	GRD314	2A
	GRD	319		202	GRD	
3V046A	PWR	000		202	+3	
	PWR	119		202	+3	

PART OF FS 1

SYMBOL(S) 15 16 17 18 19

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE C2

BELL LABORATORIES | SD-1C902-03 | E

PRINTED IN U. S. A.

PART OF FS 1
CONTROL AND TIMING

SYMBOL NO. 20

CLOCK AND POWER INITIALIZE

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CLK.PINT	08-23	FC203	E	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
CLOCK0A	OT	204	6/1		TCK0A	2E5
	I		1/1			
	OT	IC204	1/20		TCK0A	2D
CLOCK0B	OT	202	6/1		TCK0B	2E5
	I		3/1,5/2			
	OT	IC202	1/20		TCK0B	2D5
NLD0	I	105	1/1		NLDI0	2B5
PINIT0	O	305	6/2		PINIT0	2E5
PINIT1	I	004	10/9		PINITI1	2B5
SREQI0	I	006	TO CONN CKT		SREQI0	2B5
SREQ00	O	302	TO CONN CKT		SREQ0	2E5
XFSTPCK0	I	IC	6/1		FSTPCK0	2D5
XXNLDB1	O	IC	2/14		NLDB1	2D5
XXNLD0	O	IC	2/14		NLD0	2D5

PART OF FS 1
SYMBOL(S) 20

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE: C2	ISSUE: 1
BELL LABORATORIES	SD-1C902-03	B1CF

PRINTED IN U. S. A.

PART OF FS 1

CONTROL AND TIMING

COMPOSITE DIAGRAM 1

FUNCTIONAL DIAGRAM



PART OF FS 1
COMPOSITE DIAGRAM 1

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE 65	ISSUE 1
BELL LABORATORIES	SD-1C902-03	BIGA

PART OF FS 1

CONTROL AND TIMING

COMPOSITE DIAGRAM 2

CONTROL AND TIMING CONTROL DIAGRAM

NOTE:

1. ALL CIRCUITS SHOWN ON THIS COMPOSITE ARE CONTAINED ON CP FA1071 UNLESS OTHERWISE NOTED.



PART OF FS 1
COMPOSITE DIAGRAM 2

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE 6S	ISS 1
BELL LABORATORIES	SD-1C902-03	BIG

PART OF FS 1

CONTROL AND TIMING

COMPOSITE DIAGRAM 3

MAIN STORE BUS REPEATERS

NOTE:

1. NOT ALL BUS REPEATERS ARE IN FS 1, BUT FOR COMPLETENESS ALL TYPES OF CONFIGURATION ARE SHOWN IN THIS COMPOSITE.

ADDRESS, COMMANDS, AUTOMATIC CORRECTION, COMPLEMENT WRITE, STORE MAINTENANCE CHANNEL



DATA



STORE GØ



STORE BUSY



STORE COMPLETE AND ERROR C



ERROR A



ERROR B



PART OF FS 1
COMPOSITE DIAGRAM 3

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE 6S

ISSUE 1

BELL LABORATORIES | SD-IC902-03 | BIGC

PART OF FS 1

CONTROL AND TIMING

COMPOSITE DIAGRAM 4

TIMING SHIFT REGISTER



IDLE F/F

SET = NO ACTIVE BITS IN SHIFT REGISTER BITS 0 THRU 12, AND BIT 13 ACTIVE
CLEAR = SHIFTER BIT 0 ACTIVE.

MODE F/F

SET = IDLE F/F SET AND RREQ F/F SET.
CLEAR = SHIFTER BIT 12 ACTIVE.

SBY F/F

SET = SHIFTER BIT 2 ACTIVE AND STORE SELECTED.
CLEAR = IDLE F/F SET AND (STORE GO INACTIVE OR MODE F/F SET)

PART OF FS 1
COMPOSITE DIAGRAM 4

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE A5	ISSUE 1
BELL LABORATORIES	SD-1C902-03	BIGD

PART OF FS 1

CONTROL AND TIMING

COMPOSITE DIAGRAM 5

COMMAND REGISTER



NOTES:

1. COMMAND CODE BITS

SC3IO	SC2IO	SC1IO	SC0IO	FUNCTION
0	0	1	1	WRITE
1	1	0	0	READ
0	1	1	0	STORE WRITE PROTECT INFOMATION IN MAIN STORE
1	0	0	1	READ WRITE PROTECT INFOMATION FROM MAIN STORE
0	1	0	1	BLIND WRITE X
1	0	1	0	SPARE READ+

X BLIND WRITE CODE CAN ONLY BE USED WHEN ACCOMPANIED BY A WIRING OPTION ON THE MAIN STORE CONTROLLER BACKPLANE.

+ SPARE READ IS A NON-USABLE CODE; WHILE IT IS DECODED IN THE MAIN STORE IT IS NOT PRESENTLY USED AS AN ASSIGNED FUNCTION.

2. A LOW VOLTAGE ON THE MAIN STORE BUS IS DESIGNATED A LOGIC 1. A HIGH VOLTAGE ON THE MAIN STORE BUS IS DESIGNATED A LOGIC 0.

PART OF FS 1
COMPOSITE DIAGRAM 5

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE 6S	ISSUE 1
BELL LABORATORIES	SD-IC902-03	BIGE

PART OF FS 1

CONTROL AND TIMING

COMPOSITE DIAGRAM 6

MAIN STORE SELECT



MAIN STORE SELECT WIRING				
STORE	ADDRESS BITS 19	ADDRESS BITS 18	FROM	TO
STORE 0	0	0	08-18-318	08-18-109
	0	0	08-18-107	08-18-210
	0	0	08-17-002	08-17-101
	0	0	08-17-218	08-17-011
STORE 1	0	1	08-18-112	08-18-109
	0	1	08-18-107	08-18-210
	0	1	08-17-300	08-17-101
	0	1	08-17-218	08-17-011
STORE 2	1	0	08-18-318	08-18-109
	1	0	08-18-307	08-18-210
	1	0	08-17-002	08-17-101
	1	0	08-17-311	08-17-011
STORE 3	1	1	08-18-112	08-18-109
	1	1	08-18-307	08-18-210
	1	1	08-17-300	08-17-101
	1	1	08-17-311	08-17-011

PART OF FS 1
COMPOSITE DIAGRAM 6

MAIN STORE CONTROLLER AND MEMORY (2)

DWG SIZE 65 | ISSUE 1

BELL LABORATORIES | SD-IC902-03 | BIGF

PART OF FS 1

CONTROL AND TIMING

COMPOSITE DIAGRAM 7

TIMING DIAGRAM



NOTES:

1. THIS EDGE IS CONTROLLED BY THE 3A CC AND DOES NOT NECESSARILY OCCUR AT THIS TIME. THE AFTER BIT (SHB00) WILL NOT OCCUR UNTIL ... AND COINCIDENT WITH THE MAIN STORE ...
2. THIS EDGE IS CONTROLLED BY THE 3A CC AND DOES NOT NECESSARILY OCCUR AT THIS TIME. THE ... OF SGØ IS ASYNCHRONOUS TO THE ...

PART OF FS 1
COMPOSITE DIAGRAM 7

MAIN STORE CONTROLLER AND MEMORY

BELL LABORATORIES | SD-IC902-03

PART OF FS 2

ADDRESS AND DATA
INTERCONNECTION AND FLOW DIAGRAM

NOTES:
1. LEADS SHOWN COULD FUNCTION AS EITHER OUTPUTS OR INPUTS (OI). ALL OFF-PAGE REFERENCING WILL BE SHOWN ON OUTPUT LEAD.



PART OF FS 2
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE D	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B2AA

E - 7825 (12 - 73)

PRINTED IN U.S.A.

PART OF FS 2

ADDRESS AND DATA
INTERCONNECTION AND FLOW DIAGRAM

NOTES:
1. LEADS SHOWN COULD FUNCTION AS EITHER OUTPUTS OR INPUTS (OI). ALL OFF-PAGE REFERENCING WILL BE SHOWN ON OUTPUT LEAD.



PART OF FS 2
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 65	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B2AB

E-7421(12-73) PRINTED IN U.S.A.

PART OF FS 2

ADDRESS AND DATA
INTERCONNECTION AND FLOW DIAGRAM

NOTES:

1. LEADS SHOWN COULD FUNCTION AS EITHER OUTPUTS OR INPUTS (BI). ALL OFF-PAGE REFERENCING WILL BE SHOWN ON OUTPUT LEAD.



PART OF FS 2
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	ISSUE —
BELL LABORATORIES	SD-1C902-03	B2AC

PRINTED IN U.S.A.

PART OF FS 2

ADDRESS AND DATA
INTERCONNECTION AND FLOW DIAGRAM

NOTES:

1. LEADS SHOWN COULD FUNCTION AS EITHER OUTPUTS OR INPUTS (01). ALL OFF-PAGE REFERENCING WILL BE SHOWN ON OUTPUT LEAD.



PART OF FS 2
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY

2

DWG SIZE

BELL LABORATORIES

SD-IC902-03

PART OF FS 2

ADDRESS AND DATA
INTERCONNECTION AND FLOW DIAGRAM

NOTES:

1. LEADS SHOWN COULD FUNCTION AS EITHER OUTPUTS OR INPUTS (OI). ALL OFF-PAGE REFERENCING WILL BE SHOWN ON OUTPUT LEAD.



PART OF FS 2
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY

(2)

SIZE A5

ISSUE 1

BELL LABORATORIES SD-1C902-03

B2AE

PART OF FS 2

ADDRESS AND DATA

SYMBOL NO. 1

ADDRESS AND DATA REGISTERS
(DATA BITS PL AND PH, ADDRESS BITS PL AND 16)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
A.DPH.PL	08-16	FA1060	B	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
AD16O	0	106	4/1		WPAD1O	3H3
AP7.01A	0	204	7/1 8/11-24(BTR)		AD01A	3H1
AP7.01B	0	004	7/15 8/11-24(BTR)		AD01B	3H2
A161A	0	201	7/1 8/11-24(BTR)		AD11A	3H4
A161B	0	001	7/15 8/11-24(BTR)		AD11B	3H5
COMPRD0B	I	301	5/4		COMPRDI0	4A6
COMWRT0B	I	101	1/3		COMWRTI0	4A2
DPH0	OI	009	5/3		D10	4H3
DPL0	OI	006	5/2		D00	5H3
RDDPH0A	I	111	7/2		RDD1AI0	4A4
RDDPH0B	I	311	7/16		RDD1BI0	4A5
RDDPL0A	I	010	7/2		RDD0AI0	5A3
RDDPL0B	I	210	7/16		RDD0BI0	5A5
SAPLI0	I	018	TO CONN CKT		SAD0I0	3A3
SAPL00	0	112	TO CONN CKT		SAD00	3H2
SA16I0	I	317	TO CONN CKT		SAD11O	3A3
SA1600	0	312	TO CONN CKT		SAD10	3H4
SDPHI0	OI	013	2/18 TO CONN CKT		TSD11O	4A0
SDPH00	OI	213	TO CONN CKT		TG.SD10	4G8
SDPLI0	OI	314	2/18 TO CONN CKT		TSD0I0	5A0
SDPL00	OI	113	TO CONN CKT		TG.SD00	5G7
WRTDPH0A	0	303	7/2 8/11-24(BTR)		D10A	4H2
WRTDPH0B	0	103	7/16 8/11-24(BTR)		D10B	4H3
WRTDPL0A	0	300	7/2 8/11-24(BTR)		D00A	5H2
WRTDPL0B	0	100	7/16 8/11-24(BTR)		D00B	5H3
WRTMD0B	I	214	1/3		WRTMDI0	4A0
XBUSRD0N	I	IC	1/6		BUSRD0	4A8
XBUSRD1N	I	IC	1/6		BUSRD1	4A7
XCINIT1N	I	IC	6/8		INIT1	4A2
XCNLDB1N	I	IC	1/6		NLDB1	3D0
XCNLD0N	I	IC	1/6		NLD0	3D0
XCNRD1N	I	IC	1/6		NRD1	4A5
XCOMWT0N	O	IC	4/3		COMWRT0	4H1
XCREF0N	I	IC	1/6		REF0	3D0
XCSD01BN	O	IC	6/8		SD01B	5H1
XCSD01CN	O	IC	4/3		SD01C	5H0
XCSD11BN	O	IC	6/8		SD11B	4H1
XCSD11CN	O	IC	4/3		SD11C	4H1
XCSEL0N	I	IC	1/6		SEL0	4A7
XCSEL1N	I	IC	1/6		SEL1	4A5
XCTAD00N	OT I	IC	3/5 6/8		TAD00	3H2
XCTAD10N	OT I	IC	3/5 6/8		TAD10	3H3
XNIT0AN	I	IC	6/8		INIT0A	3D0
XRDSTB0N	I	IC	1/6		RDDSTB0	4A3
XRDSTB1N	I	IC	1/6		RDDSTB1	4A3
XSOCKB1N	I	IC	6/8		ISOCKB1	4A8
XTRED01N	I	IC	6/8		TRETD01	5A5
XTRED11N	I	IC	6/8		TRETD11	4A7

SYMBOL NO. 2

DATA REGISTER, 28
(BITS 19 AND 23)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
D2B23.19	08-13	FA1060	B	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		001			AD11B	3H5
		004			AD01B	3H2
		018			SAD0I0	3A3
		106			WPAD10	3H3
		112			SAD00	3H2
		201			AD11A	3H4
		204			AD01A	3H1
		312			SAD10	3H4
		317			SAD11O	3A3
COMPRD0B	I	301	5/4		COMPRDI0	4A6
COMWRT0B	I	101	1/3		COMWRTI0	4A2
D190	OI	006	2/18,5/2		D00	5H3
D230	OI	009	2/18,5/3		D10	4H3
RDD190A	I	010	7/3		RDD0AI0	5A3
RDD190B	I	210	7/17		RDD0BI0	5A5
RDD230A	I	111	7/3		RDD1AI0	4A4
RDD230B	I	311	7/17		RDD1BI0	4A5
SD1910	OI	314	TO CONN CKT		TSD010	5A0
SD1900	OI	113	TO CONN CKT		TG.SD00	5G7
SD2310	OI	013	TO CONN CKT		TSD11O	4A0
SD2300	OI	213	TO CONN CKT		TG.SD10	4G8
WRTD190A	0	300	7/3 8/11-24(BTR)		D00A	5H2
WRTD190B	0	100	7/17 8/11-24(BTR)		D00B	5H3
WRTD230A	0	303	7/3 8/11-24(BTR)		D10A	4H2
WRTD230B	0	103	7/17 8/11-24(BTR)		D10B	4H3
WRTMD0B	I	214	1/3		WRTMDI0	4A0
XBUSRD0M	I	IC	1/7		BUSRD0	4A8
XBUSRD1M	I	IC	1/7		BUSRD1	4A7
XCINIT1M	I	IC	6/9		INIT1	4A2
XCNLDB1M	I	IC	1/7		NLDB1	3D0
XCNLD0M	I	IC	1/7		NLD0	3D0
XCNRD1M	I	IC	1/7		NRD1	4A5
XCOMWT0M	O	IC	4/12		COMWRT0	4H1
XCREF0M	I	IC	1/7		REF0	3D0
XCSD01BM	O	IC	6/9		SD01B	5H1
XCSD01CM	O	IC	4/12		SD01C	5H0
XCSD11BM	O	IC	6/9		SD11B	4H1
XCSD11CM	O	IC	4/12		SD11C	4H1
XCSEL0M	I	IC	1/7		SEL0	4A7
XCSEL1M	I	IC	1/7		SEL1	4A5
XCTAD00M	OT I	IC	3/14 6/9		TAD00	3H2
XCTAD10M	OT I	IC	3/14 6/9		TAD10	3H3
XNIT0AM	I	IC	6/9		INIT0A	3D0
XRDSTB0M	I	IC	1/7		RDDSTB0	4A3
XRDSTB1M	I	IC	1/7		RDDSTB1	4A3
XSOCKB1M	I	IC	6/9		ISOCKB1	4A8
XTRED01M	I	IC	6/9		TRETD01	5A5
XTRED11M	I	IC	6/9		TRETD11	4A7

SYMBOL NO. 3

DATA REGISTER, 28
(BITS 18 AND 22)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
D2B22.18	08-12	FA1060	B	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		001			AD11B	3H5
		004			AD01B	3H2
		018			SAD0I0	3A3
		106			WPAD10	3H3
		112			SAD00	3H2
		201			AD11A	3H4
		204			AD01A	3H1
		312			SAD10	3H4
		317			SAD11O	3A3
COMPRD3B	I	301	5/4		COMPRDI0	4A6
COMWRT3B	I	101	1/3		COMWRTI0	4A2
D180	OI	006	2/18,5/2		D00	5H3
D220	OI	009	2/18,5/3		D10	4H3
RDD180A	I	010	7/4		RDD0AI0	5A3
RDD180B	I	210	7/18		RDD0BI0	5A5
RDD220A	I	111	7/4		RDD1AI0	4A4
RDD220B	I	311	7/18		RDD1BI0	4A5
SD1810	OI	314	TO CONN CKT		TSD010	5A0
SD1800	OI	113	TO CONN CKT		TG.SD00	5G7
SD2210	OI	013	TO CONN CKT		TSD11O	4A0
SD2200	OI	213	TO CONN CKT		TG.SD10	4G8
WRTD180A	0	300	7/4 8/11-24(BTR)		D00A	5H2
WRTD180B	0	100	7/18 8/11-24(BTR)		D00B	5H3
WRTD220A	0	303	7/4 8/11-24(BTR)		D10A	4H2
WRTD220B	0	103	7/18 8/11-24(BTR)		D10B	4H3
WRTMD0B	I	214	1/3		WRTMDI0	4A0
XBUSRD0L	I	IC	1/8		BUSRD0	4A8
XBUSRD1L	I	IC	1/8		BUSRD1	4A7
XCINIT1L	I	IC	6/10		INIT1	4A2
XCNLDB1L	I	IC	1/8		NLDB1	3D0
XCNLD0L	I	IC	1/8		NLD0	3D0
XCNRD1L	I	IC	1/8		NRD1	4A5
XCOMWT0L	O	IC	4/13		COMWRT0	4H1
XCREF0L	I	IC	1/8		REF0	3D0
XCSD01BL	O	IC	6/10		SD01B	5H1
XCSD01CL	O	IC	4/13		SD01C	5H0
XCSD11BL	O	IC	6/10		SD11B	4H1
XCSD11CL	O	IC	4/13		SD11C	4H1
XCSEL0L	I	IC	1/8		SEL0	4A7
XCSEL1L	I	IC	1/8		SEL1	4A5
XCTAD00L	OT I	IC	3/15 6/10		TAD00	3H2
XCTAD10L	OT I	IC	3/15 6/10		TAD10	3H3
XNIT0AL	I	IC	6/10		INIT0A	3D0
XRDSTB0L	I	IC	1/8		RDDSTB0	4A3
XRDSTB1L	I	IC	1/8		RDDSTB1	4A3
XSOCKB1L	I	IC	6/10		ISOCKB1	4A8
XTRED01L	I	IC	6/10		TRETD01	5A5
XTRED11L	I	IC	6/10		TRETD11	4A7

PART OF FS 2
SYMBOL(S) 1 2 3

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE	ISSUE
C2	1

BELL LABORATORIES | SD-1C902-03 | B2CA

PRINTED IN U. S. A. 03/06/78

PART OF FS 2

ADDRESS AND DATA

SYMBOL NO. 4

DATA REGISTER, 2B
(BITS 17 AND 21)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
D2B21.17	08-11	FA1060	B	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		001		
		004		
		018		
		106		
		112		
		Z01		
		Z04		
		312		
		317		
COMPRDJB	I	301	5/4	
COMWRT0C	I	101	1/3	
D170	OI	006	2/18,5/2	
D210	OI	009	2/18,5/3	
RDD170A	I	010	7/5	
RDD170B	I	210	7/19	
RDD210A	I	111	7/5	
RDD210B	I	311	7/19	
SD1710	OI	314	TO CONN CKT	
SD1700	OI	113	TO CONN CKT	
SD2110	OI	013	TO CONN CKT	
SD2100	OI	213	TO CONN CKT	
WRTD170A	0	300	7/5 8/11-24(BTR)	
WRTD170B	0	100	7/19 8/11-24(BTR)	
WRTD210A	0	303	7/5 8/11-24(BTR)	
WRTD210B	0	103	7/19 8/11-24(BTR)	
WRTMD0B	I	214	1/3	
XBUSRD0K	I	IC	1/9	
XBUSRD1K	I	IC	1/9	
XCINIT1K	I	IC	6/11	
XCNLDB1K	I	IC	1/9	
XCNLD0K	I	IC	1/9	
XCNRD1K	I	IC	1/9	
XCOMWT0K	0	IC	4/14	
XCREF0K	I	IC	1/9	
XCSD01BK	0	IC	6/11	
XCSD01CK	0	IC	4/14	
XCSD11BK	0	IC	6/11	
XCSD11CK	0	IC	4/14	
XCSEL0K	I	IC	1/9	
XCSEL1K	I	IC	1/9	
XCTAD00K	OT I	IC	3/16 6/11	
XCTAD10K	OT I	IC	3/16 6/11	
XNITOAK	I	IC	6/11	
XRDSTB0K	I	IC	1/9	
XRDSTB1K	I	IC	1/9	
XSOCKB1K	I	IC	6/11	
XTRED01K	I	IC	6/11	
XTRED11K	I	IC	6/11	

CP INFO

TERM. MOD	LOC
AD11B	3H5
AD01B	3H2
SAD010	3A
WPAD10	3H3
SAD00	3H2
AD11A	3H4
AD01A	3H1
SAD10	3H4
SAD110	3A3
COMPRDI0	4A6
COMWRTI0	4A2
D00	5H3
D10	4H3
RDD0AI0	5A3
RDD0BI0	5A5
RDD1AI0	4A4
RDD1BI0	4A5
TSD010	5A0
TG.SD00	5G7
TSD110	4A0
TG.SD10	4G8
D00A	5H2
D00B	5H3
D10A	4H2
D10B	4H3
WRTMDI0	4A0
BUSRD0	4A8
BUSRD1	4A7
INIT1	4A2
NLDB1	3D0
NLD0	3D0
NRD1	4A5
COMWRT0	4H1
REF0	3D0
SD01B	5H1
SD01C	5H0
SD11B	4H1
SD11C	4H1
SEL0	4A7
SEL1	4A5
TAD00	3H2
TAD10	3H3
INITOA	3D0
RDDSTB0	4A3
RDDSTB1	4A3
ISOCKB1	4A8
TRETD01	5A5
TRETD11	4A7

SYMBOL NO. 5

DATA REGISTER, 2B
(BITS 16 AND 20)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
D2B20.16	08-10	FA1060	B	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		001		
		004		
		018		
		106		
		112		
		Z01		
		Z04		
		312		
		317		
COMPRD0C	I	301	5/4	
COMWRT0C	I	101	1/3	
D160	OI	006	2/18,5/2	
D200	OI	009	2/18,5/3	
RDD160A	I	010	7/6	
RDD160B	I	210	7/20	
RDD200A	I	111	7/6	
RDD200B	I	311	7/20	
SD1610	OI	314	TO CONN CKT	
SD1600	OI	113	TO CONN CKT	
SD2910	OI	013	TO CONN CKT	
SD2900	OI	213	TO CONN CKT	
WRTD160A	0	300	7/6 8/11-24(BTR)	
WRTD160B	0	100	7/20 8/11-24(BTR)	
WRTD200A	0	303	7/6 8/11-24(BTR)	
WRTD200B	0	103	7/20 8/11-24(BTR)	
WRTMD0B	I	214	1/3	
XBUSRD0J	I	IC	1/10	
XBUSRD1J	I	IC	1/10	
XCINIT1J	I	IC	6/12	
XCNLDB1J	I	IC	1/10	
XCNLD0J	I	IC	1/10	
XCNRD1J	I	IC	1/10	
XCOMWT0J	0	IC	4/15	
XCREF0J	I	IC	1/10	
XCSD01BJ	0	IC	6/12	
XCSD01CJ	0	IC	4/15	
XCSD11BJ	0	IC	6/12	
XCSD11CJ	0	IC	4/15	
XCSEL0J	I	IC	1/10	
XCSEL1J	I	IC	1/10	
XCTAD00J	OT I	IC	3/17 6/12	
XCTAD10J	OT I	IC	3/17 6/12	
XNITOAJ	I	IC	6/12	
XRDSTB0J	I	IC	1/10	
XRDSTB1J	I	IC	1/10	
XSOCKB1J	I	IC	6/12	
XTRED01J	I	IC	6/12	
XTRED11J	I	IC	6/12	

CP INFO

TERM. MOD	LOC
AD11B	3H5
AD01B	3H2
SAD010	3A3
WPAD10	3H3
SAD00	3H2
AD11A	3H4
AD01A	3H1
SAD10	3H4
SAD110	3A3
COMPRDI0	4A6
COMWRTI0	4A2
D00	5H3
D10	4H3
RDD0AI0	5A3
RDD0BI0	5A5
RDD1AI0	4A4
RDD1BI0	4A5
TSD010	5A0
TG.SD00	5G7
TSD110	4A0
TG.SD10	4G8
D00A	5H2
D00B	5H3
D10A	4H2
D10B	4H3
WRTMDI0	4A0
BUSRD0	4A8
BUSRD1	4A7
INIT1	4A2
NLDB1	3D0
NLD0	3D0
NRD1	4A5
COMWRT0	4H1
REF0	3D0
SD01B	5H1
SD01C	5H0
SD11B	4H1
SD11C	4H1
SEL0	4A7
SEL1	4A5
TAD00	3H2
TAD10	3H3
INITOA	3D0
RDDSTB0	4A3
RDDSTB1	4A3
ISOCKB1	4A8
TRETD01	5A5
TRETD11	4A7

SYMBOL NO. 6

ADDRESS AND DATA REGISTERS
(BITS 07 AND 15)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
A.D15.07	08-09	FA1060	B	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
AD150	0	106	4/1	
A071A	0	204	7/1 8/11-24(BTR)	
A071B	0	004	7/15 8/11-24(BTR)	
A151A	0	ZC1	7/1 8/11-24(BTR)	
A151B	0	001	7/15 8/11-24(BTR)	
COMPRD0C	I	301	5/4	
COMWRT0C	I	101	1/3	
D070	OI	006	5/2	
D150	OI	009	5/3	
RDD070A	I	010	7/7	
RDD070B	I	210	7/21	
RDD150A	I	111	7/7	
RDD150B	I	311	7/21	
SA0710	I	018	TO CONN CKT	
SA0700	0	112	TO CONN CKT	
SA1510	I	317	TO CONN CKT	
SA1500	0	312	TO CONN CKT	
SD0710	OI	314	TO CONN CKT	
SD0700	OI	113	TO CONN CKT	
SD1510	OI	013	TO CONN CKT	
SD1500	OI	213	TO CONN CKT	
WRTD070A	0	300	7/7 8/11-24(BTR)	
WRTD070B	0	100	7/21 8/11-24(BTR)	
WRTD150A	0	303	7/7 8/11-24(BTR)	
WRTD150B	0	103	7/21 8/11-24(BTR)	
WRTMD0A	I	214	1/3	
XBUSRD0H	I	IC	1/11	
XBUSRD1H	I	IC	1/11	
XCINIT1H	I	IC	6/13	
XCNLDB1H	I	IC	1/11	
XCNLD0H	I	IC	1/11	
XCNRD1H	I	IC	1/11	
XCOMWT0H	0	IC	4/4	
XCREF0H	I	IC	1/11	
XCSD01BH	0	IC	6/13	
XCSD01CH	0	IC	4/4	
XCSD11BH	0	IC	6/13	
XCSD11CH	0	IC	4/4	
XCSEL0H	I	IC	1/11	
XCSEL1H	I	IC	1/11	
XCTAD00H	OT I	IC	3/6 6/13	
XCTAD10H	OT I	IC	3/6 6/13	
XNITOAH	I	IC	6/13	
XRDSTB0H	I	IC	1/11	
XRDSTB1H	I	IC	1/11	
XSOCKB1H	I	IC	6/13	
XTRED01H	I	IC	6/13	
XTRED11H	I	IC	6/13	

CP INFO

TERM. MOD	LOC
WPAD10	3H3
AD01A	3H1
AD01B	3H2
AD11A	3H4
AD11B	3H5
COMPRDI0	4A6
COMWRTI0	4A2
D00	5H3
D10	4H3
RDD0AI0	5A3
RDD0BI0	5A5
RDD1AI0	4A4
RDD1BI0	4A5
SAD010	3A3
SAD00	3H2
SAD110	3A3
SAD10	3H4
TSD010	5A0
TG.SD00	5G7
TSD110	4A0
TG.SD10	4G8
D00A	5H2
D00B	5H3
D10A	4H2
D10B	4H3
WRTMDI0	4A0
BUSRD0	4A8
BUSRD1	4A7
INIT1	4A2
NLDB1	3D0
NLD0	3D0
NRD1	4A5
COMWRT0	4H1
REF0	3D0
SD01B	5H1
SD01C	5H0
SD11B	4H1
SD11C	4H1
SEL0	4A7
SEL1	4A5
TAD00	3H2
TAD10	3H3
INITOA	3D0
RDDSTB0	4A3
RDDSTB1	4A3
ISOCKB1	4A8
TRETD01	5A5
TRETD11	4A7

PART OF FS 2
SYMBOL(S) 4 5 6

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE C2	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B2CB

PRINTED IN U. S. A.

PART OF FS 2

ADDRESS AND DATA

SYMBOL NO. 7

ADDRESS AND DATA REGISTERS (BITS 06 AND 14)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
A.D14.06	08-08	FA1060	B	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
A061A	0	204	7/1 8/11-24(BTR)		AD01A	3H1
A061B	0	004	7/15 8/11-24(BTR)		AD01B	3H.
A141A	0	201	7/1 8/11-24(BTR)		AD11A	3H4
A141B	0	001	7/15 8/11-24(BTR)		AD11B	3H5
COMPRD0C	I	301	5/4		COMPRDI0	4A6
COMWRT0C	I	101	1/3		COMWRTI0	4A2
D060	OI	006	5/2		D00	5H3
D140	OI	009	5/3		D10	4H3
RDD060A	I	010	7/8		RDD0AI0	5A3
RDD060B	I	210	7/22		RDD0BI0	5A5
RDD140A	I	111	7/8		RDD1AI0	4A4
RDD140B	I	311	7/22		RDD1BI0	4A5
SA0610	I	018	TO CONN CKT		SAD0I0	3A3
SA060[illegible]	0	112	TO CONN CKT		SAD00	3H2
SA1410	I	317	TO CONN CKT		SAD1I0	3A3
SA1400	0	312	TO CONN CKT		SAD10	3H4
SD0610	OI	314	TO CONN CKT		TSD0I0	5A0
SD0600	OI	113	TO CONN CKT		TG.SD00	5G7
SD1410	OI	013	TO CONN CKT		TSD1I0	4A0
SD1400	OI	213	TO CONN CKT		TG.SD10	4G8
WPAD140	0	106	4/2		WPAD10	3H3
WRTD060A	0	300	7/8 8/11-24(BTR)		D00A	5H2
WRTD060B	0	100	7/22 8/11-24(BTR)		D00B	5H3
WRTD140A	0	303	7/8 8/11-24(BTR)		D10A	4H2
WRTD140B	0	103	7/22 8/11-24(BTR)		D10B	4H3
WRTMD0A	I	214	1/3		WRTMDI0	4A0
XBUSRD0G	I	IC	1/12		BUSRD0	4A8
XBUSRD1G	I	IC	1/12		BUSRD1	4A7
XCINIT1G	I	IC	6/14		INIT1	4A2
XCNLDB1G	I	IC	1/12		NLDB1	3D0
XCNLD0G	I	IC	1/12		NLD0	3D0
XCNRD1G	I	IC	1/12		NRD1	4A5
XCOMWT0G	0	IC	4/5		COMWRT0	4H1
XCREF0G	I	IC	1/12		REF0	3D0
XCSD01BG	0	IC	6/14		SD01B	5H1
XCSD01CG	0	IC	4/5		SD01C	5H0
XCSD11BG	0	IC	6/14		SD11B	4H1
XCSD11CG	0	IC	4/5		SD11C	4H1
XCSEL0G	I	IC	1/12		SEL0	4A7
XCSEL1G	I	IC	1/12		SEL1	4A5
XCTAD00G	OT I	IC	3/7 6/14		TAD00	3H2
XCTAD10G	OT I	IC	3/7 6/14		TAD10	3H3
XNITOAG	I	IC	6/14		INITOA	3D0
XRDSTB0G	I	IC	1/12		RDDSTB0	4A3
XRDSTB1G	I	IC	1/12		RDDSTB1	4A3
XSOCKB1G	I	IC	6/14		ISOCKB1	4A8
XTRED01G	I	IC	6/14		TRETD01	5A5
XTRED11G	I	IC	6/14		TRETD11	4A7

SYMBOL NO. 8

ADDRESS AND DATA REGISTERS (BITS 05 AND 13)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
A.D13.05	08-07	FA1060	B	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
A051A	0	204	7/1 8/11-24(BTR)		AD01A	3H1
A051B	0	004	7/15 8/11-24(BTR)		AD01B	3H2
A131A	0	201	7/1 8/11-24(BTR)		AD11A	3H4
A131B	0	001	7/15 8/11-24(BTR)		AD11B	3H5
COMPRD0C	I	301	5/4		COMPRDI0	4A6
COMWRT0C	I	101	1/3		COMWRTI0	4A2
D050	OI	006	5/2		D00	5H3
D130	OI	009	5/3		D10	4H3
RDD050A	I	010	7/9		RDD0AI0	5A3
RDD050B	I	210	7/23		RDD0BI0	5A5
RDD130A	I	111	7/9		RDD1AI0	4A4
RDD130B	I	311	7/23		RDD1BI0	4A5
SA0510	I	018	TO CONN CKT		SAD0I0	3A3
SA0500	0	112	TO CONN CKT		SAD00	3H2
SA1310	I	317	TO CONN CKT		SAD1I0	3A3
SA1300	0	312	TO CONN CKT		SAD10	3H4
SD0510	OI	314	TO CONN CKT		TSD0I0	5A0
SD0500	OI	113	TO CONN CKT		TG.SD00	5G7
SD1310	OI	013	TO CONN CKT		TSD1I0	4A0
SD1300	OI	213	TO CONN CKT		TG.SD10	4G8
WPAD130	0	106	4/2		WPAD10	3H3
WRTD050A	0	300	7/9 8/11-24(BTR)		D00A	5H2
WRTD050B	0	100	7/23 8/11-24(BTR)		D00B	5H3
WRTD130A	0	303	7/9 8/11-24(BTR)		D10A	4H2
WRTD130B	0	103	7/23 8/11-24(BTR)		D10B	4H3
WRTMD0A	I	214	1/3		WRTMDI0	4A0
XBUSRD0F	I	IC	1/13		BUSRD0	4A8
XBUSRD1F	I	IC	1/13		BUSRD1	4A7
XCINIT1F	I	IC	6/15		INIT1	4A2
XCNLDB1F	I	IC	1/13		NLDB1	3D0
XCNLD0F	I	IC	1/13		NLD0	3D0
XCNRD1F	I	IC	1/13		NRD1	4A5
XCOMWT0F	0	IC	4/6		COMWRT0	4H1
XCREF0F	I	IC	1/13		REF0	3D0
XCSD01BF	0	IC	6/15		SD01B	5H1
XCSD01CF	0	IC	4/6		SD01C	5H0
XCSD11BF	0	IC	6/15		SD11B	4H1
XCSD11CF	0	IC	4/6		SD11C	4H1
XCSEL0F	I	IC	1/13		SEL0	4A7
XCSEL1F	I	IC	1/13		SEL1	4A5
XCTAD00F	OT I	IC	3/8 6/15		TAD00	3H2
XCTAD10F	OT I	IC	3/8 6/15		TAD10	3H3
XNITOAF	I	IC	6/15		INITOA	3D0
XRDSTB0F	I	IC	1/13		RDDSTB0	4A3
XRDSTB1F	I	IC	1/13		RDDSTB1	4A3
XSOCKB1F	I	IC	6/15		ISOCKB1	4A8
XTRED01F	I	IC	6/15		TRETD01	5A5
XTRED11F	I	IC	6/15		TRETD11	4A7

SYMBOL NO. 9

ADDRESS AND DATA REGISTERS (BITS 04 AND 12)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
A.D12.04	08-06	FA1060	B	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
A041A	0	204	7/1 8/11-24(BTR)		AD01A	3H1
A041B	0	004	7/15 8/11-24(BTR)		AD01B	3H2
A121A	0	201	7/1 8/11-24(BTR)		AD11A	3H4
A121B	0	001	7/15 8/11-24(BTR)		AD11B	3H5
COMPRD0A	I	301	5/4		COMPRDI0	4A6
COMWRT0A	I	101	1/3		COMWRTI0	4A2
D040	OI	006	5/2		D00	5H3
D120	OI	009	5/3		D10	4H3
RDD040A	I	010	7/10		RDD0AI0	5A3
RDD040B	I	210	7/24		RDD0BI0	5A5
RDD120A	I	111	7/10		RDD1AI0	4A4
RDD120B	I	311	7/24		RDD1BI0	4A5
SA0410	I	018	TO CONN CKT		SAD0I0	3A3
SA0400	0	112	TO CONN CKT		SAD00	3H2
SA1210	I	317	TO CONN CKT		SAD1I0	3A3
SA1200	0	312	TO CONN CKT		SAD10	3H4
SD0410	OI	314	TO CONN CKT		TSD0I0	5A0
SD0400	OI	113	TO CONN CKT		TG.SD00	5G7
SD1210	OI	013	TO CONN CKT		TSD1I0	4A0
SD1200	OI	213	TO CONN CKT		TG.SD10	4G8
WPAD120	0	106	4/2		WPAD10	3H3
WRTD040A	0	300	7/10 8/11-24(BTR)		D00A	5H2
WRTD040B	0	100	7/24 8/11-24(BTR)		D00B	5H3
WRTD120A	0	303	7/10 8/11-24(BTR)		D10A	4H2
WRTD120B	0	103	7/24 8/11-24(BTR)		D10B	4H3
WRTMD0A	I	214	1/3		WRTMDI0	4A0
XBUSRD0E	I	IC	1/14		BUSRD0	4A8
XBUSRD1E	I	IC	1/14		BUSRD1	4A7
XCINIT1E	I	IC	6/16		INIT1	4A2
XCNLDB1E	I	IC	1/14		NLDB1	3D0
XCNLD0E	I	IC	1/14		NLD0	3D0
XCNRD1E	I	IC	1/14		NRD1	4A5
XCOMWT0E	0	IC	4/7		COMWRT0	4H1
XCREF0E	I	IC	1/14		REF0	3D0
XCSD01BE	0	IC	6/16		SD01B	5H1
XCSD01CE	0	IC	4/7		SD01C	5H0
XCSD11BE	0	IC	6/16		SD11B	4H1
XCSD11CE	0	IC	4/7		SD11C	4H1
XCSEL0E	I	IC	1/14		SEL0	4A7
XCSEL1E	I	IC	1/14		SEL1	4A5
XCTAD00E	OT I	IC	3/9 6/16		TAD00	3H2
XCTAD10E	OT I	IC	3/9 6/16		TAD10	3H3
XNITOAE	I	IC	6/16		INITOA	3D0
XRDSTB0E	I	IC	1/14		RDDSTB0	4A3
XRDSTB1E	I	IC	1/14		RDDSTB1	4A3
XSOCKB1E	I	IC	6/16		ISOCKB1	4A8
XTRED01E	I	IC	6/16		TRETD01	5A5
XTRED11E	I	IC	6/16		TRETD11	4A7

PART OF FS 2

SYMBOL(S) 7 & 9

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE: C | ISSUE: 1

BELL LABORATORIES | SD-1C902-03 | BZC[illegible]

PRINTED IN U. S. A.

PART OF FS 2

ADDRESS AND DATA

SYMBOL NO. 10

ADDRESS AND DATA REGISTERS
(BITS 03 AND 11)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
A.D11.03	08-05	FA1060	B	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		106			WPAD10	3H3
A031A	0	204	7/1 8/11-24(BTR)		AD01A	3H1
A031B	0	004	7/15 8/11-24(BTR)		AD01B	3H2
A111A	0	201	7/1 8/11-24(BTR)		AD11A	3H4
A111B	0	001	7/15 8/11-24(BTR)		AD11B	3H5
COMPRD0A	I	301	5/4		COMPRDI0	4A6
COMWRT0A	I	101	1/3		COMWRTI0	4A2
D030	OI	006	5/2		D00	5H3
D110	OI	009	5/3		D10	4H3
RDD030A	I	010	7/11		RDD0AI0	5A3
RDD030B	I	210	7/25		RDD0BI0	5A5
RDD110A	I	111	7/11		RDD1AI0	4A4
RDD110B	I	311	7/25		RDD1BI0	4A5
SA0310	I	018	TO CONN CKT		SAD010	3A3
SA0300	0	112	TO CONN CKT		SAD00	3H2
SA1110	I	317	TO CONN CKT		SAD110	3A3
SA1100	0	312	TO CONN CKT		SAD10	3H4
SD0310	OI	314	TO CONN CKT		TSD010	5A0
SD0300	OI	113	TO CONN CKT		TG.SD00	5G7
SD1110	OI	013	TO CONN CKT		TSD110	4A0
SD1100	OI	213	TO CONN CKT		TG.SD10	4G8
WRTD030A	0	300	7/11 8/11-24(BTR)		D00A	5H2
WRTD030B	0	100	7/25 8/11-24(BTR)		D00B	5H3
WRTD110A	0	303	7/11 8/11-24(BTR)		D10A	4H2
WRTD110B	0	103	7/25 8/11-24(BTR)		D10B	4H3
WRTMD0C	I	214	1/3		WRTMDI0	4A0
XBUSRD0D	I	IC	1/15		BUSRD0	4A8
XBUSRD1D	I	IC	1/15		BUSRD1	4A7
XCINIT1D	I	IC	6/17		INIT1	4A2
XCNLDB1D	I	IC	1/15		NLDB1	3D0
XCNLD0D	I	IC	1/15		NLD0	3D0
XCNRD1D	I	IC	1/15		NRD1	4A5
XCOMWT0D	0	IC	4/8		COMWRT0	4H1
XCREF0D	I	IC	1/15		REF0	3D0
XCSD01BD	0	IC	6/17		SD01B	5H1
XCSD01CD	0	IC	4/8		SD01C	5H0
XCSD11BD	0	IC	6/17		SD11B	4H1
XCSD11CD	0	IC	4/8		SD11C	4H1
XCSEL0D	I	IC	1/15		SEL0	4A7
XCSEL1D	I	IC	1/15		SEL1	4A5
XCTAD00D	OT I	IC	3/10 6/17		TAD00	3H2
XCTAD10D	OT I	IC	3/10 6/17		TAD10	3H3
XINIT0AD	I	IC	6/17		INIT0A	3D0
XRDSTB0D	I	IC	1/15		RDDSTB0	4A3
XRDSTB1D	I	IC	1/15		RDDSTB1	4A3
XSOCKB1D	I	IC	6/17		ISOCKB1	4A8
XTRED01D	I	IC	6/17		TRETD01	5A5
XTRED11D	I	IC	6/17		TRETD11	4A7

SYMBOL NO. 11

ADDRESS AND DATA REGISTERS
(BITS 02 AND 10)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
A.D10.02	08-04	FA1060	B	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		106			WPAD10	3H3
A021A	0	204	7/1 8/11-24(BTR)		AD01A	3H1
A021B	0	004	7/15 8/11-24(BTR)		AD01B	3H2
A101A	0	201	7/1 8/11-24(BTR)		AD11A	3H4
A101B	0	001	7/15 8/11-24(BTR)		AD11B	3H5
COMPRD0A	I	301	5/4		COMPRDI0	4A6
COMWRT0A	I	101	1/3		COMWRTI0	4A2
D020	OI	006	5/2		D00	5H3
D100	OI	009	5/3		D10	4H3
RDD020A	I	010	7/12		RDD0AI0	5A3
RDD020B	I	210	7/26		RDD0BI0	5A5
RDD100A	I	111	7/12		RDD1AI0	4A4
RDD100B	I	311	7/26		RDD1BI0	4A5
SA0210	I	018	TO CONN CKT		SAD010	3A3
SA0200	0	112	TO CONN CKT		SAD00	3H2
SA1010	I	317	TO CONN CKT		SAD110	3A3
SA1000	0	312	TO CONN CKT		SAD10	3H4
SD0210	OI	314	TO CONN CKT		TSD010	5A0
SD0200	OI	113	TO CONN CKT		TG.SD00	5C7
SD1010	OI	013	TO CONN CKT		TSD110	4A0
SD1000	OI	213	TO CONN CKT		TG.SD10	4C8
WRTD020A	0	300	7/12 8/11-24(BTR)		D00A	5H2
WRTD020B	0	100	7/26 8/11-24(BTR)		D00B	5H3
WRTD100A	0	303	7/12 8/11-24(BTR)		D10A	4H2
WRTD100B	0	103	7/26 8/11-24(BTR)		D10B	4H3
WRTMD0C	I	214	1/3		WRTMDI0	4A0
XBUSRD0C	I	IC	1/16		BUSRD0	4A8
XBUSRD1C	I	IC	1/16		BUSRD1	4A7
XCINIT1C	I	IC	6/18		INIT1	4A2
XCNLDB1C	I	IC	1/16		NLDB1	3D0
XCNLD0C	I	IC	1/16		NLD0	3D0
XCNRD1C	I	IC	1/16		NRD1	4A5
XCOMWT0C	0	IC	4/9		COMWRT0	4H1
XCREF0C	I	IC	1/16		REF0	3D0
XCSD01BC	0	IC	6/18		SD01B	5H1
XCSD01CC	0	IC	4/9		SD01C	5H0
XCSD11BC	0	IC	6/18		SD11B	4H1
XCSD11CC	0	IC	4/9		SD11C	4H1
XCSEL0C	I	IC	1/16		SEL0	4A7
XCSEL1C	I	IC	1/16		SEL1	4A5
XCTAD00C	OT I	IC	3/11 6/18		TAD00	3H2
XCTAD10C	OT I	IC	3/11 6/18		TAD10	3H3
XINIT0AC	I	IC	6/18		INIT0A	3D0
XRDSTB0C	I	IC	1/16		RDDSTB0	4A3
XRDSTB1C	I	IC	1/16		RDDSTB1	4A3
XSOCKB1C	I	IC	6/18		ISOCKB1	4A8
XTRED01C	I	IC	6/18		TRETD01	5A5
XTRED11C	I	IC	6/18		TRETD11	4A7

SYMBOL NO. 12

ADDRESS AND DATA REGISTERS
(BITS 01 AND 09)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
A.D09.01	08-03	FA1060	B	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		106			WPAD10	3H3
A011A	0	204	7/1 8/11-24(BTR)		AD01A	3H1
A011B	0	004	7/15 8/11-24(BTR)		AD01B	3H2
A091A	0	201	7/1 8/11-24(BTR)		AD11A	3H4
A091B	0	001	7/15 8/11-24(BTR)		AD11B	3H5
COMPRD0A	I	301	5/4		COMPRDI0	4A6
COMWRT0A	I	101	1/3		COMWRTI0	4A2
D010	OI	006	5/2		D00	5H3
D090	OI	009	5/3		D10	4H3
RDD010A	I	010	7/13		RDD0AI0	5A3
RDD010B	I	210	7/27		RDD0BI0	5A5
RDD090A	I	111	7/13		RDD1AI0	4A4
RDD090B	I	311	7/27		RDD1BI0	4A5
SA0110	I	018	TO CONN CKT		SAD010	3A3
SA0100	0	112	TO CONN CKT		SAD00	3H2
SA0910	I	317	TO CONN CKT		SAD110	3A3
SA0900	0	312	TO CONN CKT		SAD10	3H4
SD0110	OI	314	TO CONN CKT		TSD010	5A0
SD0100	OI	113	TO CONN CKT		TG.SD00	5G7
SD0910	OI	013	TO CONN CKT		TSD110	4A0
SD0900	OI	213	TO CONN CKT		TG.SD10	4G8
WRTD010A	0	300	7/13 8/11-24(BTR)		D00A	5H2
WRTD010B	0	100	7/27 8/11-24(BTR)		D00B	5H3
WRTD090A	0	303	7/13 8/11-24(BTR)		D10A	4H2
WRTD090B	0	103	7/27 8/11-24(BTR)		D10B	4H3
WRTMD0C	I	214	1/3		WRTMDI0	4A0
XBUSRD0B	I	IC	1/17		BUSRD0	4A8
XBUSRD1B	I	IC	1/17		BUSRD1	4A7
XCINIT1B	I	IC	6/19		INIT1	4A2
XCNLDB1B	I	IC	1/17		NLDB1	3D0
XCNLD0B	I	IC	1/17		NLD0	3D0
XCNRD1B	I	IC	1/17		NRD1	4A5
XCOMWT0B	0	IC	4/10		COMWRT0	4H1
XCREF0B	I	IC	1/17		REF0	3D0
XCSD01BB	0	IC	6/19		SD01B	5H1
XCSD01CB	0	IC	4/10		SD01C	5H0
XCSD11BB	0	IC	6/19		SD11B	4H1
XCSD11CB	0	IC	4/10		SD11C	4H1
XCSEL0B	I	IC	1/17		SEL0	4A7
XCSEL1B	I	IC	1/17		SEL1	4A5
XCTAD00B	OT I	IC	3/12 6/19		TAD00	3H2
XCTAD10B	OT I	IC	3/12 6/19		TAD10	3H3
XINIT0AB	I	IC	6/19		INIT0A	3D0
XRDSTB0B	I	IC	1/17		RDDSTB0	4A3
XRDSTB1B	I	IC	1/17		RDDSTB1	4A3
XSOCKB1B	I	IC	6/19		ISOCKB1	4A8
XTRED01B	I	IC	6/19		TRETD01	5A5
XTRED11B	I	IC	6/19		TRETD11	4A7

PART OF FS 2

SYMBOL(S) 10 11 12

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE	ISSUE
E2	1

BELL LABORATORIES | SD-10902-03 | B2CD

PRINTED IN U. S. A. 03706

PART OF FS 2

ADDRESS AND DATA

SYMBOL NO. 13

ADDRESS AND DATA REGISTERS (BITS 00 AND 08)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
A.D08.00	08-02	FA1060	B	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		106		
A001A	O	204	7/1 8/11-24(BTR)	
A001B	O	004	7/15 8/11-24(BTR)	
A081A	O	201	7/1 8/11-24(BTR)	
A081B	O	001	7/15 8/11-24(BTR)	
COMPRD0A	I	301	5/4	
COMWRT0A	I	101	1/3	
D000	OI	006	5/2	
D080	OI	009	5/3	
RDD000A	I	010	7/14	
RDD000B	I	210	7/28	
RDD080A	I	111	7/14	
RDD080B	I	311	7/28	
SA0010	I	018	TO CONN CKT	
SA0000	O	112	TO CONN CKT	
SA0810	I	317	TO CONN CKT	
SA0800	O	312	TO CONN CKT	
SD0010	OI	314	TO CONN CKT	
SD6000	OI	113	TO CONN CKT	
SD08.0	OI	013	TO CONN CKT	
SD0800	OI	213	TO CONN CKT	
WRTD000A	O	300	7/14 8/11-24(BTR)	
WRTD000B	O	100	7/28 8/11-24(BTR)	
WRTD080A	O	303	7/14 8/11-24(BTR)	
WRTD080B	O	103	7/28 8/11-24(BTR)	
WRTMD0C	I	Z14	1/3	
XBUSRD0A	I	IC	1/18	
XBUSRD1A	I	IC	1/18	
XCINIT1A	I	IC	6/20	
XCNLDB1A	I	IC	1/18	
XCNLD0A	I	IC	1/18	
XCNRD1A	I	IC	1/18	
XCOMWT0A	O	IC	4/11	
XCREF0A	I	IC	1/18	
XCSD01BA	O	IC	6/20	
XCSD01CA	O	IC	4/11	
XCSD11BA	O	IC	6/20	
XCSD11CA	O	IC	4/11	
XCSEL0A	I	IC	1/18	
XCTEL1A	I	IC	1/18	
XCTAD00A	OT I	IC	3/13 6/20	
XCTAD10A	OT I	IC	3/13 6/20	
XNITIAA	I	IC	6/20	
XRESTB1A	I	IC	1/18	
XRESTB1A	I	IC	1/18	
XTRETD0A	I	IC	6/20	
XTRETD1A	I	IC	6/20	
XTRETD1A	I	IC	6/20	

CP INFO

TERM. MOD	LOC
WPAD10	3H3
AD01A	3H1
AD01B	3H2
AD11A	3H4
AD11B	3H5
COMPRD10	4A6
COMWRT10	4A2
D00	5H3
D10	4H3
RDD0A10	5A3
RDD0B10	5A5
RDD1A10	4A4
RDD1B10	4A5
SAD010	3A3
SAD00	3H2
SAD110	3A3
SAD10	3H4
TSD010	5A0
TG.SD00	5G7
TSD110	4A0
TG.SD10	4G8
D00A	5H2
D00B	5H3
D10A	4H2
D10B	4H3
WRTMD10	4A0
BUSRD0	4A8
BUSRD1	4A7
INIT1	4A2
NLDB1	3D0
NLD0	3D0
NRD1	4A5
COMWRT0	4H1
REF0	3D0
SD01B	5H1
SD01C	5H0
SD11B	4H1
SD11C	4H1
SEL0	4A7
TEL1	4A5
TAD00	3H2
TAD10	3H3
INITOA	2D0
RESTB0	4A7
RESTB1	4A7
TRETD0T	4A8
TRETD1T	4A7

SYMBOL NO. 14

ADDRESS BIT 17

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ABIT17	08-23	FC203	B	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
A171A	O	210	7/1 8/11-24(BTR)	
A171B	O	311	7/15 8/11-24(BTR)	
LAD170	O	304	4/1,5/19	
SA1710	I	005	TO CONN CKT	
SA1700	O	203	TO CONN CKT	
XINIT0	I	IC	6/1	
XPEF0	I	IC	3/4	
XXNLDB1	I	IC	1/20	
XXNLD0	I	IC	1/20	

CP INFO

TERM. MOD	LOC
AD171A	2E3
AD171B	2E3
AD170	2E3
SAD1710	2B3
SAD170	2E3
INIT0	2D2
REF0	2C3
NLDB1	2C3
NLD0	2C3

SYMBOL NO. 15

ADDRESS BIT 19 AND MODIFIED ADDRESS PARITY HIGH GENERATOR

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
A19.MPH	08-17	FA1062	B	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
CMSAD0	O	100	5/18	
LADPH0	I	102	2/17	
MADPH1	O	004	2/17	
SAD180	OI	300	TO CONN CKT	
SAD181	I	002	2/16	
SAD190	OI	311	TO CONN CKT	
SAD191	O	218	2/16 TO CONN CKT	
SA1910	I	118	TO CONN CKT	
SA1900	O	211	TO CONN CKT	
XCPMB1	I	IC	1/5	
XINIT0D	I	IC	6/7	
XNLDB1	I	IC	1/5	
XNLD0	I	IC	1/5	

CP INFO

TERM. MOD	LOC
SA190181	3H3
LADPH10	3A0
TMPH1	3H5
SAD180	3H3
SAD181I	3A3
SAD190	3H4
SAD191	3H7
SAD1910	3A1
SAD1900	3H1
RMB1	3A5
INIT0D	3A6
NLDB1	3A6
NLD0	3A6

SYMBOL NO. 16

ADDRESS BIT 18

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ABIT18	08-18	FA1071	B	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
SAC180	O	318	TO CONN CKT	
SAC190	O	107	TO CONN CKT	
SAC181	O	112	2/15 TO CONN CKT	
SAC191	I	307	2/15	
SA1810	I	213	TO CONN CKT	
SA1800	O	015	TO CONN CKT	
XCINIT0A	I	IC	6/4	
XCNLDB0	I	IC	1/1	
XCNLDB1	I	IC	1/1	

CP INFO

TERM. MOD	LOC
LSAD180	8H1
SAD190	8H2
LSAD181	8H1
SAD1911	8A2
SAD1810	8A1
SAD180	8H2
INIT0A	8F0
NLDB0	8E0
NLDB1	8E0

SYMBOL NO. 17

ADDRESS BIT PH AND MODIFIED ADDRESS PARITY DRIVER

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ADPH.PDR	08-19	FA1066	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		012		
		015		
		017		
		111		
		114		
		117		
		Z15		
		Z17		
		311		
		314		
		316		
		317		
AP17.81A	O	201	7/1 8/11-24(BTR)	
AP17.81B	O	101	7/15 8/11-24(BTR)	
LADPH0	O	Z18	Z/15,5/20	
MADPH1	I	104	Z/15	
NLD0	I	006	1/1	
SAPHI0	I	011	TO CONN CKT	
SAPH00	O	007	TO CONN CKT	
XNITCA	I	IC	6/6	
3T046B	GRD	0GD		202
	GRD	005		202
	GRD	008		202
	GRD	102		202
	GRD	105		202
	GRD	107		202
	GRD	ZGD		202
	GRD	200		202
	GRD	202		202
	GRD	205		202
	GRD	207		202
	GRD	Z15		202
	GRD	302		202

CP INFO

TERM. MOD	LOC
GRD012	2A8
GRD015	2A8
GRD017	2A8
GRD111	2A7
GRD114	2A7
GRD117	2A7
GRDZ15	2A6
GRDZ17	2A6
GRD311	2A5
GRD314	2A5
GRD316	2A5
GRD317	2A5
ADMPH1A	2H5
ADMPH1B	2H4
LADPH0	2H3
MPH11	2A4
NLD10	2A3
SADPHI0	2A2
GSADPH0	2H2
INIT0A	2E0
GRD	
GRD005	2A9
GRD008	2A8
GRD102	2A8
GRD105	2A8
GRD107	2A7
GRD	
GRD	
GRDZ02	2A7
GRDZ05	2A7
GRDZ07	2A6
GRD302	2A6

SYMBOL NO. 17 (CONT

ADDRESS BIT PH AND MODIFIED ADDRESS PARITY DRIVER

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ADPH.PDR	08-19	FA10e6	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
3T046B	GRD	304		202
	GRD	307		202
	GRD	319		202
3VG0819T	GRD	319	Z/17	
	GRD	019	3/1	
3V046B	PWR	000		202
	PWR	119		202

CP INFO

TERM. MOD	LOC
GRD	
GRD	
GRD	
GRD	
-5	
-5	

PART OF FS 2

SYMBOL(S) 13 14 15 16 17

MAIN STORE CONTROLLER AND MEMORY

BELL LABORATORIES | SD-10902-03

PRINTED IN U. S. A.

SYMBOL NO. 18

2B PARITY CONVERTER

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
2BPARCNV	08-14	FA1067	C	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
D160	I	018	2/5		SD16I0	4A1
D170	I	316	2/4		SD17I0	4A1
D180	I	116	2/3		SD18I0	4A.
D190	I	016	2/2		SD19I0	4A0
D200	I	307	2/5		SD20I0	3A1
D210	I	308	2/4		SD21I0	3A1
D220	I	208	2/3		SD22I0	3A0
D230	I	008	2/2		SD23I0	3A0
NO2DPHI0	01	305	TO CONN CKT		TSDPXI0	6A0
NO2DPHO0	0T	IC216	2/18		TGSDPX0	6H4
	01	216	6/22		TGSDPX0	6H4
			TO CONN CKT			
NO2DPLI0	01	207	TO CONN CKT		TSDPYZI0	6A4
NO2DPLO0	0T	IC209	2/18		TGSDPYZ0	6A8
	01	209	6/22		TGSDPYZ0	6G8
			TO CONN CKT			
SDEPHI0	01	306	TO CONN CKT		TSDPWI0	5A0
SDEPHOL	0T	IC015	2/18		TGSDPW0	5A4
	01	015	6/22		TGSDPW0	5H4
			TO CONN CKT			
SDPHI0	01	002	2/1		DPH0	6H1
SDPLI0	01	006	2/1		DPL0	6H6
XBUSRDB0	I	IC	1/19		BUSRDB0	6D0
XBUSRDB1	I	IC	1/19		BUSRDB1	5F0
XCBUSRD0	I	IC	1/19		BUSRD0	5A4
XCBUSRD1	I	IC	1/19		BUSRD1	5E0
XSDPW0	0	IC	5/6		SDPW0	5H2
XSDPW1A	0	IC	5/6		SDPW1A	5H1
XSDPW1B	0	IC	6/22		SDPW1B	5H1
XSDPX1B	0	IC	6/22		SDPX1B	6H1
XSDPYZ1B	0	IC	6/22		SDPYZ1B	6H5
XSEL0	I	IC	1/19		SEL0	5E0
XSEL1	I	IC	1/19		SEL1	5F0
XTPWHEV0	0	IC	5/6		TPWHEV0	3H6
XTPWHOD0	0	IC	5/6		TPWHOD0	3H4
XTPWLEV0	0	IC	5/6		TPWLEV0	4H6
XTPWLOD0	0	IC	5/6		TPWLOD0	4H6

PART OF FS 2
SYMBOL(S) 18

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE: C2 | ISSUE: 1

BELL LABORATORIES | SD-1C902-03 | B2OF

PRINTED IN U. S. A.

PART OF FS 2

ADDRESS AND DATA

COMPOSITE DIAGRAM 1

ADDRESS FUNCTIONAL BLOCK DIAGRAM

NOTES:

1. S/N DENOTES SYMBOL NUMBER.



PART OF FS 2
COMPOSITE DIAGRAM 1

MAIN STORE CONTROLLER AND MEMORY

BELL LABORATORIES | SD-IC902-03

PART OF FS 2

ADDRESS AND DATA

COMPOSITE DIAGRAM 2

ADDRESS REGISTER SINGLE STAGE

NOTES:

1. SHOWN IS A SINGLE STAGE OF THE ADDRESS REGISTER FOR TYPICAL EXAMPLE ONLY.
2. NOT ALL AVAILABLE REFRESH ADDRESS REGISTER STAGES ARE USED AND NOT ALL MAIN STORE ADDRESS REGISTER STAGES HAVE A COMPANION REFRESH ADDRESS STAGE. SEE FS 3 FOR COMPLETE INTERCONNECTION OF THE REFRESH ADDRESS REGISTER.



PART OF FS 2
COMPOSITE DIAGRAM 2

MAIN STORE CONTROLLER AND MEMORY (2)

DWG SIZE 65 | ISS 1

BELL LABORATORIES | SD-1C902-03 | B2

PART OF FS 2

ADDRESS AND DATA

COMPOSITE DIAGRAM 3

DATA FUNCTIONAL BLOCK DIAGRAM (WRITE COMMAND)

NOTES:

1. PARITY LOW AND PARITY HIGH ARE TAKEN DIRECTLY FROM THE DATA BUS IN NARROW STORE (18 BITS).
2. ADDITIONAL DATA BITS FOR WIDE STORE (26 BITS).
3. S/N DENOTES SYMBOL NUMBER.



PART OF FS 2
COMPOSITE DIAGRAM 3

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 65	SHEET 1
BELL LABORATORIES	SD-1C902-03	B2/GC

PART OF FS 2

ADDRESS AND DATA

COMPOSITE DIAGRAM 4

DATA FUNCTIONAL BLOCK DIAGRAM (READ COMMAND)

NOTES:

1. PARITY LOW AND PARITY HIGH GO DIRECTLY TO THE DATA BUS IN NARROW STORES (18 BITS).
2. ADDITIONAL DATA BITS FOR WIDE STORE (26 BITS).
3. S/N DENOTES SYMBOL NUMBER.



PART OF FS 2
COMPOSITE DIAGRAM 4

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S
BELL LABORATORIES	SD-1C902-03

PART OF FS 2

ADDRESS AND DATA

COMPOSITE DIAGRAM 4

DATA FUNCTIONAL BLOCK DIAGRAM (READ COMMAND)

NOTES:

1. PARITY LOW AND PARITY HIGH GO DIRECTLY TO THE DATA BUS IN NARROW STORES (18 BITS).
2. ADDITIONAL DATA BITS FOR WIDE STORE (26 BITS).
3. S/N DENOTES SYMBOL NUMBER.



PART OF FS 2
COMPOSITE DIAGRAM 4

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	
BELL LABORATORIES	SD-1C902-03	B2C

PART OF FS 2
ADDRESS AND DATA

COMPOSITE DIAGRAM 5
DATA REGISTER SINGLE STAGE

NOTES:

1. SINGLE STAGE OF THE DATA REGISTER FOR TYPICAL EXAMPLE ONLY. NOT ALL GATES AND LOGIC ARE SHOWN IN A CORRECT FUNCTIONAL CONFIGURATION.



PART OF FS 2
COMPOSITE DIAGRAM 5

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 65	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B2GE

PART OF FS 2

ADDRESS AND DATA

COMPOSITE DIAGRAM 6

NO. 2B ESS PARITY CONTROL

NOTES:

1. ALL CIRCUITRY UNLESS OTHERWISE DESIGNATED IS LOCATED ON CIRCUIT PACK FA1067, SYM NO. 18, 2B-14L
2. THE LETTER DESIGNATION ON EACH TERMINAL WE USE IS COVERED IN THE MAIN STORE CIRCUIT DESCRIPTION



PART OF FS 2
COMPOSITE DIAGRAM 6

MAIN STORE CONTROLLER AND MEMORY

BELL LABORATORIES | SD-1C902-03

PART OF FS 3

REFRESH CØNTRØL
INTERCØNNECTIØN AND FLØW DIAGRAM

NØTES:

1. LEADS SHØWN CØULD FUNCTIØN AS EITHER ØUTPUTS ØR INPUTS (BI). ALL ØFF-PAGE REFERENCING WILL BE SHØWN ØN ØUTPUT LEAD.



PART ØF FS 3
INTERCØNNECTIØN AND FLØW DIAGRAM

MAIN STØRE CØNTRØLLER AND MEMØRY	DWG SIZE B5	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B3AA

PRINTED IN U.S.A.

PART OF FS 3

REFRESH CONTROL
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 3
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE A5	ISSUE —
BELL LABORATORIES	SD-1C902-03	B3AB

PART OF FS 3

REFRESH CØNTRØL
INTERCØØNNECTIØN AND FLØW DIAGRAM



PART ØF FS 3
INTERCØØNNECTIØN AND FLØW DIAGRAM

MAIN STØRE CØNTRØLLER AND MEMØRY	DWG SIZE 6S	ISS. 1
BELL LABORATORIES	SD-IC902-03	B3

PRINTED IN U.S.A.

PART OF FS 3

REFRESH CØNTRØL
INTERCØNNECTIØN AND FLØW DIAGRAM

XCREF1M 1/7

IC

SYMBØL NØ. 14
REFRESH CØUNTER ØN BIT SLICE BØARD
BITS 19 AND 23, PRESENTLY NØT CØNNECTED
NCR23.19
08-13
FA1060
C
(SEE COMPOSITE DIAGRAM 1,2)

IC

2/2 XCTAD10M,XCTAD00M

3V608137

XCREF1L 1/8

IC

SYMBØL NØ. 15
REFRESH CØUNTER ØN BIT SLICE BØARD
BITS 18 AND 22, PRESENTLY NØT CØNNECTED
NCR22.18
08-12
FA1060
C
(SEE COMPOSITE DIAGRAM 1,2)

IC

2/3 XCTAD10L,XCTAD00L

3V608127

XCREF1K 1/9

IC

SYMBØL NØ. 16
REFRESH CØUNTER ØN BIT SLICE BØARD
BITS 17 AND 21, PRESENTLY NØT CØNNECTED
NCR21.17
08-11
FA1060
C
(SEE COMPOSITE DIAGRAM 1,2)

IC

2/4 XCTAD10K,XCTAD00K

3V608117

XCREF1J 1/10

IC

SYMBØL NØ. 17
REFRESH CØUNTER ØN BIT SLICE BØARD
BITS 16 AND 20, PRESENTLY NØT CØNNECTED
NCR20.16
08-10
FA1060
C
(SEE COMPOSITE DIAGRAM 1,2)

IC

2/5 XCTAD10J,XCTAD00J

3V608107

PART OF FS 3
INTERCØNNECTIØN AND FLØW DIAGRAM

MAIN STØRE CØNTRØLLER AND MEMØRY	DWG SIZE b5	ISSUE 1
BELL LABORATORIES	SD-1C902-03	BEAD

E - 7925 (12 - 73)

PART OF FS 3

REFRESH CONTROL

SYMBOL NO. 1

MAIN REFRESH COUNTER AND REFRESH ADDRESS PH

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
REFCOUNT	08-19	FA1066	D	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		002		
		110		
ARTIM1	O	301	3/3	
CLOCK0B	I	305	1/20	
XNIT0BA	I	IC	6/6	
XNIT0CA	I	IC	6/6	
XNIT0DA	I	IC	6/6	
XTCL590	I	IC	6/6	
3VG0819T	I	212	2/17	

CP INFO

TERM. MOD	LOC
CNT91	7H1
CNT501	7G8
CNT81	7H
CKI0	8A7
INIT0B	7E0
INIT0C	7E0
INIT0D	8D0
TCL590	7E0
CNTTSTI0	7A1

SYMBOL NO. 2

DUPLICATE REFRESH COUNTER

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DPREFCNT	08-17	FA1062	C	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
RADCNT0	OI	304	3/9,3/13	
			5/2	
	O	IC304	3/2	
SHBIT110	I	309	1/1	
XCRMB1	I	IC	1/5	
XCTCLRQ0	OT	IC	6/7	

CP INFO

TERM. MOD	LOC
RADCNT0	4H0
RADCNT0	4H1
RMADCTI1	4A1
RMB1	4A0
TCLRRQ0	4E1

SYMBOL NO. 3

REFRESH CONTROL

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
REFCNTRL	08-18	FA1071	C	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
APREQ1	O	219	5/2	
APTIM1	I	108	3/1	
XCPREQ0	O	IC	1/1	
XC7PREQ1	O	IC	1/1	
XFSTPRQ0	I	IC	6/4	
XTCLRRQ0	I	IC	1/1	

CP INFO

TERM. MOD	LOC
PREQB1	8H4
RTIMI1	8A4
PREQ0	8H4
7RREQ1	8G8
FSTRRQ0	8A3
TCLRRQ0	8A4

SYMBOL NO. 4

REFRESH ADDRESS 17

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
REFA17	08-23	FC203	D	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
REFMODE0	I	002	1/1	
XREF0	O	IC	2/14	

CP INFO

TERM. MOD	LOC
REFI0	2B4
REF0	2D4

SYMBOL NO. 5

REFRESH ADDRESS 16 AND PL

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
REF16.PL	08-16	FA1060	C	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		107		
		207		
XCREF1N	I	IC	1/6	
XCTAD00N	OT	IC	2/1	
XCTAD10N	OT	IC	2/1	
3VG0816T	I	014	1/6	
	I	015	1/6	
	I	215	1/6	

CP INFO

TERM. MOD	LOC
CNTOUT00	6H4
CNTOUT10	6H2
REF1	6D0
TAD00	6F5
TAD10	6F0
RADCLI0	6A2
CNTINOI0	6A4
CNTINI10	6A1

SYMBOL NO. 6

REFRESH ADDRESS 07 AND 15

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
REF15.07	08-09	FA1060	C	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		207		
RADCL0	I	014	6/2	
RB2CAR0	I	015	3/7	
RB3CAR0	O	107	3/13	
XCREF1H	I	IC	1/11	
XCTAD00H	OT	IC	2/6	
XCTAD10H	OT	IC	2/6	
3VG0809T	I	215	1/11	

CP INFO

TERM. MOD	LOC
CNTOUT10	6H2
RADCLI0	6A2
CNTINOI0	6A4
CNTOUT00	6H4
REF1	6D0
TAD00	6F5
TAD10	6F0
CNTIN110	6A1

SYMBOL NO. 7

REFRESH ADDRESS 06 AND 14

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
REF14.06	08-08	FA1060	C	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		207		
RADCL0	I	014	6/2	
RB1CAR0	I	015	3/8	
RB2CAR0	O	107	3/6	
XCREF1G	I	IC	1/12	
XCTAD00G	OT	IC	2/7	
XCTAD10G	OT	IC	2/7	
3VG0808T	I	215	1/12	

CP INFO

TERM. MOD	LOC
CNTOUT10	6H2
RADCLI0	6A2
CNTINOI0	6A4
CNTOUT00	6H4
REF1	6D0
TAD00	6F5
TAD10	6F0
CNTIN110	6A1

SYMBOL NO. 8

REFRESH ADDRESS 05 AND 13

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
REF13.05	08-07	FA1060	C	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		207		
RADCL0	I	014	6/2	
RB0CAR0	I	015	3/9	
RB1CAR0	O	107	3/7	
RD5CAR0	I	215	3/9	
XCREF1F	I	IC	1/13	
XCTAD00F	OT	IC	2/8	
XCTAD10F	OT	IC	2/8	

CP INFO

TERM. MOD	LOC
CNTOUT10	6H2
RADCLI0	6A2
CNTINOI0	6A4
CNTOUT00	6H4
CNTIN110	6A1
REF1	6D0
TAD00	6F5
TAD10	6F0

SYMBOL NO. 9

REFRESH ADDRESS 04 AND 12

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
REF12.04	08-06	FA1060	C	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
RADCL0	I	014	6/2	
RADCNT0	I	015	3/2	
RB0CAR0	O	107	3/8	
RD4CAR0	I	215	3/10	
RD5CAR0	O	207	3/8	
XCREF1E	I	IC	1/14	
XCTAD00E	OT	IC	2/9	
XCTAD10E	OT	IC	2/9	

CP INFO

TERM. MOD	LOC
RADCLI0	6A2
CNTINOI0	6A4
CNTOUT00	6H4
CNTOUT10	6H2
REF1	6D0
TAD00	6F5
TAD10	6F0

SYMBOL NO. 10

REFRESH ADDRESS 03 AND 11

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
REF11.03	08-05	FA1060	C	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
RADCL0	I	014	6/2	
RD2CAR0	I	015	3/11	
RD3CAR0	O	107		
	I	215		
RD4CAR0	O	207	3/9	
XCREF1D	I	IC	1/15	
XCTAD00D	OT	IC	2/10	
XCTAD10D	OT	IC	2/10	

CP INFO

TERM. MOD	LOC
RADCLI0	6A2
CNTINOI0	6A4
CNTOUT00	6H4
CNTIN110	6A1
CNTOUT10	6H2
REF1	6D0
TAD00	6F5
TAD10	6F0

SYMBOL NO. 11

REFRESH ADDRESS 02 AND 10

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
REF10.02	08-04	FA1060	C	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		207		
RADCL0	I	014	6/2	
RB5CAR0	I	215	3/12	
RD1CAR0	I	015	3/12	
RD2CAR0	O	107	3/10	
XCREF1C	I	IC	1/16	
XCTAD00C	OT	IC	2/11	
XCTAD10C	OT	IC	2/11	

CP INFO

TERM. MOD	LOC
CNTOUT10	6H2
RADCLI0	6A2
CNTIN110	6A1
CNTINOI0	6A4
CNTOUT00	6H4
REF1	6D0
TAD00	6F5
TAD10	6F0

PART OF FS 3

SYMBOL(S) 1 2 3 4 5 6 7 8 9 10 11

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE C2 | ISS. 1

BELL LABORATORIES | SD-1C902-03 | B3CA

PRINTED IN U. S. A. | 05406

PART OF FS 3

REFRESH CONTROL

SYMBOL NO. 12

REFRESH ADDRESS 01 AND 09

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
REF09.01	08-03	FA1060	C	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
RADCL0	I	014	6/2		RADCLI0	6A2
RB4CAR0	I	215	3/13		CNTIN1I0	6A1
RB5CAR0	O	207	3/11		CNTOUT10	6H.
RD0CAR0	I	015	3/13		CNTIN0I0	6A4
RD1CAR0	O	107	3/11		CNTOUT00	6H4
XCREF1B	I	IC	1/17		REF1	6D0
XCTAD00B	OT	IC	2/12		TAD00	6F5
XCTAD10B	OT	IC	2/12		TAD10	6F0

SYMBOL NO. 13

REFRESH ADDRESS 00 AND 08

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
REF08.00	08-02	FA1060	C	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
RADCL0	I	014	6/2		RADCLI0	6A2
RADCNT0	I	015	3/2		CNTIN0I0	6A4
RB3CAR0	I	215	3/6		CNTIN1I0	6A1
RB4CAR0	O	207	3/12		CNTOUT10	6H2
RD0CAR0	O	107	3/12		CNTOUT00	6H4
XCREF1A	I	IC	1/18		REF1	6D0
XCTAD00A	OT	IC	2/13		TAD00	6F5
XCTAD10A	OT	IC	2/13		TAD10	6F0

SYMBOL NO. 14

REFRESH COUNTER ON BIT SLICE BOARD
BITS 19 AND 23, PRESENTLY NOT CONNECTED

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
NCR23.19	08-13	FA1060	C	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		107			CNTOUT00	6H4
		207			CNTOUT10	6H2
XCREF1M	I	IC	1/7		REF1	6D0
XCTAD00M	OT	IC	2/2		TAD00	6F5
XCTAD10M	OT	IC	2/2		TAD10	6F0
3VG0813T	I	014	1/7		RADCLI0	6A2
	I	015	1/7		CNTIN0I0	6A4
	I	215	1/7		CNTIN1I0	6A1

SYMBOL NO. 15

REFRESH COUNTER ON BIT SLICE BOARD
BITS 18 AND 22, PRESENTLY NOT CONNECTED

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
NCR22.18	08-12	FA1060	C	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		107			CNTOUT00	6H4
		207			CNTOUT10	6H2
XCREF1L	I	IC	1/8		REF1	6D0
XCTAD00L	OT	IC	2/3		TAD00	6F5
XCTAD10L	OT	IC	2/3		TAD10	6F0
3VG0812T	I	014	1/8		RADCLI0	6A2
	I	015	1/8		CNTIN0I0	6A4
	I	215	1/8		CNTIN1I0	6A1

SYMBOL NO. 16

REFRESH COUNTER ON BIT SLICE BOARD
BITS 17 AND 21, PRESENTLY NOT CONNECTED

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
NCR21.17	08-11	FA1060	C	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		107			CNTOUT00	6H4
		207			CNTOUT10	6H2
XCREF1K	I	IC	1/9		REF1	6D0
XCTAD00K	OT	IC	2/4		TAD00	6F5
XCTAD10K	OT	IC	2/4		TAD10	6F0
3VG0811T	I	014	1/9		RADCLI0	6A2
	I	015	1/9		CNTIN0I0	6A4
	I	215	1/9		CNTIN1I0	6A1

SYMBOL NO. 17

REFRESH COUNTER ON BIT SLICE BOARD
BITS 16 AND 20, PRESENTLY NOT CONNECTED

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
NCR20.16	08-10	FA1060	C	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		107			CNTOUT00	6H4
		207			CNTOUT10	6H2
XCREF1J	I	IC	1/10		REF1	6D0
XCTA00J	OT	IC	2/5		TAD00	6F5
XCTA10J	OT	IC	2/5		TAD10	6F0
3VG0810T	I	014	1/10		RADCLI0	6A2
	I	015	1/10		CNTIN0I0	6A4
	I	215	1/10		CNTIN1I0	6A1

PART OF FS 3
SYMBOL(S) 12 13 14 15 16 17

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE C2 | ISSUE 1

BELL LABORATORIES | SD-1C902-03 | B3CB

PRINTED IN U. S. A. 03/06/78

PART OF FS 3

REFRESH CONTROL

COMPOSITE DIAGRAM I

FUNCTION BLOCK DIAGRAM



PART OF FS 5
COMPOSITE DIAGRAM 1

MAIN STORE CONTROLLER AND MEMORY (2)		DWG SIZE 6S	ISSUE 1
BELL LABORATORIES	SD-1C902-03		B3GA

PART OF FS 3

REFRESH CONTROL

COMPOSITE DIAGRAM 3

REFRESH COUNTER



PART OF FS 3
COMPOSITE DIAGRAM 3

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B3GC

PART OF FS 3

REFRESH CONTROL

COMPOSITE DIAGRAM 2

REFRESH ADDRESS

NOTES:

1. NON-COUNTING STAGES THAT REMAIN AT THE SAME LOG LEVELS DURING ALL REFRESH CYCLES.
2. NON-COUNTING STAGES ORIGINATE FROM THE FOLLOWING LOCATIONS:

ADDRESS BITS	CP LOCATION	TYPE	REGISTER
14	08-08	FA1060	RAL
15	08-09	FA1060	RAL
16	08-16	FA1060	RAL
17	08-23	FA1015	
PL	08-16	FA1060	RAL
PH	08-19	FA1066	

3. GATES TO FANOUT BOARD ARE P/Ø FS 2.

DUPLICATED REFRESH ADDRESS

REFRESH ADDRESS

RADI 08-07 T
RADI 08-06 T
RADI 08-05 T
RADO 08-05 T
RADO 08-04 T
RADO 08-03 T
RADO 08-02 T
RADI 08-04 T
RADI 08-03 T
RADI 08-02 T
RADO 08-09 T
RADO 08-08 T
RADO 08-07 T
RADO 08-06 T

ALL COUNTERS P/O FA1060

SYM NO. 2 08-17 P/Ø FA1062

REFRESH TIMING (BIT 11 TIME)

RADCNTO

FS 1 CONTROL AND TIMING

R S MODE 0 1

P/Ø FA1071

REFMØDEO

SEE NOTES 1 & 2

HIGH HIGH LOW LOW LOW LOW

SEE NOTE 3

SYM NO. 6-15 OR-(02-09) P/Ø FA1060

AP17.01 AP2.01 A171 A161 A151 A141 A131 A121 A111 A101 A021 A081 A071 A061 A051 A041 A031 A021 A011 A001

A AND B BRANCHES TO MEMORY NOT SHOWN

FS 7

FANØUT BØARDS

MEMORY ADDRESS DRIVERS AND ADDRESS PARITY CHECK

PART OF FS 3
COMPOSITE DIAGRAM 2

MAIN STORE CONTROLLER AND MEMORY

BELL LABORATORIES | SD-1C902-03

PART OF FS 4

WRITE PROTECT
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 4
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 65	ISS 1
BELL LABORATORIES	SD-1C902-03	BAY

PART OF FS 4

WRITE PROTECT
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 4
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY

BELL LABORATORIES | SD-1C902-03

PART OF FS 4

WRITE PROTECT
INTERCONNECTION AND FLOW DIAGRAM

XC0%4TOM, XCSD11CM, XCSD01CM 2/2
XERC0L1M 5/9
IC
IC

SYMBOL NO. 12
WRITE PROTECT REGISTER,
(BITS 19 AND 23), NOT PRESENTLY CONNECTED
NCW23,19
08-13
FA1060
D
(SEE COMPOSITE DIAGRAM 1)

IC
6/9 XTRED10M, XTRED00M

XC0%4TOL, XCSD11CL, XCSD01CL 2/5
XERC0L1L 5/10
IC
IC

SYMBOL NO. 13
WRITE PROTECT REGISTER,
(BITS 18 AND 22), NOT PRESENTLY CONNECTED
NCW22,18
08-12
FA1060
D
(SEE COMPOSITE DIAGRAM 1)

IC
6/10 XTRED10L, XTRED00L

XC0%4TOK, XCSD11CK, XCSD01CK 2/4
XERC0L1K 5/11
IC
IC

SYMBOL NO. 14
WRITE PROTECT REGISTER
(BITS 17 AND 21), NOT PRESENTLY CONNECTED
NCW21,17
08-11
FA1060
D
(SEE COMPOSITE DIAGRAM 1)

IC
6/11 XTRED10K, XTRED00K

XC0%4TOJ, XCSD11CJ, XCSD01CJ 2/5
XIERC0L1J 5/12
IC
IC

SYMBOL NO. 15
WRITE PROTECT REGISTER
(BITS 16 AND 20), NOT PRESENTLY CONNECTED
NCW20,16
08-10
FA1060
D
(SEE COMPOSITE DIAGRAM 1)

IC
6/12 XTRED10J, XTRED00J

PART OF FS 4
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY

BELL LABORATORIES | SD-1C902-03

PART OF FS 4

WRITE PROTECT
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 4
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY

BELL LABORATORIES | SD-1C902-03

PART OF FS 4

WRITE PROTECT

SYMBOL NO. 1

WRITE PROTECT MODULE DECODING

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPMODDEC	08-21	FA1065	B	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
AD150	I	201	2/6		AD1510	5A6
AD160	I	118	2/1		AD1610	5A3
LAD170	I	316	2/14		AD1710	5A
MODSEL00	O	113	4/3,4/4 4/5,4/6 4/7,4/8 4/9,4/10 4/11		MOD00	5H7
MODSEL10	O	106	4/3,4/4 4/5,4/6 4/7,4/8 4/9,4/10 4/11		MOD10	5H6
MODSEL20	O	313	4/3,4/4 4/5,4/6 4/7,4/8 4/9,4/10 4/11		MOD20	5H5
MODSEL30	O	112	4/3,4/4 4/5,4/6 4/7,4/8 4/9,4/10 4/11		MOD30	5H5
MODSEL40	O	108	4/3,4/4 4/5,4/6 4/7,4/8 4/9,4/10 4/11		MOD40	5H4
MODSEL50	O	008	4/3,4/4 4/5,4/6 4/7,4/8 4/9,4/10 4/11		MOD50	5H3
MODSEL60	O	006	4/3,4/4 4/5,4/6 4/7,4/8 4/9,4/10 4/11		MOD60	5H2
MODSEL70	O	005	4/3,4/4 4/5,4/6 4/7,4/8 4/9,4/10 4/11		MOD70	5H1

SYMBOL NO. 2

WRITE PROTECT SEGMENT DECODING

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPSEGDEC	08-17	FA1062	E	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
WPAD120	I	006	2/9		AD1210	5A4
WPAD130	I	105	2/8		AD1310	5A1
WPAD140	I	105	2/7		AD1410	5A1
WPREQ00	O	111	4/11		WPREQ00	5H5
WPSEG10	O	117	4/10		WPSEG10	5H4
WPSEG20	O	307	4/9		WPSEG20	5H4
WPSEG30	O	008	4/8		WPSEG30	5H3
WPSEG40	O	108	4/7		WPSEG40	5H2
WPSEG50	O	108	4/6		WPSEG50	5H2

SYMBOL NO. 2 (CONT)

WRITE PROTECT SEGMENT DECODING

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPSEGDEC	08-17	FA1062	E	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
WPSEG60	O	204	4/5		WPSEG60	5H2
WPSEG70	O	104	4/4		WPSEG70	5H1

SYMBOL NO. 3

WRITE PROTECT REGISTER,SEGMENT PARITY

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPRSPAR	08-16	FA1060	D	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		019			INWPO	8H5
		114			WPSEGIO	8A1
FCLWPBO	I	117	6/2		WPCLRIO	7A6
MODSEL00	I	216	4/1		M0SELIO	7A2
MODSEL10	I	008	4/1		M1SELIO	8A7
MODSEL20	I	011	4/1		M2SELIO	7A2
MODSEL30	I	318	4/1		M3SELIO	8A5
MODSEL40	I	308	4/1		M4SELIO	7A1
MODSEL50	I	118	4/1		M5SELIO	8A3
MODSEL60	I	315	4/1		M6SELIO	7A1
MODSEL70	I	218	4/1		M7SELIO	8A1
WPPRDO	I	208	1/2		WPPRDIO	7A0
WPWRTBO	I	017	1/2		WPWRIO	7A5
XCOMWTOH	I	IC	2/1		COMWRTO	8G0
XCSD01CH	I	IC	2/1		SD01C	8D0
XCSD11CH	I	IC	2/1		SD11C	8D0
XERCOL1H	I	IC	5/8		ERCOLL1	7A5
XTRED00H	OT	IC	6/8		TRETD00	7H2
XTRED10H	OT	IC	6/8		TRETD10	7H4

SYMBOL NO. 4

WRITE PROTECT REGISTER,SEGMENT 7

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPRSEG7	08-09	FA1060	D	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
WPRPDO	I	208	1/2		WPRDIO	7A0
WPSEG70	I	114	4/2		WPSEGIO	8A1
WPWRTBO	I	017	1/2		WPWRIO	7A5
XCOMWTOH	I	IC	2/6		COMWRTO	8G0
XCSD01CH	I	IC	2/6		SD01C	8D0
XCSD11CH	I	IC	2/6		SD11C	8D0
XERCOL1H	I	IC	5/13		ERCOLL1	7A5
XTRED00H	OT	IC	6/13		TRETD00	7H2
XTRED10H	OT	IC	6/13		TRETD10	7H4

SYMBOL NO. 4

WRITE PROTECT REGISTER,SEGMENT 7

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPRSEG7	08-09	FA1060	D	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
TINWPO	OT	019	4/5,4/6 4/7,4/8 4/9,4/10 4/11,6/3 5/3		INWPO	8H5
WPRPDO	I	208	1/2		WPRDIO	7A0
WPSEG70	I	114	4/2		WPSEGIO	8A1
WPWRTBO	I	017	1/2		WPWRIO	7A5
XCOMWTOH	I	IC	2/6		COMWRTO	8G0
XCSD01CH	I	IC	2/6		SD01C	8D0
XCSD11CH	I	IC	2/6		SD11C	8D0
XERCOL1H	I	IC	5/13		ERCOLL1	7A5
XTRED00H	OT	IC	6/13		TRETD00	7H2
XTRED10H	OT	IC	6/13		TRETD10	7H4

SYMBOL NO. 5

WRITE PROTECT REGISTER,SEGMENT 6

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPRSEG6	08-08	FA1060	D	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
FCLWPO	I	117	6/2		WPCLRIO	7A6
MODSEL00	I	216	4/1		M0SELIO	7A2
MODSEL10	I	008	4/1		M1SELIO	8A7
MODSEL20	I	011	4/1		M2SELIO	7A2
MODSEL30	I	318	4/1		M3SELIO	8A5
MODSEL40	I	308	4/1		M4SELIO	7A1
MODSEL50	I	118	4/1		M5SELIO	8A3
MODSEL60	I	315	4/1		M6SELIO	7A1
MODSEL70	I	218	4/1		M7SELIO	8A1
TINWPO	OT	019	4/4		INWPO	8H5
WPRPDO	I	208	1/2		WPRDIO	7A0
WPSEG60	I	114	4/2		WPSEGIO	8A1
WPWRTBO	I	017	1/2		WPWRIO	7A5
XCOMWTOG	I	IC	2/7		COMWRTO	8G0
XCSD01CG	I	IC	2/7		SD01C	8D0
XCSD11CG	I	IC	2/7		SD11C	8D0
XERCOL1G	I	IC	5/14		ERCOLL1	7A5
XTRED00G	OT	IC	6/14		TRETD00	7H2
XTRED10G	OT	IC	6/14		TRETD10	7H4

SYMBOL NO. 6

WRITE PROTECT REGISTER,SEGMENT

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPRSEG5	08-07	FA1060	D	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
FCLWPO	I	117	6/2			
MODSEL00	I	216	4/1			
MODSEL10	I	008	4/1			
MODSEL20	I	011	4/1			
MODSEL30	I	318	4/1			
MODSEL40	I	308	4/1			
MODSEL50	I	118	4/1			
MODSEL60	I	315	4/1			
MODSEL70	I	218	4/1			
TINWPO	OT	019	4/4			
WPPRDO	I	208	1/2			
WPSEG50	I	114	4/2			
WPWRTBO	I	017	1/2			
XCOMWTOF	I	IC	2/8			
XCSD01CF	I	IC	2/8			
XCSD11CF	I	IC	2/8			
XERCOL1F	I	IC	5/15			
XTRED00F	OT	IC	6/15			
XTRED10F	OT	IC	6/15			

PART OF FS 4

SYMBOL(S) 1 2 3 4 5 6

MAIN STORE CONTROLLER AND MEMORY

BELL LABORATORIES | SD-10902-03

PRINTED IN U.S.A.

PART OF FS 4

WRITE PROTECT

SYMBOL NO. 7

WRITE PROTECT REGISTER, SEGMENT 4

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPRSEG4	08-06	FA1060	D	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
FCLWP0	I	117	6/2		WPCLRI0	7A6
MODSEL00	I	216	4/1		M0SELI0	7A2
MODSEL10	I	008	4/1		M1SELI0	8A
MODSEL20	I	011	4/1		M2SELI0	7A2
MODSEL30	I	318	4/1		M3SELI0	8A5
MODSEL40	I	308	4/1		M4SELI0	7A1
MODSEL50	I	118	4/1		M5SELI0	8A3
MODSEL60	I	315	4/1		M6SELI0	7A1
MODSEL70	I	218	4/1		M7SELI0	8A1
TINWP0	OT	019	4/4		INWP0	8H5
WPRRDB0	I	208	1/2		WPRDI0	7A0
WPSEG40	I	114	4/2		WPSEGI0	8A1
WPWRT0	I	017	1/2		WPWRI0	7A5
XCOMWT0E	I	IC	2/9		COMWRT0	8G0
XCSD01CE	I	IC	2/9		SD01C	8D0
XCSD11CE	I	IC	2/9		SD11C	8D0
XERCOL1E	I	IC	5/16		ERCOLL1	7A5
XTRED00E	OT	IC	6/16		TRETD00	7H2
XTRED10E	OT	IC	6/16		TRETD10	7H4

SYMBOL NO. 8

WRITE PROTECT REGISTER, SEGMENT 3

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPRSEG3	08-05	FA1060	D	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
FCLWP0	I	117	6/2		WPCLRI0	7A6
MODSEL00	I	216	4/1		M0SELI0	7A2
MODSEL10	I	008	4/1		M1SELI0	8A7
MODSEL20	I	011	4/1		M2SELI0	7A2
MODSEL30	I	318	4/1		M3SELI0	8A5
MODSEL40	I	308	4/1		M4SELI0	7A1
MODSEL50	I	118	4/1		M5SELI0	8A3
MODSEL60	I	315	4/1		M6SELI0	7A1
MODSEL70	I	218	4/1		M7SELI0	8A1
TINWP0	OT	019	4/4		INWP0	8H5
WPRRDB0	I	208	1/2		WPRDI0	7A0
WPSEG30	I	114	4/2		WPSEGI0	8A1
WPWRT0	I	017	1/2		WPWRI0	7A5
XCOMWT0D	I	IC	2/10		COMWRT0	8G0
XCSD01CD	I	IC	2/10		SD01C	8D0
XCSD11CD	I	IC	2/10		SD11C	8D0
XERCOL1D	I	IC	5/17		ERCOLL1	7A5
XTRED00D	OT	IC	6/17		TRETD00	7H2
XTRED10D	OT	IC	6/17		TRETD10	7H4

SYMBOL NO. 9

WRITE PROTECT REGISTER, SEGMENT 2

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPRSEG2	08-04	FA1060	D	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
FCLWP0	I	117	6/2		WPCLRI0	7A6
MODSEL00	I	216	4/1		M0SELI0	7A2
MODSEL10	I	008	4/1		M1SELI0	8A7
MODSEL20	I	011	4/1		M2SELI0	7A2
MODSEL30	I	318	4/1		M3SELI0	8A5
MODSEL40	I	308	4/1		M4SELI0	7A1
MODSEL50	I	118	4/1		M5SELI0	8A3
MODSEL60	I	315	4/1		M6SELI0	7A1
MODSEL70	I	218	4/1		M7SELI0	8A1
TINWP0	OT	019	4/4		INWP0	8H5
WPRRDB0	I	208	1/2		WPRDI0	7A0
WPSEG20	I	114	4/2		WPSEGI0	8A1
WPWRT0	I	017	1/2		WPWRI0	7A5
XCOMWT0C	I	IC	2/11		COMWRT0	8G0
XCSD01CC	I	IC	2/11		SD01C	8D0
XCSD11CC	I	IC	2/11		SD11C	8D0
XERCOL1C	I	IC	5/18		ERCOLL1	7A5
XTRED00C	OT	IC	6/18		TRETD00	7H2
XTRED10C	OT	IC	6/18		TRETD10	7H4

SYMBOL NO. 10

WRITE PROTECT REGISTER, SEGMENT 1

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPRSEG1	08-03	FA1060	D	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
FCLWP0	I	117	6/2		WPCLRI0	7A6
MODSEL00	I	216	4/1		M0SELI0	7A2
MODSEL10	I	008	4/1		M1SELI0	8A7
MODSEL20	I	011	4/1		M2SELI0	7A2
MODSEL30	I	318	4/1		M3SELI0	8A5
MODSEL40	I	308	4/1		M4SELI0	7A1
MODSEL50	I	118	4/1		M5SELI0	8A3
MODSEL60	I	315	4/1		M6SELI0	7A1
MODSEL70	I	218	4/1		M7SELI0	8A1
TINWP0	OT	019	4/4		INWP0	8H5
WPRRDB0	I	208	1/2		WPRDI0	7A0
WPSEG10	I	114	4/2		WPSEGI0	8A1
WPWRT0	I	017	1/2		WPWRI0	7A5
XCOMWT0B	I	IC	2/12		COMWRT0	8G0
XCSD01CB	I	IC	2/12		SD01C	8D0
XCSD11CB	I	IC	2/12		SD11C	8D0
XERCOL1B	I	IC	5/19		ERCOLL1	7A5
XTRED00B	OT	IC	6/19		TRETD00	7H2
XTRED10B	OT	IC	6/19		TRETD10	7H4

SYMBOL NO. 11

WRITE PROTECT REGISTER, SEGMENT 0

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
WPRSEG0	08-02	FA1060	D	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
FCLWP0	I	117	6/2		WPCLRI0	7A6
MODSEL00	I	216	4/1		M0SELI0	7A2
MODSEL10	I	008	4/1		M1SELI0	8A7
MODSEL20	I	011	4/1		M2SELI0	7A2
MODSEL30	I	318	4/1		M3SELI0	8A5
MODSEL40	I	308	4/1		M4SELI0	7A1
MODSEL50	I	118	4/1		M5SELI0	8A3
MODSEL60	I	315	4/1		M6SELI0	7A1
MODSEL70	I	218	4/1		M7SELI0	8A1
TINWP0	OT	019	4/4		INWP0	8H5
WPRRDB0	I	208	1/2		WPRDI0	7A0
WPSEG00	I	114	4/2		WPSEGI0	8A1
WPWRT0	I	017	1/2		WPWRI0	7A5
XCOMWT0A	I	IC	2/13		COMWRT0	8G0
XCSD01CA	I	IC	2/13		SD01C	8D0
XCSD11CA	I	IC	2/13		SD11C	8D0
XERCOL1A	I	IC	5/20		ERCOLL1	7A5
XTRED00A	OT	IC	6/20		TRETD00	7H2
XTRED10A	OT	IC	6/20		TRETD10	7H4

SYMBOL NO. 12

WRITE PROTECT REGISTER,
(BITS 19 AND 23), NOT PRESENTLY CONNECTED

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
NCW23.19	08-13	FA1060	D	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		008			M1SELI0	8A7
		011			M2SELI0	7A2
		017			WPWRI0	7A5
		019			INWP0	8H5
		114			WPSEGI0	8A1
		117			WPCLRI0	7A6
		118			M5SELI0	8A3
		208			WPRDI0	7A0
		216			M0SELI0	7A2
		218			M7SELI0	8A1
		308			M4SELI0	7A1
		315			M6SELI0	7A1
		318			M3SELI0	8A5
XCOMWT0M	I	IC	2/2		COMWRT0	8G0
XCSD01CM	I	IC	2/2		SD01C	8D0
XCSD11CM	I	IC	2/2		SD11C	8D0
XERCOL1M	I	IC	5/9		ERCOLL1	7A5
XTRED00M	OT	IC	6/9		TRETD00	7H2
XTRED10M	OT	IC	6/9		TRETD10	7H4

SYMBOL NO. 13

WRITE PROTECT REGISTER,
(BITS 18 AND 22), NOT PRESENTLY CONNECTED

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
NCW22.18	08-12	FA1060	D	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		008			M1SELI0	8A7
		011			M2SELI0	7A2
		017			WPWRI0	7A5
		019			INWP0	8H5
		114			WPSEGI0	8A1
		117			WPCLRI0	7A6
		118			M5SELI0	8A3
		208			WPRDI0	7A0
		216			M0SELI0	7A2
		218			M7SELI0	8A1
		308			M4SELI0	7A1
		315			M6SELI0	7A1
		318			M3SELI0	8A5
XCOMWT0L	I	IC	2/3		COMWRT0	8G0
XCSD01CL	I	IC	2/3		SD01C	8D0
XCSD11CL	I	IC	2/3		SD11C	8D0
XERCOL1L	I	IC	5/10		ERCOLL1	7A5
XTRED00L	OT	IC	6/10		TRETD00	7H2
XTRED10L	OT	IC	6/10		TRETD10	7H4

PART OF FS 4

SYMBOL(S) 7 8 9 10 11 12 13

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE C2	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B4CB

PRINTED IN U. S. A.

PART OF FS 4

WRITE PROTECT

SYMBOL NO. 14

WRITE PROTECT REGISTER,
(BITS 17 AND 21), NOT PRESENTLY CONNECTED

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
NCW21.17	08-11	FA1060	D	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		008			M1SELIO	8A7
		011			M2SELIO	7A2
		017			WPWRIO	7A
		019			INWPO	8H5
		114			WPSEGIO	8A1
		117			WPCLRIO	7A6
		118			M5SELIO	8A3
		208			WPRDIO	7A0
		216			M0SELIO	7A2
		218			M7SELIO	8A1
		308			M4SELIO	7A1
		315			M6SELIO	7A1
		318			M3SELIO	8A5
XCOMWTOK	I	IC	2/4		COMWRTO	8G0
XCSD01CK	I	IC	2/4		SD01C	8D0
XCSD11CK	I	IC	2/4		SD11C	8D0
XERCOL1K	I	IC	5/11		ERCOLL1	7A5
XTRED00K	OT	IC	6/11		TRETD00	7H2
XTRED10K	OT	IC	6/11		TRETD10	7H4

SYMBOL NO. 15

WRITE PROTECT REGISTER,
(BITS 16 AND 20), NOT PRESENTLY CONNECTED

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
NCW20.16	08-10	FA1060	D	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		008			M1SELIO	8A7
		011			M2SELIO	7A2
		017			WPWRIO	7A5
		019			INWPO	8H5
		114			WPSEGIO	8A1
		117			WPCLRIO	7A6
		118			M5SELIO	8A3
		208			WPRDIO	7A0
		216			M0SELIO	7A2
		218			M7SELIO	8A1
		308			M4SELIO	7A1
		315			M6SELIO	7A1
		318			M3SELIO	8A5
XCOMWTOJ	I	IC	2/5		COMWRTO	8G0
XCSD01CJ	I	IC	2/5		SD01C	8D0
XCSD11CJ	I	IC	2/5		SD11C	8D0
XERCOL1J	I	IC	5/12		ERCOLL1	7A5
XTRED00J	OT	IC	6/12		TRETD00	7H2
XTRED10J	OT	IC	6/12		TRETD10	7H4

PART OF FS 4
SYMBOL(S) 14 15

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE C2 | ISSUE 1

BELL LABORATORIES | SD-1C902-03 | B4CC

PRINTED IN U. S. A.

03/06/78

PART OF FS 4
WRITE PROTECT

COMPOSITE DIAGRAM 1
FUNCTIONAL BLOCK DIAGRAM

NOTES:

1. BLIND WRITE COMMAND ONLY VALID WHEN ACCOMPANIED BY MAIN STORE WIRING OPTION.



PART OF FS 4
COMPOSITE DIAGRAM 1

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE B5
BELL LABORATORIES	SD-1C902-03

PART OF FS 4

WRITE PROTECT

COMPOSITE DIAGRAM 2

MEMORY MAP ASSIGNMENT OF
WRITE PROTECT REGISTER
(SEE NOTE 1)

NOTES:

1. THIS COMPOSITE SHOWS THE ADDRESS AND DATA BITS FROM THE MAIN STORE BUS THAT ARE REQUIRED TO WRITE PROTECT ANY 4096 WORDS OF MEMORY. FOR EXAMPLE, THE FIRST 4096 WORDS OF MEMORY IN MODULE 0 ARE PROTECTED USING DATA BIT 0 WITH ADDRESS BITS 15,16 AND 17 SET TO ZEROES. A SINGLE MAIN STORE CYCLE CAN COVER THE WRITE PROTECTION OF 64K WORDS OF MEMORY.



PART OF FS 4
COMPOSITE DIAGRAM 2

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 65	ISS 1
BELL LABORATORIES	SD-1C902-03	B408

PART OF FS 4

WRITE PROTECT

COMPOSITE DIAGRAM 3

TESTING NORMAL WRITES FOR WRITE PROTECTED AREA

NOTES:

1. BOTH GATES AND FLIP-FLOPS SHOWN ARE INTERNAL TO A TWO BIT REGISTER.



PART OF FS 4
COMPOSITE DIAGRAM 3

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE A5	ISSUE 1
BELL LABORATORIES	SD-1C902-03	84GC

PART OF FS 4
WRITE PROJECT

COMPOSITE DIAGRAM 4
WRITING INFORMATION INTO WP REGISTERS FROM THE DATA BUS

NOTES:

1. ONLY 4 OF THE 8 POSSIBLE MODULE SELECT LINES ARE USED FOR THIS FUNCTION.



PART OF FS 4
COMPOSITE DIAGRAM 4

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE	ISSUE
6S	1

BELL LABORATORIES | SD-IC902-03 | B4GD

PART OF FS 4

WRITE PROTECT

COMPOSITE DIAGRAM 5

SENDING CONTENTS OF WP REGISTERS TO 3A CC

NOTES:

1. ONLY 4 OF THE 8 POSSIBLE MODULE SELECT LINES ARE USED FOR THIS FUNCTION.



PART OF FS 4
COMPOSITE DIAGRAM 5

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	
BELL LABORATORIES	SD-1C902-03	B4C

PART OF FS 5

ERROR DETECTION
INTERCONNECTION AND FLOW DIAGRAM

NOTES:

1. LEADS SHOWN COULD FUNCTION AS EITHER OUTPUTS OR INPUTS (OI). ALL OFF-PAGE REFERENCING WILL BE SHOWN ON OUTPUT LEAD.



PART OF FS 5
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE 6S

BELL LABORATORIES SD-1C902-03

PRINTED IN U.S.A.

PART OF FS 5

ERROR DETECTION
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 5
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE: B5	ISSUE: 1
BELL LABORATORIES	SD-IC902-03	B5AC

PRINTED IN U.S.A.

PART OF FS 5

ERROR DETECTION
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 5
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY (2)

DWG SIZE	ISSUE
65	1

BELL LABORATORIES | SD-1C902-03 | B5AD

E - 7821 (12 - 73) PRINTED IN U.S.A.

PART OF FS 5

ERROR DETECTION
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 5
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE A5	ISS
BELL LABORATORIES	SD-IC902-03	B5

E - 7925 (12 - 73) PRINTED IN U.S.A.

PART OF FS 5

ERROR DETECTION
INTERCONNECTION AND FLOW DIAGRAM

NOTES:

1. LEADS SHOWN COULD FUNCTION AS EITHER OUTPUTS OR INPUTS (OI). ALL OFF-PAGE REFERENCING WILL BE SHOWN ON OUTPUT LEAD.



PART OF FS 5
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY		DWG SIZE 6S	ISSUE 1
BELL LABORATORIES	SD-1C902-03		B5AB

PRINTED IN U.S.A.

PART OF FS 5

ERROR DETECTION

SYMBOL NO. 1

STORE SELECT AND SHIFTER TIMING CHECK

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
SELSFTCK	08-18	FA1071	D	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		009			SELDIF0	9H4
		310			DISTIM10	9A5
BSEL0	I	308	1/5		BSEL10	9A-
COMPRD0B	I	313	5/4		ENSCM10	9A7
PHER0	I	118	5/3		PHER10	9A6
PLER0	I	207	5/2		PLER10	9A7
SELER0	O	007	5/17		SELER0	9H2
SHIFTER0	O	306	5/16		SHER0	9H2
XBKSCM1	O	IC	1/1		BKSCM1	9H7
XCBIT031	I	IC	1/1		BIT031	9A3
XCBIT5B1	I	IC	1/1		BIT05B1	9F0
XCCK1B0	I	IC	1/1		CK1B0	9G0
XCID040	I	IC	1/1		ID0.40	9F0
XCINIT0B	I	IC	6/4		INIT0B	9G0
XCRMBB0	O	IC	1/1		RMBB0	9H3
XCRM1	I	IC	1/1		RM1	9A3
XCSEL1	I	IC	1/1		SEL1	9A4
XCTSEL0	I	IC	1/1		TSEL0	9A3
XLBT13A1	I	IC	1/1		LBIT13A1	9A6
XNFOBRM0	O	IC	1/1,6/4		NOFOBRM0	9H6
XRD1	I	IC	1/1		RD1	9A6
XTBKSCM0	O	IC	1/1		TBKSCM0	9H6
XTNOCS0	OT	IC	1/1		TNOCS0	9A5

SYMBOL NO. 2

CONTROL TIMING AND DATA PARITY LOW CHECK

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CNTLDPLC	08-17	FA1062	F	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		013			CNT501	8G9
		016			CNT91	8H1
		214			TMODCK1	6H4
ARREQ1	I	209	3/3		ARREQ11	6A2
ARTIM1B	O	110			CNT81	8H3
	I	206			RTIMI1	6A5
BIT4B0	I	201	1/1		ERSTBI0	6A1
CLOCK0B	I	202	1/20		CKI0	9A7
COMER0	O	208	5/18		TCER0	7H3
DPL0	I	007	2/1		DPLI0	10A7
D000	I	117	2/13		D0I0	10A0
D010	I	217	2/12		D110	10A1
D020	I	017	2/11		D210	10A1
D030	I	316	2/10		D310	10A2
D040	I	210	2/9		D410	10A3
D050	I	216	2/8		D510	10A3
D060	I	116	2/7		D610	10A4
D070	I	219	2/6		D710	10A4
D160	I	019	2/5		D161D	10A5
D170	I	318	2/4		D171D	10A5
D180	I	010	2/3		D181D	10A6

SYMBOL NO. 2 (CONT)

CONTROL TIMING AND DATA PARITY LOW CHECK

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CNTLDPLC	08-17	FA1062	F	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
D190	I	108	2/2		D19I0	10A6
MODEER0	O	203	5/19		ER0	6G8
PLER0	O	313	5/1,5/4		TPER0	11H4
RADCNT0	I	IC304	3/2		RADCNT0	6A6
READ0D	I	IC012	1/5		RD0	7A2
SGO1	I	109	1/1		GOI1	6A1
XBLDWR0	I	IC	1/5		BLDWR0	7A1
XCRMB0	I	IC	1/5		RMB0	7A4
XCTCL590	I	IC	6/7		TCL590	8E0
XFCLREQ0	I	IC	6/7		FCLRREQ0	6A6
XINITB0	I	IC	6/7		INITB0	9D0
XINITOA	I	IC	6/7		INITOA	6A2
XINITOB	I	IC	6/7		INITOB	9D0
XINITOC	I	IC	6/7		INITOC	8E0
XINITOD	I	IC	6/7		INITOD	6A7
XLDSPR0	I	IC	1/5		LDSPR0	7A1
XLDWP0	I	IC	1/5		LDWP0	7A1
XNLDB1	I	IC	1/5		NLDB1	6E0
XRM0	I	IC	1/5		RM0	6E0
XRM1	I	IC	1/5		RM1	6E0
XSTRWP0	I	IC	1/5		STRWP0	7A0
XWR0	I	IC	1/5		WR0	7A1
0.10TIM0	OT	IC001	1/1		TTMACTI0	6A3
	IO	001	1/1		TTMACTI0	6A4
3T046D	I	014		202	CNTTSTI0	8A1

SYMBOL NO. 3

TIMING,WRITE PROTECT AND DATA PARITY HIGH CHECK

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
TMWPDPHC	08-21	FA1065	C	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
BIT00I0	I	315	1/1		CLTCHI0	8A2
BIT5B0	I	015	1/1		ERSTBI0	8A4
BLWTOP0	I	003	TO CONN CKT		BLWTOPI0	9A4
CHSCM1	I	017	1/1		CHSCMI1	9A3
CLER0	I	203	6/3		CLERBI0	9A2
DPH0	I	001	2/1		DPHI0	7A4
D080	I	212	2/13		D8I0	6A7
D090	I	110	2/12		D9I0	6A6
D100	I	308	2/11		D10I0	6A6
D110	I	303	2/10		D11I0	6A5
D120	I	002	2/9		D12I0	6A4
D130	I	101	2/8		D13I0	6A4
D140	I	317	2/7		D14I0	6A3
D150	I	116	2/6		D15I0	6A3
D200	I	311	2/5		D20I0	6A2
D210	I	109	2/4		D21I0	6A2
D220	I	204	2/3		D22I0	6A1
D230	I	102	2/2		D23I0	6A1

SYMBOL NO. 3 (CONT)

TIMING,WRITE PROTECT AND DATA PARITY HIGH CHECK

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
TMWPDPHC	08-21	FA1065	C	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
FOBATER0	O	208	5/13		TATER0	10H3
FOBBTER0	O	206	5/20		BTER0	8H4
PHER0	O	304	5/1,5/4		TPER0	7H4
SCMER0	O	217	5/17		SCMER0	9H3
SELRC0A	I	301	7/1		SELCSAI0	8A1
SELRC0B	I	318	7/15		SELCSBI0	8A2
SELRW0A	I	210	7/1		SELRWAI0	8A4
SELRW0B	I	009	7/15		SELRWBI0	8A4
SERBI0	I	111	TO CONN CKT		SERBI0	9A5
SERB00	O	013	TO CONN CKT		TSERB0	9H5
TINWP0	I	309	4/4		INWPI0	9A5
UNSLER0A	I	004	7/1		UNSELAI0	8A3
UNSLER0B	I	202	7/15		UNSELBI0	8A3
XCCOMAB0	I	IC	1/2		COMAB0	10A4
XCC00	I	IC	1/2		C00	10A4
XCC01	I	IC	1/2		C01	9A4
XCC11	I	IC	1/2		C11	10A4
XCC20	I	IC	1/2		C20	10A3
XCC21	I	IC	1/2		C21	9A4
XCC30	I	IC	1/2		C30	10A2
XCINIT0	I	IC	6/5		INIT0	8E0
XCNOTWC1	I	IC	1/2		NOTWC1	9A3
XCTINWP1	O	IC	1/2		TINWP1	9H4
XRM0A	I	IC	1/2		RM0A	10A2
XRM0B	I	IC	1/2		RM0B	9E1

SYMBOL NO. 4

SINGLE VS DOUBLE DATA PARITY AND ERROR A

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
SDDP.ERA	08-24	FA1068	B	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
SERC00	OI	002	6/21 TO CONN CKT		TSERC0	4H4
SERC00	O	IC002	5/4		TSERC0	4H5
TERROR0	I	007	5/13		ERI0	4A7
WTDPHER0	O	109	5/19		WRTPHER0	4H3
WTDPLER0	O	108	5/15		WRTPLER0	4H3
XLSAC0	I	IC	1/3		LSAC0	4A3
XLSCW0	I	IC	1/3		LSCW0	4A0
XSEL0A	I	IC	1/3		SEL0	4A5
XTWRTPK1	I	IC	1/3		TWRTPCK1	4A0

SYMBOL NO. 4

SINGLE VS DOUBLE DATA PARITY AND ERROR A

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
SDDP.ERA	08-24	FA1068	B	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		008			TPER0	4H2
CHSCM1	I	219	1/1		ENCMRDI1	4A3
COMPRD0A	O	116	2/9,2/10 2/11,2/12 2/13		P2ER0A	4H4
COMPRD0B	O	019	2/1,2/2 2/3,2/4 5/1		P2ER0B	4H4
COMPRD0C	O	006	2/5,2/6 2/7,2/8		P2ER0C	4H3
ENSERC1	I	015	1/1		ENSERCI1	4A4
PHER0	I	218	5/3		PHERI0	4A1
PLER0	I	317	5/2		PLERI0	4A1
READ0A	I	315	1/2		RDI0	4A2
SERAI0	I	318	TO CONN CKT		SERAI0	4A7
SERA00	O	117	TO CONN CKT		TSERA0	4G7
SERCB0	O	310	1/4		SERC0	4H5
SERCC0	I	308	1/4		SERCI0	4A5
SERCI0	IO	309	6/21 TO CONN CKT		TSERCI0	4A5
	OT	IC309	5/4		TSERCI0	4A5

PART OF FS 5

SYMBOL(S) 1 2 3 4

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE: C2 | ISSUE: 1

BELL LABORATORIES | SD-1C902-03 | B5CA

PRINTED IN U. S. A. 05/06/78

PART OF FS 5

ERROR DETECTION

SYMBOL NO. 5

NORMAL SELECT AND REFRESH SELECT CHECK; ADDRESS PARITY CHECK FROM FANOUT BOARD

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
NMRFADCK	08-19	FA1066	B	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		003		
		013		
		014		
		016		
		018		
		113		
		115		
		116		
		214		
		216		
		313		
		315		
ADPARER0	O	208	5/20	
APER0A	I	310	7/1	
APER0B	I	211	7/15	
MSEL00	I	219	7/1	
MSEL10	I	318	7/15	
NSELER0	O	209	5/15	
REFMODE0	I	206	1/1	
RSELER0	O	108	5/14	
RSEL0B1	OI	010	6/3 5/20	
RSEL01	I	103	7/1	
RSEL1B1	OI	306	6/3 5/19	
RSEL11	I	203	7/15	
RSEL2B1	OI	106	6/3 5/18	
RSEL3B1	OI	309	6/3 5/17	
RSEL4B1	OI	109	6/3 5/16	
RSEL5B1	OI	009	6/3 5/15	
RSEL6B1	OI	308	6/3 5/14	
RSEL7B1	OI	210	6/3 5/16	
XCTSCF0	OT	IC	6/6	
XCTSCG0	OT	IC	6/6	
XF110	I	IC	6/6	

CP INFO

TERM. MOD	LOC
RSEL211	5A4
MSEL711	3A1
MSEL411	3A
RSEL611	5A0
RSEL311	5A4
MSEL611	3A1
MSEL211	3A3
RSEL411	5A1
MSEL311	3A3
RSEL511	5A1
MSEL511	3A2
RSEL711	5A0
TPARER0	5H6
APARER10	5A5
BPARER10	5A6
MSEL010	3A4
MSEL110	3A3
NSELER0	5H4
RMI0	5A2
RSELER0	5H2
RSEL01	5H5
RSEL011	5A5
RSEL11	5H5
RSEL111	5A5
RSEL21	5H4
RSEL31	5H4
RSEL41	5H1
RSEL51	5H1
RSEL61	5H0
RSEL71	5H0
TSCF0	4B7
TSCG0	4B4
F110	3E0

SYMBOL NO. 6

2B DATA PARITY GENERATION CHECK

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
2BPARCHK	08-14	FA1067	D	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
BLDWR0	I	214	1/2	
COMWRT0B	I	115	1/3	
DPWER0	O	003	5/18	
REFMODE0	I	213	1/1	
WRITE0	I	215	1/2	
XSDPW0	I	IC	2/18	
XSDPW1A	I	IC	2/18	
XTPWHEV0	I	IC	2/18	
XTPWHOD0	I	IC	2/18	
XTPWLEV0	I	IC	2/18	
XTPWLOD0	I	IC	2/18	

CP INFO

TERM. MOD	LOC
BLDWRTI0	7A4
COMWRTI0	7A5
TPWER0	7H3
RMI0	7A5
WRTI0	7A6
SDPW0	7F0
SDPW1A	7F0
TPWHEV0	7B0
TPWHOD0	7B0
TPWLEV0	7B0
TPWLOD0	7B0

SYMBOL NO. 7

I/O COMMAND DECODER CHECK

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
IODECHK	08-20	FA1064	B	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
IODECCH0	O	214	6/13	
XCAA80	I	IC	6/3	
XCB180	I	IC	6/3	
XCB2880	I	IC	6/3	
XCCC80	I	IC	6/3	
XCC680	I	IC	6/3	
XCC980	I	IC	6/3	
XCD480	I	IC	6/3	
XCE480	I	IC	6/3	
XCE88B0	I	IC	6/3	
XCF0B80	I	IC	6/3	
XC1B80	I	IC	6/3	
XC17B0	I	IC	6/3	
XC2B80	I	IC	6/3	
XC33B0	I	IC	6/3	
XC36B0	I	IC	6/3	
XC39B0	I	IC	6/3	
XC4DB0	I	IC	6/3	
XC4EB0	I	IC	6/3	
XC55B0	I	IC	6/3	
XC6CB0	I	IC	6/3	
XC63B0	I	IC	6/3	
XC69B0	I	IC	6/3	
XC71B0	I	IC	6/3	
XC72B0	I	IC	6/3	
XC8DB0	I	IC	6/3	
XC8EB0	I	IC	6/3	
XC9CB0	I	IC	6/3	
XC93B0	I	IC	6/3	
XC9EB0	I	IC	6/3	
XNITBC0	I	IC	6/3	

CP INFO

TERM. MOD	LOC
XORFG0	9H5
AA80	6B0
B1B0	6D0
B2BB0	6D0
CCB0	6B0
C6B0	6B0
C9B0	6B0
D4B0	6C0
E4B0	6A0
E8BBB0	6B0
F0BB0	7B0
1BB0	6C0
17B0	6C0
2BB0	6B0
33B0	6D0
36B0	6D0
39B0	6D0
4DB0	6D0
4EB0	6A0
55B0	6C0
6CB0	6B0
63B0	6B0
69B0	6C0
71B0	6D0
72B0	6D0
8DB0	6B0
8EB0	6C0
9CB0	6C0
93B0	6C0
9EB0	6C0
INITBC0	6C0

SYMBOL NO. 8

ISOLATE INFORMATION ON DATA BITS PL AND PH

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ISOPH.PL	08-16	FA1060	E	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		007		
		016		
		104		
		108		
		116		
		212		
		305		
		313		
		316		
ICHDPAR0	O	219	6/16	
SHBIT090	I	316	1/1	
XERCOL1N	O	IC	4/3	
XISOCK0N	I	IC	6/8	
XTCLER0N	I	IC	6/8	
XTSER00N	OT	IC	6/8	
XTSER10N	OT	IC	6/8	

CP INFO

TERM. MOD	LOC
ER0	9H4
EXERLDI0	9A1
IOER11	9H5
EXINOI0	9A1
ERINOI0	9A3
EXIN1I0	9A5
IOER01	9H1
ERIN1I0	9A3
ER00	9H3
ERCOLLI0	9A0
ERCOLL1	9B6
ISOCK0	9D0
TCLER0	9E0
TSTER00	9F0
TSTER10	9F7

SYMBOL NO. 9

ISOLATE INFORMATION ON DATA BITS 19 AND 23

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ISO23.19	08-13	FA1060	E	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		007		
		016		
		104		
		108		
		116		
		212		
		305		
		313		
		316		
ICHD190	O	219	6/17	
XERCOL1M	O	IC	4/12	
XISOCK0M	I	IC	6/9	
XTCLER0M	I	IC	6/9	
XTSER00M	OT	IC	6/9	
XTSER10M	OT	IC	6/9	

CP INFO

TERM. MOD	LOC
ER0	9H4
EXERLDI0	9A1
IOER11	9H5
EXINOI0	9A1
ERINOI0	9A3
EXIN1I0	9A5
IOER01	9H1
ERIN1I0	9A3
ERCOLLI0	9A0
ER00	9H3
ERCOLL1	9B6
ISOCK0	9D0
TCLER0	9E0
TSTER00	9F0
TSTER10	9F7

SYMBOL NO. 10

ISOLATE INFORMATION ON DATA BITS 18 AND 22

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ISO22.18	08-12	FA1060	E	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		007		
		016		
		104		
		108		
		116		
		212		
		305		
		313		
		316		
ICHD180	O	219	6/18	
XERCOL1L	O	IC	4/13	
XISOCK0L	I	IC	6/10	
XTCLER0L	I	IC	6/10	
XTSER00L	OT	IC	6/10	
XTSER10L	OT	IC	6/10	

CP INFO

TERM. MOD	LOC
ER0	9H4
EXERLDI0	9A1
IOER11	9H5
EXINOI0	9A1
ERINOI0	9A3
EXIN1I0	9A5
IOER01	9H1
ERIN1I0	9A3
ERCOLLI0	9A0
ER00	9H3
ERCOLL1	9B6
ISOCK0	9D0
TCLER0	9E0
TSTER00	9F0
TSTER10	9F7

SYMBOL NO. 11

ISOLATE INFORMATION ON DATA BITS 17 AND 21

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ISO21.17	08-11	FA1060	E	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		007		
		016		
		104		
		108		
		116		
		212		
		305		
		313		
		316		
ICHD170	O	219	6/19	
XERCOL1K	O	IC	4/14	
XISOCK0K	I	IC	6/11	
XTCLER0K	I	IC	6/11	
XTSER00K	OT	IC	6/11	
XTSER10K	OT	IC	6/11	

CP INFO

TERM. MOD	LOC
ER0	9H4
EXERLDI0	9A1
IOER11	9H5
EXINOI0	9A1
ERINOI0	9A3
EXIN1I0	9A5
IOER01	9H1
ERIN1I0	9A3
ERCOLLI0	9A0
ER00	9H3
ERCOLL1	9B6
ISOCK0	9D0
TCLER0	9E0
TSTER00	9F0
TSTER10	9F7

PART OF FS 5

SYMBOL(S) 5 6 7 8 9 10 11

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE CZ	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B5CB

PRINTED IN U. S. A.

PART OF FS 5

ERROR DETECTION

SYMBOL NO. 12

ISOLATE INFORMATION ON DATA BITS 16 AND 20

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ISO20.16	08-10	FA1060	E	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		007		
		016		
		104		
		108		
		116		
		212		
		305		
		313		
		316		
ICHD160	O	219	6/20	
XERCOL1J	O	IC	4/15	
XISOCK0J	I	IC	6/12	
XTCLER0J	I	IC	6/12	
XTSER00J	OT	IC	6/12	
XTSER10J	OT	IC	6/12	

CP INFO

TERM. MOD	LOC
ER0	9H4
EXERLDI0	9A1
IOER11	9H
EXIN0I0	9A1
ERIN0I0	9A3
EXIN1I0	9A5
IOER01	9H1
ERIN1I0	9A3
ERCOLLI0	9A0
ER00	9H3
ERCOLL1	9B6
ISOCK0	9D0
TCLER0	9E0
TSTER00	9F0
TSTER10	9F7

SYMBOL NO. 13

ERROR REGISTER ON BIT SLICE BOARD, (BITS 07 AND 15)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ERR15.07	08-09	FA1060	E	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		108		
		212		
		219		
		313		
ERB071	O	305	6/2,6/3	
ERB151	O	104	6/2,6/3	
FLDXERB0	I	016	6/3	
FOBATER0	I	116	5/3	
SHBIT090	I	316	1/1	
TERROR0	OT	007	5/14,5/15 5/16,5/17 5/18,5/19 5/20	
	I		5/4	
XERCOL1H	O	IC	4/4	
XISOCK0H	I	IC	6/13	
XTCLER0H	I	IC	6/13	
XTSER00H	OT	IC	6/13	
XTSER10H	OT	IC	6/13	

CP INFO

TERM. MOD	LOC
EXIN0I0	9A1
EXIN1I0	9A5
ER00	9H3
ERIN1I0	9A3
IOER01	9H1
IOER11	9H5
EXERLDI0	9A1
ERIN0I0	9A3
ERCOLLI0	9A0
ER0	9H4
ERCOLL1	9B6
ISOCK0	9D0
TCLER0	9E0
TSTER00	9F0
TSTER10	9F7

SYMBOL NO. 14

ERROR REGISTER ON BIT SLICE BOARD, (BITS 06 AND 14)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ERR14.06	08-08	FA1060	E	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		212		
		219		
		313		
ERB061	O	305	6/2,6/3	
ERB141	O	104	6/2,6/3	
FLDXERB0	I	016	6/3	
RSELER0	I	116	5/5	
RSEL6B1	I	108	5/5	
SHBIT090	I	316	1/1	
TERROR0	OT	007	5/13	
XERCOL1G	O	IC	4/5	
XISOCK0G	I	IC	6/14	
XTCLER0G	I	IC	6/14	
XTSER00G	OT	IC	6/14	
XTSER10G	OT	IC	6/14	

CP INFO

TERM. MOD	LOC
EXIN1I0	9A5
ER00	9H3
ERIN1I0	9A3
IOER01	9H1
IOER11	9H5
EXERLDI0	9A1
ERIN0I0	9A3
EXIN0I0	9A1
ERCOLLI0	9A0
ER0	9H4
ERCOLL1	9B6
ISOCK0	9D0
TCLER0	9E0
TSTER00	9F0
TSTER10	9F7

SYMBOL NO. 15

ERROR REGISTER ON BIT SLICE BOARD, (BITS 05 AND 13)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ERR13.05	08-07	FA1060	E	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		212		
		219		
ERB051	O	305	6/2,6/3	
ERB131	O	104	6/2,6/3	
FLDXERBC	I	016	6/3	
NSELER0	I	116	5/5	
RSEL5B1	I	108	5/5	
SHBIT090	I	316	1/1	
TERROR0	OT	007	5/13	
WTDPLER0	I	313	5/4	
XERCOL1F	O	IC	4/6	
XISOCK0F	I	IC	6/15	
XTCLER0F	I	IC	6/15	
XTSER00F	OT	IC	6/15	
XTSER10F	OT	IC	6/15	

CP INFO

TERM. MOD	LOC
EXIN1I0	9A5
ER00	9H3
IOER01	9H1
IOER11	9H5
EXERLDI0	9A1
ERIN0I0	9A3
EXIN0I0	9A1
ERCOLLI0	9A0
ER0	9H4
ERIN1I0	9A3
ERCOLL1	9B6
ISOCK0	9D0
TCLER0	9E0
TSTER00	9F0
TSTER10	9F7

SYMBOL NO. 16

ERROR REGISTER ON BIT SLICE BOARD, (BITS 04 AND 12)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ERR12.04	08-06	FA1060	E	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		219		
		313		
ERB041	O	305	6/2,6/3	
ERB121	O	104	6/2,6/3	
FLDXER0	I	016	6/3	
RSEL4B1	I	108	5/5	
RSEL7B1	I	212	5/5	
SHBIT090	I	316	1/1	
SHIFTER0	I	116	5/1	
TERROR0	OT	007	5/13	
XERCOL1E	O	IC	4/7	
XISOCK0E	I	IC	6/16	
XTCLER0E	I	IC	6/16	
XTSER00E	OT	IC	6/16	
XTSER10E	OT	IC	6/16	

CP INFO

TERM. MOD	LOC
ER00	9H3
ERIN1I0	9A3
IOER01	9H1
IOER11	9H5
EXERLDI0	9A1
EXIN0I0	9A1
ERIN1I0	9A5
ERCOLLI0	9A0
ERIN0I0	9A3
ER0	9H4
ERCOLL1	9B6
ISOCK0	9D0
TCLER0	9E0
TSTER00	9F0
TSTER10	9F7

SYMBOL NO. 17

ERROR REGISTER ON BIT SLICE BOARD, (BITS 03 AND 11)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ERR11.03	08-05	FA1060	E	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		212		
		219		
ERB031	O	305	6/2,6/3	
ERB111	O	104	6/2,6/3	
FLDXER0	I	016	6/3	
RSEL3B1	I	108	5/5	
SCMER0	I	116	5/3	
SELER0	I	313	5/1	
SHBIT090	I	316	1/1	
TERROR0	OT	007	5/13	
XERCOL1D	O	IC	4/8	
XISOCK0D	I	IC	6/17	
XTCLER0D	I	IC	6/17	
XTSER00D	OT	IC	6/17	
XTSER10D	OT	IC	6/17	

CP INFO

TERM. MOD	LOC
EXIN1I0	9A5
ER00	9H3
IOER01	9H1
IOER11	9H5
EXERLDI0	9A1
EXIN0I0	9A1
ERIN0I0	9A3
ERIN1I0	9A3
ERCOLLI0	9A0
ER0	9H4
ERCOLL1	9B6
ISOCK0	9D0
TCLER0	9E0
TSTER00	9F0
TSTER10	9F7

SYMBOL NO. 18

ERROR REGISTER ON BIT SLICE BOARD, (BITS 02 AND 10)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ERR10.02	08-04	FA1060	E	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		219		
CHSAD0	I	212	2/15	
COMER0	I	116	5/2	
DPWER0	I	313	5/6	
ERB021	O	305	6/2,6/3	
ERB101	O	104	6/2,6/3	
FLDXER0	I	016	6/3	
RSEL2B1	I	108	5/5	
SHBIT090	I	316	1/1	
TERROR0	OT	007	5/13	
XERCOL1C	O	IC	4/9	
XISOCK0C	I	IC	6/18	
XTCLER0C	I	IC	6/18	
XTSER00C	OT	IC	6/18	
XTSER10C	OT	IC	6/18	

CP INFO

TERM. MOD	LOC
ER00	9H3
ERIN1I0	9A5
ERIN2I0	9A3
ERIN3I0	9A3
IOER01	9H1
IOER11	9H5
EXERLDI0	9A1
EXIN1I0	9A5
EXIN0I0	9A1
ERCOLLI0	9A0
ER0	9H4
ERCOLL1	9B6
ISOCK0	9D0
TCLER0	9E0
TSTER00	9F0
TSTER10	9F7

SYMBOL NO. 19

ERROR REGISTER ON BIT SLICE BOARD, (BITS 01 AND 09)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ERR09.01	08-03	FA1060	E	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		219		
ERB011	O	305	6/2,6/3	
ERB091	O	104	6/2,6/3	
FLDXER0	I	016	6/3	
LAD170	I	212	2/14	
MODEER0	I	116	5/2	
RSEL1B1	I	108	5/5	
SHBIT090	I	316	1/1	
TERROR0	OT	007	5/13	
WTDPHER0	I	313	5/4	
XERCOL1B	O	IC	4/10	
XISOCK0B	I	IC	6/19	
XTCLER0B	I	IC	6/19	
XTSER00B	OT	IC	6/19	
XTSER10B	OT	IC	6/19	

CP INFO

TERM. MOD	LOC
ER00	9H3
IOER01	9H1
IOER11	9H5
EXERLDI0	9A1
EXIN1I0	9A5
ERIN2I0	9A3
EXIN0I0	9A1
ERCOLLI0	9A0
ER0	9H4
ERIN1I0	9A3
ERCOLL1	9B6
ISOCK0	9D0
TCLER0	9E0
TSTER00	9F0
TSTER10	9F7

PART OF FS 5

SYMBOL(S) 12 13 14 15 16 17 18 19

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE: D2	ISSUE: 1
BELL LABORATORIES	SD-1C902-03	B5CC

PRINTED IN U. S. A. 05/06/78

PART OF FS 5

ERROR DETECTION

SYMBOL NO. 20

ERROR REGISTER ON BIT SLICE BOARD.
(BITS 00 AND 08)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ERR08.00	08-02	FA1060	E	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		219			ER00	9H3
ADPARER0	I	313	5/5		ERIN1I0	9A3
ERB001	O	305	6/2,6/3		ICER01	9H
ERB081	O	104	6/2,6/3		ICER1;	9H5
FLDXER0	I	016	6/3		EXERLD1O	9A1
FOBBTER0	I	116	5/3		ERIN01O	9A3
LADPH0	I	212	2/17		EXIN1I0	9A5
RSEL0B1	I	108	5/5		EXIN0I0	9A1
SHBIT090	I	316	1/1		ERCOLL1O	9A0
TERR0R0	OT	007	5/13		ER0	9H4
XERCOLTA	O	IC	4/11		ERCOLL1	9B6
XISOCK0A	I	IC	6/20		ISOCK0	900
XTCLER0A	I	IC	6/20		TCLER0	9E0
XTSER00A	OT	IC	6/20		TSTER00	9F0
XTSER10A	OT	IC	6/20		TSTER10	9F7

PART OF FS 5
SYMBOL(S) 20

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE E2	ISSUE 1
BELL LABORATORIES SD-1C902-03		B5CD

PRINTED IN U. S. A.
03/06/73

PART OF FS 5
ERROR DETECTION

COMPOSITE DIAGRAM 17
SERIAL I/O CHANNEL 4/8 CHECK



PART OF FS 5
COMPOSITE DIAGRAM 17

MAIN STORE CONTROLLER AND MEMORY (2)		DWG SIZE 6S	ISSUE 1
BELL LABORATORIES	SD-1C902-03		BSGL

PART OF FS 5
ERROR DETECTION

COMPOSITE DIAGRAM 1
ERROR REGISTER

NOTES:

1. INPUTS TO ERROR REGISTER SHOWN IN COMPOSITE DIAGRAM 2.



PART OF FS 5
COMPOSITE DIAGRAM 1

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 65	ISSUE 1
BELL LABORATORIES	SD-IC902-03	B5BA

PART OF FS 5

ERROR DETECTION

COMPOSITE DIAGRAM 2

ERROR REGISTER ASSIGNMENTS

BIT	LOC
0	08-02
1	08-03
2	08-04
3	08-05
4	08-06
5	08-07
6	08-08
7	08-09
8	08-02
9	08-03
10	08-04
11	08-05
12	08-06
13	08-07
14	08-08
15	08-09

ERROR REGISTER
(ERROR LOAD)

TRMM@D	PIN	NET	FA-CODE	SOURCE TRMM@D	PIN
ERINOIO	116	F@BBTERO	1065	BTERO	206
		M@DEERO	1062	ERO	203
		C@MERO	1062	TCERO	208
		SCMERO	1065	SCMERO	217
		SHIFTERO	1071	SHERO	306
		NSELERO	1066	NSELERO	209
		RSELERO	1066	RSELERO	108
		F@BATERO	1065	TATERO	208
ERIN1IO	313	ADPARERO	1066	TPARERO	208
		WTDPHERO	1068	WRTPHERO	109
		DPWERO	1067	TPWERO	003
		SELERO	1071	SELERO	007
		NC			
		WTDPLERO	1068	WRTPLERO	108
		NC			
		NC			

ERROR LOAD

THE INPUTS TO THE ERROR REGISTER FROM THESE SOURCES ARE THE SELF-CHECKING FEATURES OF THE MAIN STORE AND ARE DETAILED IN COMPOSITE DIAGRAMS 3 THROUGH 15.

ERROR REGISTER
(EXTERNAL LOAD)

TRMM@D	PIN	NET	FA-CODE	SOURCE TRMM@D	PIN
EXINOIO	108	RSEL0B1	1066,1064	RSEL01	010,202
		RSEL1B1	1066,1064	RSEL11	306,008
		RSEL2B1	1066,1064	RSEL21	106,102
		RSEL3B1	1066,1064	RSEL31	309,207
		RSEL4B1	1066,1064	RSEL41	109,301
		RSEL5B1	1066,1064	RSEL51	009,007
		RSEL6B1	1066,1064	RSEL61	308,101
		NC			
EXIN1IO	212	LADPH0	1062,1066	LADPHIO	102,218
		LAD17O	1065,FC203	AD17O	316,304
		CHSADO	1062	SA19@181	100
		NC			
		RSEL7B1	1066,1064	RSEL71	210,209
		NC			
		NC			
		NC			

EXTERNAL LOAD

BITS 0 THROUGH 6, 12

INDICATES THAT BOTH MEMORY MODULES CAN BE SELECTED DURING A REFRESH CYCLE. ERROR BIT 6 IN THE ERROR LOAD IS A SINGLE INDICATION THAT ONE OR BOTH OF THE MEMORY MODULES DID NOT GET SELECTED DURING A REFRESH CYCLE.

BIT 8

INDICATES THE STATE OF THE ADDRESS PARITY HIGH REGISTER.

BIT 9

INDICATES THE STATE OF THE ADDRESS BIT 17 REGISTER.

BIT 10

INDICATES THE STATES OF THE ADDRESS BIT 18 AND 19 REGISTERS. THIS SINGLE LEAD IS THE "OR" OF THE TWO ADDRESS BITS.

ERROR REGISTER
(ISOLATION LOAD)

TRMM@D	PIN	NET	FA-CODE SOURCE TRMM@D	PIN
IC	IC	IC	DATA BUS FA1060	0-8
				1-9
				2-10
				3-11
				4-12
				5-13
				6-14
				7-15
@FISOIO	115	ICHD16O	1060 LOC 08-10-219	
		ICHD17O	1060 LOC 08-11-219	
		ICHD18O	1060 LOC 08-12-219	
		ICHD19O	1060 LOC 08-13-219	
		ICHDPARO	1060 LOC 08-16-219	
		ICHEPARO	1067 TBUSCKO	318
		ICHTIMO	1068 TBUSCKO	216
		I@DECCHO	1064 X@RFGO	214

ISOLATION LOAD

BITS 0 THROUGH 7

INDICATES THE STATE OF THE DATA BUS FOR THE FIRST 16 DATA BITS. EACH OF THE BITS IN THE ERROR REGISTER IS THE "OR" OF TWO DATA BITS AS FOLLOWS:

ERROR REG BIT	DATA BIT
0	0,8
1	1,9
2	2,10
3	3,11
4	4,12
5	5,13
6	6,14
7	7,15

BITS 8 THROUGH 12

SAME AS ABOVE, BUT FOR A WIDE STORE (24 DATA BITS) AS FOLLOWS:

ERROR REG BIT	DATA BIT
8	16,20
9	17,21
10	18,22
11	19,23
12	PL,PH

BIT 13

INDICATES THE STATE OF THE DATA BUS FOR DATA PARITY BITS IN A WIDE STORE. THIS SINGLE LEAD IS THE "OR" OF DATA PARITY LOW, DATA PARITY HIGH, AND EXTENDED DATA PARITY HIGH.

BIT 14

INDICATES THE STATE OF THREE BUS LEADS:
ERROR C
STORE COMPLETE
STORE BUSY
THIS SINGLE LEAD IS THE "OR" OF THE THREE BUS LEADS.

BIT 15

INDICATES THE RESULTS OF CHECKING THE SERIAL I/@ CHANNEL 4-OUT-OF-8-CODE. SEE COMPOSITE DIAGRAM 17.

PART OF FS 5
COMPOSITE DIAGRAM 2

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE 6S

BELL LABORATORIES | SD-1C902-03

PART OF FS 5

ERROR DETECTION

COMPOSITE DIAGRAM 3

ERROR BIT 0



ERROR BIT 0

TEST DURING A MEMORY ACCESS CYCLE THAT A CHIP SELECT SIGNAL IS NOT ENABLED IN AN UNSELECTED MEMORY MODULE. ONLY A SINGLE, SELECTED, MEMORY MODULE SHOULD BE ACCESSED EXCEPT DURING A REFRESH CYCLE WHEN BOTH MODULES ARE SELECTED.

COMPOSITE DIAGRAM 4

ERROR BIT 1



ERROR BIT 1

FUNCTIONAL TEST THAT MONITORS THE CONTROL OF A MAIN STORE CYCLE. SEE COMPOSITE FOR DETAILS.

PART OF FS 5
COMPOSITE DIAGRAMS 3,4

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE 65

BELL LABORATORIES | SD-1C902-03

PART OF FS 5
ERROR DETECTION

COMPOSITE DIAGRAM 5
ERROR BIT 2



ERROR BIT 2

TEST THAT ONE AND ONLY ONE VALID MAIN STORE COMMAND WAS DECODED FROM THE COMMAND REGISTER DURING A MAIN STORE CYCLE.

COMPOSITE DIAGRAM 6
ERROR BIT 3



ERROR BIT 3

TEST THAT THE STORE COMPLETE SIGNAL IS NOT ACTIVE AT BIT 5 TIME DURING NON-REFRESH CYCLES. THE STORE COMPLETE SIGNAL SHOULD NOT GO ACTIVE UNTIL BIT 11 TIME.

COMPOSITE DIAGRAM 7
ERROR BIT 4



ERROR BIT 4

TEST FOR MULTIPLE BITS IN THE TIMING SHIFT REGISTER. THE CIRCUITRY TESTS AT BIT 5 TIME, THAT BITS 0 THRU 4 OF THE TIMING SHIFT REGISTER ARE INACTIVE.

PART OF FS 5
COMPOSITE DIAGRAMS 5,6,7

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	ISS
BELL LABORATORIES	SD-1C902-03	B5C

PART OF FS 5
ERROR DETECTION

COMPOSITE DIAGRAM 8
ERROR BIT 5



TEST FOR MORE THAN ONE MEMORY MODULE RESPONDING TO A MAIN STORE MEMORY ACCESS.

COMPOSITE DIAGRAM 9
ERROR BIT 6



ERROR BIT 6

TEST THAT BOTH MEMORY MODULES RESPOND DURING A REFRESH CYCLE

PART OF FS 5
COMPOSITE DIAGRAMS 8,9

MAIN STORE CONTROLLER AND MEMORY

(2)

DWG SIZE
65

BELL LABORATORIES | SD-1C902-03

PART OF FS 5

ERROR DETECTION

COMPOSITE DIAGRAM IO

ERROR BIT 7



ERROR BIT 7

TEST THAT THE PROPER RESPONSES ARE RECEIVED, FROM THE MEMORY MODULES, FOR A PARTICULAR COMMAND CODE RECEIVED ON THE MAIN STORE BUS.

PART OF FS 5
COMPOSITE DIAGRAM 10

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	ISSUE
BELL LABORATORIES	SD-IC902-03	B5GF

PART OF FS 5
ERROR DETECTION

COMPOSITE DIAGRAM 11
ERROR BIT 8



ERROR BIT 8

TEST FOR CORRECT ADDRESS PARITY DURING ANY MEMORY ACCESS CYCLE. ADDRESS PARITY MUST BE CORRECT FOR NORMAL OR REFRESH CYCLES.

COMPOSITE DIAGRAM 12
ERROR BIT 9



ERROR BIT 9

TEST THE DATA PARITY FIELD FOR CORRECT PARITY DURING WRITE AND BLIND WRITE CYCLES. INHIBIT TEST DURING COMPLEMENT WRITE AND REFRESH CYCLES.

PART OF FS 5
COMPOSITE DIAGRAMS 11, 12

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE
65

BELL LABORATORIES | SD-1C902-03

PART OF FS 5

ERROR DETECTION

COMPOSITE DIAGRAM 13

ERROR BIT 10



ERROR BIT 10

TEST THAT THE EXTENDED DATA PARITY HIGH BIT RECEIVED BY THE MAIN STORE CORRESPONDS TO THAT CALCULATED OVER THE SAME DATA FIELD IN THE MAIN STORE. TEST IS PERFORMED ONLY DURING WRITE AND BLIND WRITE CYCLES AND IS INHIBITED DURING THE COMPLEMENT WRITE AND REFRESH CYCLES. THIS TEST AVAILABLE ONLY ON WIDE STORES (24 DATA BITS)

COMPOSITE DIAGRAM 14

ERROR BIT 11



ERROR BIT 11

ADDRESS BITS 18 AND 19 SELECT A PARTICULAR MAIN STORE TO RESPOND TO A COMMAND. THE DECODING OF THESE TWO ADDRESS BITS IS DONE ON TWO DIFFERENT CIRCUIT PACKS, FA1071 AND FA1062. THE RESULTS OF THE DECODING IS COMPARED TO DETERMINE A MATCH.

PART OF FS 5
COMPOSITE DIAGRAM 13, 14

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	
BELL LABORATORIES	SD-1C902-03	8

PART OF FS 5

ERROR DETECTION

COMPOSITE DIAGRAM 15

ERROR BIT 13



ERROR BIT 13
TEST THE DATA PARITY LOW FIELD FOR CORRECT PARITY DURING WRITE AND BLIND WRITE CYCLES. INHIBIT TEST DURING COMPLEMENT WRITE AND REFRESH CYCLES.

PART OF FS 5
COMPOSITE DIAGRAM 15

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	ISS
BELL LABORATORIES	SD-1C902-03	BS

PART OF FS 5

ERROR DETECTION

COMPOSITE DIAGRAM 16

DATA PARITY CHECKS AND CONTROL

NOTE:

1. BIT 13 TIME F/F IS MADE UP OF GATES TLBT13B0 AND LBIT13A1.
2. SOME OF THE LOGIC IN THIS BOX IS PART OF FS 3.
3. ONLY ACTIVE FOR MAIN STORE AUTOMATIC CORRECTION CYCLES.



PART OF FS 5

COMPOSITE DIAGRAM 16

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE A5	ISSUE 1
BELL LABORATORIES	SD-IC902-03	B5G

PART OF FS 6

DIAGNOSTIC ACCESS
INTERCONNECTION AND FLOW DIAGRAM

NOTES:

1. LEADS SHOWN COULD FUNCTION AS EITHER OUTPUTS OR INPUTS (CI). ALL OFF-PAGE REFERENCING WILL BE SHOWN ON OUTPUT LEAD.



PART OF FS 6
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE: 6S	ISSUE: 1
BELL LABORATORIES	SD-1C902-03	B6AA

E - 7823 (12) 73 PRINTED IN U.S.A.

PART OF FS 6

DIAGNOSTIC ACCESS
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 6
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE 65	ISSUE 1
BELL LABORATORIES SD-1C902-03		B6AB

PART OF FS 6

DIAGNOSTIC ACCESS
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 6
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE 6S	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B6AC

PART OF FS 6

DIAGNOSTIC ACCESS
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 6
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE A5	ISSUE 1
BELL LABORATORIES	SD-1C902-03	86AD

E - 7823 (12 - 79)

PART OF FS 6

DIAGNOSTIC ACCESS
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 6
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY (2)		DWG SIZE 65	ISSUE 1
BELL LABORATORIES	SD-IC902-03		B6AE

PART OF FS 6

DIAGNOSTIC ACCESS

SYMBOL NO. 1

I/O INTERFACE

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
IOINTFCE	08-23	FC203	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
CLINIT1	O	010	6/2	
CLOCKCA	OT	IC204	1/20	
CLOCKOB	OT	IC202	1/20	
ENGDXMT0	I	102	6/2	
FCLWPB0	I	013	6/2	
FFOBRM0	I	207	6/2	
FSTOPCK0	I	106	6/2	
INIT0	I	303	6/3	
IOCHORN1	I	218	TO CONN CKT	
IOCHORP1	I	318	TO CONN CKT	
IOCHOSN1	O	213	TO CONN CKT	
IOCHOSP1	O	313	TO CONN CKT	
IOCHZRN1	I	316	TO CONN CKT	
IOCHZRP1	I	317	TO CONN CKT	
IOCHZSN1	O	214	TO CONN CKT	
IOCHZSP1	O	314	TO CONN CKT	
IODIN0	O	014	6/2	
IODOUT0	I	113	6/2	
IOENCH03	I	003	1/5	
IORESET0	OI	306	6/2,6/7	
IOSHFT0	OI	103	6/2	
XFSTPCK0	O	IC	1/20	
XINIT0	O	IC	Z/14	
3T046B	GRD	0GD		202
	GRD	001		202
	GRD	101		202
	GRD	2GD		202
	GRD	200		202
	GRD	201		202
	GRD	301		202
	GRD	319		202
3VG0822B	GRD	200	6/2	
3V046B	PWR	000		202
	PWR	119		202

CP INFO

NOTE	TERM. MOD	LOC
	CLINIT1	3B2
	TCK0A	2E2
	TCK0B	2E
	SHSTPI0	3B1
	BUFB0I0	3B1
	FCKI0	2B2
	FSTPCKI0	2B2
	INITI0	2B2
	IONI1	3B5
	IOPI1	3B6
	OON1	3G7
	OOP1	3G7
	IZNI1	3B5
	IZPI1	3B5
	OZN1	3G7
	OZP1	3G6
	DIN0	3G5
	DOUTI0	3B6
	CLOINI0	3B0
	RESET0	3G1
	SHFT0	3G5
	FSTPCK0	2E2
	INITC	2D2
202	GRD	
202		
202		
202	GRD	
202	GRD	
202		
202		
202	GRD	
	GRD	
202	+3	
202	+3	

SYMBOL NO. 2

I/O SHIFT REGISTER AND BUFFER

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
IOSR.BUF	08-22	FA1063	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		010		
		109		
		212		
		T06		
CLINIT1	I	012	6/1	
COMDE40	O	308	6/3	
ENGDXMT0	O	Z19	6/1	
ERBPH1	I	019	6/3	
ERBPL1	I	Z16	6/3	

CP INFO

TERM. MOD	LOC
PINITOB	1TH1
XMITERB1	4H1
CNT.000	2H3
RAPD110	5H2
CLINIT11	1TA5
E480	2H0
SHSTP0A	2H5
ERPH11	5A7
ERPL11	6A7

SYMBOL NO. 2 (CONT)

I/O SHIFT REGISTER AND BUFFER

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
IOSR.BUF	08-22	FA1063	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
ERB001	I	013	5/20	
ERB011	I	213	5/19	
ERB021	I	113	5/18	
ERB031	I	313	5/17	
ERB041	I	215	5/16	
ERB051	I	115	5/15	
ERB061	I	315	5/14	
ERB071	I	016	5/13	
ERB081	I	116	5/20	
ERB091	I	316	5/19	
ERB101	I	017	5/18	
ERB111	I	317	5/17	
ERB121	I	018	5/16	
ERB131	I	218	5/15	
ERB141	I	118	5/14	
ERB151	I	318	5/13	
FB1T090	OI	117	6/4	
FCLWPB0	OI	111	4/3,4/4 6/1,6/3	
FCLWP0	OI	311	4/5,4/6 4/7,4/8 4/9,4/10 4/11	
FFOBRM0	OI	011	6/1,6/4	
FWRREG0	OI	007	6/6,6/7	
FSELA0	OI	217	6/4	
FSTOPCK0	OI	206	6/1	
F0.10TM0	OI	314	6/7	
IOB040	O	202	6/3	
IOB050	O	301	6/3	
IOB060	O	303	6/3	
IOB070	O	103	6/3	
IOB080	O	300	6/3	
IOB090	O	100	6/3	
IOB100	O	114	6/3	
IOB110	O	214	6/3	
IODIN0	I	006	6/1	
IODOUT0	O	204	6/1	
IORESET0	IO	312	6/1	
IOSHFT0	I	105	6/1	
LDOEFWT0	OI	015	6/5,6/7	
PINIT0	I	110	1/20	
RADCL0	O	309	6/3 3/6,3/7 3/8,3/9 3/10,3/11 3/12,3/13	
REFMODE0	I	112	1/1	
3T046A	GRD	0GD		202
	GRD	005		202
	GRD	102		202
	GRD	107		202
	GRD	2GD		202
	GRD	200		202
	GRD	205		202
	GRD	302		202
	GRD	307		202
	GRD	319		202
3VG0822B	GRD	003	6/1	
	GRD	008	6/1	
	GRD	104	6/1	
	GRD	108	6/1	

CP INFO

TERM. MOD	LOC
ERB011	8AZ
ERB111	7A9
ERB211	7A7
ERB311	7A6
ERB411	7A4
ERB511	7A2
ERB611	7A1
ERB711	6A8
ERB811	6A5
ERB911	6A4
ERB1011	6A2
ERB1111	6A1
ERB1211	5A9
ERB1311	5A7
ERB1411	5A6
ERB1511	5A4
B150	9H2
B080	11H6
B00	11H7
B10	11H5
B30	11H2
B140	9HZ
B20	11H3
B120	9H4
B40	10H6
B50	10H6
B60	10H4
B70	10H4
B80	10HZ
B90	10H1
B100	9H6
B110	9H6
DINI0	5A3
DOUT0	8H5
TRESETI0	11A0
SHIFTI0	3A5
B130	9H4
PINITI0	11A1
PINIT0A	11H1
RMI0	11A4
GRD	
GRD005	2D9
GRD102	2D9
GRD107	2D9
GRD	
GRD	
GRD205	2D9
GRD302	2D9
GRD307	2E9
GRD	
GRD003	2C9
GRD008	2E9
GRD104	2C9
GRD108	2E9

SYMBOL NO. 2 (CONT)

I/O SHIFT REGISTER AND BUFFER

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
IOSR.BUF	08-22	FA1063	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
3VG0822B	GRD	203	6/1	
	GRD	207	6/1	
	GRD	208	6/1	
	GRD	304	6/1	
3VG0822T	GRD	014		
	GRD	211		
	GRD	310		
	GRD	319		
3V046A	PWR	000		202
	PWR	119		202
CLER0	OI	305	5/3,6/13 6/14,6/15 6/16,6/17 6/18,6/19 6/20	
COMDE40	I	Z19	6/2	
ERBPH1	O	112	6/2	
ERBPL1	O	019	6/2	
ERB001	I	015	5/20	
ERB011	I	314	5/19	
ERB021	I	017	5/18	
ERB031	I	316	5/17	
ERB041	I	118	5/16	
ERB051	I	Z18	5/15	
ERB061	I	018	5/14	
ERB071	I	317	5/13	
ERB081	I	117	5/20	
ERB091	I	217	5/19	
ERB101	I	116	5/18	
ERB111	I	Z16	5/17	
ERB121	I	016	5/16	
ERB131	I	315	5/15	
ERB141	I	115	5/14	
ERB151	I	215	5/13	
FB1T110	OI	109	6/4	
FCHKERA0	OI	210	6/6	
FCHKERB0	OI	003	6/6	
FCLB110	OI	103	6/4	
FCLWPB0	I	318	6/2	
FDISRUN0	OI	206	6/4	
FLDSHT00	OI	006	6/4	
FLDXERB0	OI	010	5/13,5/14 5/15	
FLDXER0	OI	110	5/16,5/17 5/18,5/19 5/20	
FNOTIM0	OI	104	6/5	

CP INFO

TERM. MOD	LOC
GRD203	2C9
GRD207	2E9
GRD208	2E9
GRD304	2C9
GRD014	2F9
GRD211	2F9
GRD310	2F9
GRD	
+3	
+3	
6C0	4G4
E4I0	5A5
ERPARH1	10G8
ERPARL1	10G4
ERB0I1	10A1
ERB111	10A1
ERB211	10A1
ERB311	10A2
ERB411	10A2
ERB5I1	10A3
ERB611	10A3
ERB711	10A4
ERB811	10A5
ERB911	10A5
ERB1011	10A6
ERB11I1	10A6
ERB12I1	10A7
ERB13I1	10A7
ERB14I1	10A8
ERB15I1	10A8
CC0	3H1
Z80	3H7
170	3H8
720	4G6
WPINITI0	5A6
630	4G8
C60	4G2
B280	5H4
BZ0	5H4
930	4G7

SYMBOL NO. 3

I/O ORDER DECODER

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
IOORDDEC	08-20	FA1064	A	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
FNWRTMD0	OI	303	6/21	
FOEMT0	OI	111	6/6	
FRREQA0	OI	304	6/4	
FRREQB0	OI	204	6/7	
FSELB0	OI	306	6/4,6/7	
FSTNM0	OI	105	6/4	
FSTRM0	OI	011	6/4	
FSTSBY0	OI	004	6/4	
INITBBB0	O	212	6/7,6/16 6/17,6/18 6/19,6/20	
INITBB0	OI	012	6/8,6/12 6/13,6/14 6/15	
INITB0	OI	311	6/4,6/9 6/10,6/11	
INIT0	OI	310	6/1,6/5 6/6,6/21	
IOB040	I	113	6/2	
IOB050	I	313	6/2	
IOB060	I	213	6/2	
IOB070	I	014	6/2	
IOB080	I	208	6/2	
IOB090	I	009	6/2	
IOB100	I	308	6/2	
IOB110	I	108	6/2	
ISOCHBB0	OI	211	6/16,6/17 6/12,6/19 6/20	
ISOCHB0	OI	31Z	6/8,6/14 6/15,6/22	
ISOCH0	OI	114	6/9,6/10 6/11,6/12 6/21	
RADCL0	OI	106	6/2	
READADB0	OI	309	6/8,6/13 6/14,6/15 6/16	
READAD0	OI	013	6/17,6/18 6/19,6/20	
RSEL0B1	OI	202	5/5	
RSEL1B1	OI	008	5/5	
RSEL2B1	OI	002	5/5	
RSEL3B1	OI	207	5/5	
RSEL4B1	OI	301	5/5	
RSEL5B1	OI	007	5/5	
RSEL6B1	OI	101	5/5	
RSEL7B1	OI	209	5/5	
TINWP0	OI	203	4/4	
XCAA80	O	IC	5/7	
XCB180	O	IC	5/7	
XCB2B80	O	IC	5/7	
XCCC80	O	IC	5/7	

CP INFO

TERM. MOD	LOC
B10	4G1
360	4G0
800	4G0
1B0	4G3
9C0	4G8
4E0	4G4
D40	3H0
590	4G1
INITBBC	5G7
INITB0	5H7
INIT0	5H6
TINITG	5H6
B40	1A7
B50	1A6
B60	1A5
B70	1A4
B80	1A3
B90	1A2
B100	1A1
B110	1A0
EB80	5H2
E80	5H2
0F0	3H6
F080	5H1
F00	5H1
330	3H4
4D0	3H5
550	3H7
690	3H6
730	3H4
8E0	3H7
960	3H5
AA0	3H3
C90	4G5
AAB0	3H2
B1B0	4G1
B2B80	3H4
CCB0	3G2

PART OF FS 6

SYMBOL(S) 1 2 3

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE E

BELL LABORATORIES | SD-1C902-03

PRINTED IN U. S. A.

PART OF FS 6

DIAGNOSTIC ACCESS

SYMBOL NO. 3 (CONT)

I/O ORDER DECODER

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
IOORDDEC	08-20	FA1064	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
XCC6B0	0	IC	5/7		C6B0	4G2
XCC9B0	0	IC	5/7		C9B0	4G6
XCD4B0	0	IC	5/7		D4B0	3G
XCE4B0	0	IC	5/7		E4B0	5H5
XCE8BBB0	0	IC	5/7		E8BBB0	5H3
XCF0BB0	0	IC	5/7		F0BB0	5H1
XC1BB0	0	IC	5/7		1BB0	4G3
XC17B0	0	IC	5/7		17B0	3G8
XC2BB0	0	IC	5/7		2BB0	3G7
XC33B0	0	IC	5/7		33B0	3G6
XC36B0	0	IC	5/7		36B0	4G0
XC39B0	0	IC	5/7		39B0	4G5
XC4DB0	0	IC	5/7		4DB0	3G6
XC4EB0	0	IC	5/7		4EB0	4G4
XC55B0	0	IC	5/7		55B0	3G5
XC6CB0	0	IC	5/7		6CB0	4G4
XC63B0	0	IC	5/7		63B0	4G8
XC69B0	0	IC	5/7		69B0	3G4
XC71B0	0	IC	5/7		71B0	3G4
XC72B0	0	IC	5/7		72B0	4G6
XC8DB0	0	IC	5/7		8DB0	4G2
XC8EB0	0	IC	5/7		8EB0	3G3
XC9CB0	0	IC	5/7		9CB0	4G9
XC93B0	0	IC	5/7		93B0	4G7
XC96B0	0	IC	5/7		96B0	3G2
XNITBC0	0	IC	5/7		INITBC0	5G8
3T046C	GRD	0GD		202	GRD	
	GRD	005		202	GRD005	2H5
	GRD	102		202	GRD102	2H5
	GRD	107		202	GRD107	2H5
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	205		202	GRD205	2H4
	GRD	302		202	GRD302	2H4
	GRD	307		202	GRD307	2H4
	GRD	319		202	GRD	
3V046C	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 4

CONTROL, TIMING AND STORE SELECT DIAGNOSTIC ACCESS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CTSSDA	08-18	FA1071	E	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
FBIT090	I	312	6/2		FBIT0910	11A0
FBIT110	I	013	6/3		FBIT1110	11A3
FCLB110	I	017	6/3		FDB12I0	10A5
FDISRUN0	I	215	6/3		FDCDLI0	11A3
FFOBRM0	I	113	6/2		FFOBRMI0	11A1
FLDSHT00	I	317	6/3		FLSHOOI0	11A0
FRREQA0	I	218	6/3		FSTRRQI0	11A6
FSELA0	I	018	6/2		FSELI0	11A5
FSELB0	I	304	6/3		BLB4CSI0	10A6
FSTNM0	I	016	6/3		FCLRMI0	10A0
FSTRM0	I	315	6/3		FSTRMI0	11A2
FSTSBY0	I	117	6/3		FSTSBYI0	11A2
INITB0	I	216	6/3		INITI0	10A1
XBLB4CS0	0	IC	1/1		BLB4CS0	10H6
XCINITOA	0	IC	1/1,2/16		INITIA	10H1
XCINITOB	0	IC	5/1		INITIB	10D6
XCTSEL0	OT	IC	1/1		TSEL0	11G5
XFBIT090	0	IC	1/1		FBIT090	11G0
XFBIT110	0	IC	1/1		FBIT110	11G3
XFLSB000	0	IC	1/1		FLSHB000	11G0
XFSTRM0	0	IC	1/1		FSTRM0	11G2
XFSTRR00	0	IC	3/3		FSTRRQ0	11G6
XFSTSBY0	0	IC	1/1		FSTSBY0	11G2
XINITB0A	0	IC	1/1		INITB0A	10H3
XINITB0B	0	IC	1/1		INITB0B	10H3
XINITB0C	0	IC	1/1		INITB0C	10H4
XINITB0D	0	IC	1/1		INITB0D	10H4
XNFOBRM0	I	IC	5/1		NOFOBRM0	11A1
XTBIT001	OT	IC	1/1		TBIT001	11G3
XTCLRM0	OT	IC	1/1		TCLRM0	10H1
XTCLRRQ0	OT	IC	1/1		TCLRRQ0	10H2
XTCLSB10	OT	IC	1/1		TCLSB10	10H4
XTCLSCM0	OT	IC	1/1		TCLSCM0	10H1
XTDB120	0	IC	1/1		TDB120	10H5
XTFOBRM0	OT	IC	1/1		TFOBRM0	11G1
XTRTTIM0	OT	IC	1/1		TRTTIM0	10H1

SYMBOL NO. 5

TIMING AND BUS DIRECTION DIAGNOSTIC ACCESS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
T.BDDA	08-21	FA1065	D	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
FNOTIM0	I	018	6/3		FNOTIMI0	11A4
INITO	I	010	6/3		INITOI	11A2
LDDCFWT0	I	114	6/2		FBUSWTI0	11A4
NOCS0	OT	IC307	1/2		TNOCS0	11H3
XCINITO	0	IC	5/3		INITO	11H1
XTCLCOM0	OT	IC	1/2		TCLCOM0	11H2
XTSC31B	OT	IC	1/2		TSC31B	11H5
XTSC31C	OT	IC	1/2		TSC31C	11H5
XTSC31D	OT	IC	1/2		TSC31D	11H4

SYMBOL NO. 6

REFRESH, FOB MAINTENANCE AND COMMAND CODE CHECK DIAGNOSTIC ACCESS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
RFMCCDA	08-19	FA1066	C	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
FCHKERA0	I	118	6/3		F11I0	6A4
FCHKERB0	I	112	6/3		F00I0	6A5
FNRREG0	I	004	6/2		FNRREQI0	6A3
FOBMT0	I	001	6/3		FOBMTI0	6A0
FOBMT1A	0	300	7/1 8/11-24(BTR)		FOBMT1A	6H1
FOBMT1B	0	100	7/15 8/11-24(BTR)		FOBMT1B	6H0
INIT0	I	204	6/3		INITI0	6A2
XCTSCF0	OT	IC	5/5		TSCF0	6H5
XCTSCG0	OT	IC	5/5		TSCG0	6H5
XF110	0	IC	5/5		F110	6H4
XNITOA	0	IC	2/17		INITOA	6H3
XNITOBA	0	IC	3/1		INITOB	6H3
XNITOCA	0	IC	3/1		INITOC	6H2
XNITODA	0	IC	3/1		INITOD	6H2
XTCL590	0	IC	3/1		TCL590	6H4

SYMBOL NO. 7

TIMING ACTIVE, DUPLICATE REFRESH COUNTER AND STORE SELECT DIAGNOSTIC ACCESS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
TARSELDA	08-17	FA1062	D	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
BSEL0	OT	IC111	1/5		TSEL0	4H6
FNRREQ0	I	317	6/2		FNRREQI0	4A5
FRREQB0	I	308	6/3		FCLRRQI0	4A5
FSELB0	I	207	6/3		FSELI0	4A6
F0.10TM0	I	107	6/2		FTMACTI0	4A6
INITBBB0	I	009	6/3		INITI0	4A2
IORESET0	I	003	6/1		RESETI0	4A7
LDDCFWT0	I	302	6/2		FIODCHI0	4A6
LDIODCH0	0	005	6/13		LDIODCH0	4H7
XCTCLRQ0	OT	IC	3/2		TCLRRQ0	4F1
XCTCL590	0	IC	5/2		TCL590	4H5
XFCLREQ0	0	IC	5/2		FCLRREQ0	4H5
XINITB0	0	IC	5/2		INITB0	4H3
XINITOA	0	IC	5/2		INITOA	4H2
XINITOB	0	IC	5/2		INITOB	4H2
XINITOC	0	IC	5/2		INITOC	4H3
XINITOD	0	IC	2/15,5/2		INITOD	4H3
0.10TIM0	OT	IC001	1/1		TTMACTI0	4H6

SYMBOL NO. 8

DIAGNOSTIC ACCESS (BITS -

DESIG	EQPT LOC	CODE
DGAPH.PL	08-3B	FA10e0

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION
		005	
		203	
INITBB0	I	012	
ISOCHB0	I	217	
READADB0	I	307	
XCINITIN	O	IC	
XCSD01BN	I	IC	
XCSD11BN	I	IC	
XCSELON	*	IC	
XCTADOON	I	IC	
XCTADTON	I	IC	
XISOCKON	O	IC	
XNITOAN	O	IC	
XSOCKBIN	O	IC	
XTCLEAON	O	IC	
XTRED00N	OT	IC	
XTRED01N	O	IC	
XTRED10N	OT	IC	
XTRED11N	O	IC	
XTSER00N	OT	IC	
XTSER10N	OT	IC	

PART OF FS 6

SYMBOL(S) 3 4 5 6 7 8

MAIN STORE CONTROLLER AR

BELL LABORATORIES | SD-10

PART OF FS 6

DIAGNOSTIC ACCESS

SYMBOL NO. 3 (CONT)

I/O ORDER DECODER

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
IOORDDEC	08-20	FA1064	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
XCC6B0	O	IC	5/7		C6B0	4G2
XCC9B0	O	IC	5/7		C9B0	4G6
XCD4B0	O	IC	5/7		D4B0	3G
XCE4B0	O	IC	5/7		E4B0	5H5
XCE8BBB0	O	IC	5/7		E8BBB0	5H3
XCF0BB0	O	IC	5/7		F0BB0	5H1
XC1BB0	O	IC	5/7		1BB0	4G3
XC17B0	O	IC	5/7		17B0	3G8
XC2BB0	O	IC	5/7		2BB0	3G7
XC33B0	O	IC	5/7		33B0	3G6
XC36B0	O	IC	5/7		36B0	4G0
XC39B0	O	IC	5/7		39B0	4G5
XC4DB0	O	IC	5/7		4DB0	3G6
XC4EB0	O	IC	5/7		4EB0	4G4
XC55B0	O	IC	5/7		55B0	3G5
XC6CB0	O	IC	5/7		6CB0	4G4
XC63B0	O	IC	5/7		63B0	4G8
XC69B0	O	IC	5/7		69B0	3G4
XC71B0	O	IC	5/7		71B0	3G4
XC72B0	O	IC	5/7		72B0	4G6
XC8DB0	O	IC	5/7		8DB0	4G2
XC8EB0	O	IC	5/7		8EB0	3G3
XC9CB0	O	IC	5/7		9CB0	4G9
XC93B0	O	IC	5/7		93B0	4G7
XC96B0	O	IC	5/7		96B0	3G2
XNITBC0	O	IC	5/7		INITBC0	5G8
3T046C	GRD	0GD		202	GRD	
	GRD	005		202	GRD005	2H5
	GRD	102		202	GRD102	2H5
	GRD	107		202	GRD107	2H5
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	205		202	GRD205	2H4
	GRD	302		202	GRD302	2H4
	GRD	307		202	GRD307	2H4
	GRD	319		202	GRD	
3V046C	PWR	000		202	+3	
	PWR	119		202	+3	

SYMBOL NO. 4

CONTROL, TIMING AND STORE SELECT DIAGNOSTIC ACCESS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
CTSSDA	08-18	FA1071	E	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
FBIT090	I	312	6/2		FBIT09I0	11A0
FBIT110	I	013	6/3		FBIT11I0	11A3
FCLB110	I	017	6/3		FDB12I0	10A5
FDISRUN0	I	215	6/3		FDCIDLI0	11A3
FF0BRM0	I	115	6/2		FF0BRMI0	11A1
FLDSHT00	I	317	6/3		FLSH00I0	11A0
FRREQA0	I	218	6/3		FSTRRQI0	11A6
FSELA0	I	018	6/2		FSELI0	11A5
FSELB0	I	304	6/3		BLB4CSI0	10A6
FSTNM0	I	016	6/3		FCLRMI0	10A0
FSTRM0	I	315	6/3		FSTRMI0	11A2
FSTSBY0	I	117	6/3		FSTSBYI0	11A2
INITB0	I	216	6/3		INITI0	10A1
XBLB4CS0	O	IC	1/1		BLB4CS0	10H6
XCINITOA	O	IC	1/1,2/16		INITOA	10H1
XCINITOB	O	IC	5/1		INITOB	10D6
XCTSEL0	OT	IC	1/1		TSEL0	11G5
XFBIT090	O	IC	1/1		FBIT090	11G0
XFBIT110	O	IC	1/1		FBIT110	11G3
XFLSB000	O	IC	1/1		FLSHB000	11G0
XFSTRM0	O	IC	1/1		FSTRM0	11G2
XFSTRRQ0	O	IC	3/3		FSTRRQ0	11G6
XFSTSBY0	O	IC	1/1		FSTSBY0	11G2
XINITB0A	O	IC	1/1		INITB0A	10H3
XINITB0B	O	IC	1/1		INITB0B	10H3
XINITB0C	O	IC	1/1		INITB0C	10H4
XINITB0D	O	IC	1/1		INITB0D	10H4
XNFOBRM0	I	IC	5/1		NOFOBRM0	11A1
XTBIT001	OT	IC	1/1		TBIT001	11G3
XTCLRM0	OT	IC	1/1		TCLRM0	10H1
XTCLRRQ0	OT	IC	1/1		TCLRRQ0	10H2
XTCLSB10	OT	IC	1/1		TCLSB10	10H4
XTCLSCM0	OT	IC	1/1		TCLSCM0	10H1
XTDB120	O	IC	1/1		TDB120	10H5
XTFOBRM0	OT	IC	1/1		TFOBRM0	11G1
XTRTTIM0	OT	IC	1/1		TRTTIM0	10H1

SYMBOL NO. 5

TIMING AND BUS DIRECTION DIAGNOSTIC ACCESS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
T.BDDA	08-21	FA1065	D	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
FNOTIM0	I	018	6/3		FNOTIMI0	11A4
INITO	I	010	6/3		INITI0	11A2
LDDCFWT0	I	114	6/2		FBUSWTI0	11A4
NOCS0	OT	IC307	1/2		TNOCS0	11H3
XCINITO	O	IC	5/3		INITO	11H1
XTCLCOM0	OT	IC	1/2		TCLCOM0	11H2
XTSC31B	OT	IC	1/2		TSC31B	11H5
XTSC31C	OT	IC	1/2		TSC31C	11H5
XTSC31D	OT	IC	1/2		TSC31D	11H4

SYMBOL NO. 6

REFRESH, FOB MAINTENANCE AND COMMAND CODE CHECK DIAGNOSTIC ACCESS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
RFMCCDA	08-19	FA1066	C	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
FCHKERA0	I	118	6/3		F11I0	6A4
FCHKERB0	I	112	6/3		F00I0	6A5
FNRREQ0	I	004	6/2		FNRREQI0	6A3
FOBMT0	I	001	6/3		FOBMTI0	6A0
FOBMT1A	O	300	7/1 8/11-24(BTR)		FOBMT1A	6H1
FOBMT1B	O	100	7/15 8/11-24(BTR)		FOBMT1B	6H0
INIT0	I	204	6/3		INITI0	6A2
XCTSCF0	OT	IC	5/5		TSCF0	6H5
XCTSCG0	OT	IC	5/5		TSCG0	6H5
XF110	O	IC	5/5		F110	6H4
XNITOA	O	IC	2/17		INITOA	6H3
XNITOBA	O	IC	3/1		INITOB	6H3
XNITOCA	O	IC	3/1		INITOC	6H2
XNITODA	O	IC	3/1		INITOD	6H2
XTCL590	O	IC	3/1		TCL590	6H4

SYMBOL NO. 7

TIMING ACTIVE, DUPLICATE REFRESH COUNTER AND STORE SELECT DIAGNOSTIC ACCESS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
TARSELDA	08-17	FA1062	D	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
BSEL0	OT	IC111	1/5		TSEL0	4H6
FNRREQ0	I	317	6/2		FNRREQI0	4A5
FRREQB0	I	308	6/3		FCLRRQI0	4A5
FSELB0	I	207	6/3		FSELI0	4A6
FO.10TM0	I	107	6/2		FTMACTI0	4A6
INITBBB0	I	009	6/3		INITI0	4AZ
IORESET0	I	003	6/1		RESETI0	4A7
LDDCFWT0	I	302	6/2		FIODCHI0	4A6
LDIODCH0	O	005	6/13		LDIODCH0	4H7
XCTCLRQ0	OT	IC	3/2		TCLRRQ0	4F1
XCTCL590	O	IC	5/2		TCL590	4H5
XFCLREQ0	O	IC	5/2		FCLRREQ0	4H5
XINITB0	O	IC	5/2		INITB0	4H3
XINITOA	O	IC	5/2		INITOA	4HZ
XINITOB	O	IC	5/2		INITOB	4HZ
XINITOC	O	IC	5/2		INITOC	4H3
XINITOD	O	IC	2/15,5/2		INITOD	4H3
0.10TIM0	OT	IC001	1/1		TTMACTI0	4H6

SYMBOL NO. 8

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS PL AND PH)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGAPH.PL	08-16	FA1060	F	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		115			DFIOCI0	10A
		203			FLERI0	10A
INITBB0	I	012	6/3		INITI0	10A
ISOCHB0	I	217	6/3		ISOCHI0	10A
READACB0	I	307	6/3		RDACI0	10A
XCINITIN	O	IC	2/1		INITI	10H
XCSDO18N	I	IC	2/1		SDATB	10A
XCSD11BN	I	IC	2/1		SDITB	10A
XCSELON	I	IC	1/6		SELB	10A
XCTADO0N	I	IC	2/1		TADO0	10A
XCTADI0N	I	IC	2/1		TADI0	10A
XISOCK0N	O	IC	5/8		ISOCK0	10A
XNITOAN	O	IC	2/1		INITOA	10H
XSOCKB1N	O	IC	2/1		ISOCKBT	10A
XTCLER0N	O	IC	5/8		TCLER0	10H
XTRED00N	OT	IC	4/3		TRED00	10A
XTRED01N	O	IC	2/1		TRED0T	10H
XTRED10N	OT	IC	4/3		TRED10	10A
XTRED11N	O	IC	2/1		TRED1T	10H
XTSER00N	OT	IC	5/8		TSTER00	10H
XTSER10N	OT	IC	5/8		TSTER10	10H

PART OF FS 6

SYMBOL(S) 3 4 5 6 7 8

MAIN STORE CONTROLLER AND MEMORY

DWG. SIZE A2

BELL LABORATORIES | SD-1C902-03 | E-

PRINTED IN U. S. A.

PART OF FS 6

DIAGNOSTIC ACCESS

SYMBOL NO. 9

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS 19 AND 23)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGA23.19	08-13	FA1060	F	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		115			OFISOI0	10A5
		203			CLERI0	10A0
		307			RDADI0	10A1
INITB0	I	012	6/3		INITI0	10A1
ISOCH0	I	217	6/3		ISOCKI0	10A4
XCINIT1M	O	IC	2/2		INIT1	10H1
XCSD01BM	I	IC	2/2		SD01B	10A3
XCSD11BM	I	IC	2/2		SD11B	10A4
XCSELOM	I	IC	1/7		SEL0	10A1
XCTAD00M	I	IC	2/2		TAD00	10A2
XCTAD10M	I	IC	2/2		TAD10	10A2
XISOCKOM	O	IC	5/9		ISOCK0	10D6
XNITOAM	O	IC	2/2		INITOA	10H1
XSOCKB1M	O	IC	2/2		ISOCKB1	10F6
XTCLEROM	O	IC	5/9		TCLER0	10H0
XTRED00M	OT	IC	4/12		TRETD00	10A2
XTRED01M	O	IC	2/2		TRETD01	10H2
XTRED10M	OT	IC	4/12		TRETD10	10A3
XTRED11M	O	IC	2/2		TRETD11	10H2
XTSER00M	OT	IC	5/9		TSTER00	10H6
XTSER10M	OT	IC	5/9		TSTER10	10G6

SYMBOL NO. 10

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS 18 AND 22)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGA22.18	08-12	FA1060	F	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		115			OFISOI0	10A5
		203			CLERI0	10A0
		307			RDADI0	10A1
INITB0	I	012	6/3		INITI0	10A1
ISOCH0	I	217	6/3		ISOCKI0	10A4
XCINIT1L	O	IC	2/3		INIT1	10H1
XCSD01BL	I	IC	2/3		SD01B	10A3
XCSD11BL	I	IC	2/3		SD11B	10A4
XCSELOL	I	IC	1/8		SEL0	10A1
XCTAD00L	I	IC	2/3		TAD00	10A2
XCTAD10L	I	IC	2/3		TAD10	10A2
XISOCKOL	O	IC	5/10		ISOCK0	10D6
XNITOAL	O	IC	2/3		INITOA	10H1
XSOCKB1L	O	IC	2/3		ISOCKB1	10F6
XTCLEROL	O	IC	5/10		TCLER0	10H0
XTRED00L	OT	IC	4/13		TRETD00	10A2
XTRED01L	O	IC	2/3		TRETD01	10H2
XTRED10L	OT	IC	4/13		TRETD10	10A3
XTRED11L	O	IC	2/3		TRETD11	10H2
XTSER00L	OT	IC	5/10		TSTER00	10H6
XTSER10L	OT	IC	5/10		TSTER10	10G6

SYMBOL NO. 11

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS 17 AND 21)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGA21.17	08-11	FA1060	F	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		115			OFISOI0	10A5
		203			CLERI0	10A0
		307			RDADI0	10A1
INITB0	I	012	6/3		INITI0	10A1
ISOCH0	I	217	6/3		ISOCKI0	10A4
XCINIT1K	O	IC	2/4		INIT1	10H1
XCSD01BK	I	IC	2/4		SD01B	10A3
XCSD11BK	I	IC	2/4		SD11B	10A4
XCSELOK	I	IC	1/9		SEL0	10A1
XCTAD00K	I	IC	2/4		TAD00	10A2
XCTAD10K	I	IC	2/4		TAD10	10A2
XISOCK0K	O	IC	5/11		ISOCK0	10D6
XNITOAK	O	IC	2/4		INITOA	10H1
XSOCKB1K	O	IC	2/4		ISOCKB1	10F6
XTCLER0K	O	IC	5/11		TCLER0	10H0
XTRED00K	OT	IC	4/14		TRETD00	10A2
XTRED01K	O	IC	2/4		TRETD01	10H2
XTRED10K	OT	IC	4/14		TRETD10	10A3
XTRED11K	O	IC	2/4		TRETD11	10H2
XTSER00K	OT	IC	5/11		TSTER00	10H6
XTSER10K	OT	IC	5/11		TSTER10	10G6

SYMBOL NO. 12

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS 16 AND 20)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGA20.16	08-10	FA1060	F	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
		115			OFISOI0	10A5
		203			CLERI0	10A0
		307			RDADI0	10A1
INITB0	I	012	6/3		INITI0	10A1
ISOCH0	I	217	6/3		ISOCKI0	10A4
XCINIT1J	O	IC	2/5		INIT1	10H1
XCSD01BJ	I	IC	2/5		SD01B	10A3
XCSD11BJ	I	IC	2/5		SD11B	10A4
XCSELOJ	I	IC	1/10		SEL0	10A1
XCTAD00J	I	IC	2/5		TAD00	10A2
XCTAD10J	I	IC	2/5		TAD10	10A2
XISOCK0J	O	IC	5/12		ISOCK0	10D6
XNITOAJ	O	IC	2/5		INITOA	10H1
XSOCKB1J	O	IC	2/5		ISOCKB1	10F6
XTCLER0J	O	IC	5/12		TCLER0	10H0
XTRED00J	OT	IC	4/15		TRETD00	10A2
XTRED01J	O	IC	2/5		TRETD01	10H2
XTRED10J	OT	IC	4/15		TRETD10	10A3
XTRED11J	O	IC	2/5		TRETD11	10H2
XTSER00J	OT	IC	5/12		TSTER00	10H6
XTSER10J	OT	IC	5/12		TSTER10	10G6

SYMBOL NO. 13

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS 07 AND 15)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGA15.07	08-09	FA1060	F	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
CLER0	I	203	6/3		CLERI0	10A0
INITBB0	I	012	6/3		INITI0	10A1
ICDECCH0	I	115	5/7		OFISOI0	10A5
LDICDCH0	I	217	6/7		ISOCKI0	10A4
READADB0	I	307	6/3		RDADI0	10A1
XCINIT1H	O	IC	2/6		INIT1	10H1
XCSD01BH	I	IC	2/6		SD01B	10A3
XCSD11BH	I	IC	2/6		SD11B	10A4
XCSELOH	I	IC	1/11		SEL0	10A1
XCTAD00H	I	IC	2/6		TAD00	10A2
XCTAD10H	I	IC	2/6		TAD10	10A2
XISOCK0H	O	IC	5/13		ISOCK0	10D6
XNITOAH	O	IC	2/6		INITOA	10H1
XSOCKB1H	O	IC	2/6		ISOCKB1	10F6
XTCLER0H	O	IC	5/13		TCLER0	10H0
XTRED00H	OT	IC	4/4		TRETD00	10A2
XTRED01H	O	IC	2/6		TRETD01	10H2
XTRED10H	OT	IC	4/4		TRETD10	10A3
XTRED11H	O	IC	2/6		TRETD11	10H2
XTSER00H	OT	IC	5/13		TSTER00	10H6
XTSER10H	OT	IC	5/13		TSTER10	10G6

SYMBOL NO. 14

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS 06 AND 14)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGA14.06	08-08	FA1060	F	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
CLER0	I	203	6/3		CLERI0	10A0
ICHTIM0	I	115	6/21		OFISOI0	10A5
INITBB0	I	012	6/3		INITI0	10A1
ISOCHB0	I	217	6/3		ISOCKI0	10A4
READADB0	I	307	6/3		RDADI0	10A1
XCINIT1G	O	IC	2/7		INIT1	10H1
XCSD01BG	I	IC	2/7		SD01B	10A3
XCSD11BG	I	IC	2/7		SD11B	10A4
XCSELOG	I	IC	1/12		SEL0	10A1
XCTAD00G	I	IC	2/7		TAD00	10A2
XCTAD10G	I	IC	2/7		TAD10	10A2
XISOCK0G	O	IC	5/14		ISOCK0	10D6
XNITOAG	O	IC	2/7		INITOA	10H1
XSOCKB1G	O	IC	2/7		ISOCKB1	10F6
XTCLER0G	O	IC	5/14		TCLER0	10H0
XTRED00G	OT	IC	4/5		TRETD00	10A2
XTRED01G	O	IC	2/7		TRETD01	10H2
XTRED10G	OT	IC	4/5		TRETD10	10A3
XTRED11G	O	IC	2/7		TRETD11	10H2
XTSER00G	OT	IC	5/14		TSTER00	10H6
XTSER10G	OT	IC	5/14		TSTER10	10G6

SYMBOL NO. 15

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS 05 AND 13)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGA13.05	08-07	FA10e0	F	

FS INFO: LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	CP INFO: TERM. MOD	LOC
CLER0	I	203	6/3		CLERI0	10A0
ICHEPAR0	I	115	6/22		OFISOI0	10A5
INITBB0	I	012	6/3		INITI0	10A1
ISOCHB0	I	217	6/3		ISOCKI0	10A4
READADB0	I	307	6/3		RDADI0	10A1
XCINIT1F	O	IC	2/8		INIT1	10H1
XCSD01BF	I	IC	2/8		SD01B	10A3
XCSD11BF	I	IC	2/8		SD11B	10A4
XCSELOF	I	IC	1/13		SEL0	10A1
XCTAD00F	I	IC	2/8		TAD00	10A2
XCTAD10F	I	IC	2/8		TAD10	10A2
XISOCK0F	O	IC	5/15		ISOCK0	10D6
XNITOAF	O	IC	2/8		INITOA	10H1
XSOCKB1F	O	IC	2/8		ISOCKB1	10F6
XTCLER0F	O	IC	5/15		TCLER0	10H0
XTRED00F	OT	IC	4/6		TRETD00	10A2
XTRED01F	O	IC	2/8		TRETD01	10H2
XTRED10F	OT	IC	4/6		TRETD10	10A3
XTRED11F	O	IC	2/8		TRETD11	10H2
XTSER00F	OT	IC	5/15		TSTER00	10H6
XTSER10F	OT	IC	5/15		TSTER10	10G6

PART OF FS 6

SYMBOL(S) 9 10 11 12 13 14 15

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE C2 | ISSUE 1

BELL LABORATORIES | SD-1C902-03 | B6CC

PRINTED IN U. S. A. 03/06/78

PART OF FS 6

DIAGNOSTIC ACCESS

SYMBOL NO. 16

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS 04 AND 12)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGA12.04	08-06	FA1060	F	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
CLER0	I	203	6/3	
ICHDPAR0	I	115	5/8	
INITBBB0	I	012	6/3	
ISOCHBB0	I	217	6/3	
READADB0	I	307	6/3	
XCINIT1E	O	IC	2/9	
XCSD01BE	I	IC	2/9	
XCSD11BE	I	IC	2/9	
XCSEL0E	I	IC	1/14	
XCTAD00E	I	IC	2/9	
XCTAD10E	I	IC	2/9	
XISOCK0E	O	IC	5/16	
XNITOAE	O	IC	2/9	
XSOCKB1E	O	IC	2/9	
XTCLER0E	O	IC	5/16	
XTRED00E	OT	IC	4/7	
XTRED01E	O	IC	2/9	
XTRED10E	OT	IC	4/7	
XTRED11E	O	IC	2/9	
XTSER00E	OT	IC	5/16	
XTSER10E	OT	IC	5/16	

CP INFO

TERM. MOD	LOC
CLERI0	10A0
OFISOI0	10A5
INITI0	10A1
ISOCKI0	10A4
RDADI0	10A1
INIT1	10H1
SD01B	10A3
SD11B	10A4
SEL0	10A1
TAD00	10A2
TAD10	10A2
ISOCK0	10D6
INITOA	10H1
ISOCKB1	10F6
TCLER0	10H0
TRETD00	10A2
TRETD01	10H2
TRETD10	10A3
TRETD11	10H2
TSTER00	10H6
TSTER10	10G6

SYMBOL NO. 18

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS 02 AND 10)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGA10.02	08-04	FA1060	F	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
CLER0	I	203	6/3	
ICHD180	I	115	5/10	
INITBBB0	I	012	6/3	
ISOCHBB0	I	217	6/3	
READADO	I	307	6/3	
XCINIT1C	O	IC	2/11	
XCSD01BC	I	IC	2/11	
XCSD11BC	I	IC	2/11	
XCSEL0C	I	IC	1/16	
XCTAD00C	I	IC	2/11	
XCTAD10C	I	IC	2/11	
XISOCK0C	O	IC	5/18	
XNITOAC	O	IC	2/11	
XSOCKB1C	O	IC	2/11	
XTCLER0C	O	IC	5/18	
XTRED00C	OT	IC	4/9	
XTRED01C	O	IC	2/11	
XTRED10C	OT	IC	4/9	
XTRED11C	O	IC	2/11	
XTSER00C	OT	IC	5/18	
XTSER10C	OT	IC	5/18	

CP INFO

TERM. MOD	LOC
CLERI0	10A0
OFISOI0	10A5
INITI0	10A1
ISOCKI0	10A4
RDADI0	10A1
INIT1	10H1
SD01B	10A3
SD11B	10A4
SEL0	10A1
TAD00	10A2
TAD10	10A2
ISOCK0	10D6
INITOA	10H1
ISOCKB1	10F6
TCLER0	10H0
TRETD00	10A2
TRETD01	10H2
TRETD10	10A3
TRETD11	10H2
TSTER00	10H6
TSTER10	10G6

SYMBOL NO. 20

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS 00 AND 08)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGA08.00	08-02	FA1060	F	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
CLER0	I	203	6/3	
ICHD160	I	115	5/12	
INITBBB0	I	012	6/3	
ISOCHBB0	I	217	6/3	
READADO	I	307	6/3	
XCINIT1A	O	IC	2/13	
XCSD01BA	I	IC	2/13	
XCSD11BA	I	IC	2/13	
XCSEL0A	I	IC	1/18	
XCTAD00A	I	IC	2/13	
XCTAD10A	I	IC	2/13	
XISOCK0A	O	IC	5/20	
XNITOAA	O	IC	2/13	
XSOCKB1A	O	IC	2/13	
XTCLER0A	O	IC	5/20	
XTRED00A	OT	IC	4/11	
XTRED01A	O	IC	2/13	
XTRED10A	OT	IC	4/11	
XTRED11A	O	IC	2/13	
XTSER00A	OT	IC	5/20	
XTSER10A	OT	IC	5/20	

CP INFO

TERM. MOD	LOC
CLERI0	10A0
OFISOI0	10A5
INITI0	10A1
ISOCKI0	10A4
RDADI0	10A1
INIT1	10H1
SD01B	10A3
SD11B	10A4
SEL0	10A1
TAD00	10A2
TAD10	10A2
ISOCK0	10D6
INITOA	10H1
ISOCKB1	10F6
TCLER0	10H0
TRETD00	10A2
TRETD01	10H2
TRETD10	10A3
TRETD11	10H2
TSTER00	10H6
TSTER10	10G6

SYMBOL NO. 22

2B PARITY ISOLATE BUS DIAGNOSTIC ACCESS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ZBPISODA	08-14	FA1067	B	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
ICHEPAR0	O	318	6/15	
ISOCHB0	I	109	6/3	
NO2DPH00	OT	IC216	2/18	
NO2DPL00	OT	IC209	2/18	
SDEPH00	OT	IL015	2/18	
XSDPW1B	I	IC	2/18	
XSDPX1B	I	IC	2/18	
XSDPYZ1B	I	IC	2/18	

CP INFO

TERM. MOD	LOC
TBUSEK0	ZH6
ISOCKI0	ZA3
TTGSSPX0	ZH3
TTGSSPYZ0	ZH4
TTGSSPW0	ZH2
SSDPW1B	ZA4
SSDPX1B	ZA5
SSDPYZ1B	ZA5

SYMBOL NO. 17

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS 03 AND 11)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGA11.03	08-05	FA1060	F	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
CLER0	I	203	6/3	
ICHD190	I	115	5/9	
INITBBB0	I	012	6/3	
ISOCHBB0	I	217	6/3	
READADO	I	307	6/3	
XCINIT1D	O	IC	2/10	
XCSD01BD	I	IC	2/10	
XCSD11BD	I	IC	2/10	
XCSEL0D	I	IC	1/15	
XCTAD00D	I	IC	2/10	
XCTAD10D	I	IC	2/10	
XISOCK0D	O	IC	5/17	
XNITOAD	O	IC	2/10	
XSOCKB1D	O	IC	2/10	
XTCLER0D	O	IC	5/17	
XTRED00D	OT	IC	4/8	
XTRED01D	O	IC	2/10	
XTRED10D	OT	IC	4/8	
XTRED11D	O	IC	2/10	
XTSER00D	OT	IC	5/17	
XTSER10D	OT	IC	5/17	

CP INFO

TERM. MOD	LOC
CLERI0	10A0
OFISOI0	10A5
INITI0	10A1
ISOCKI0	10A4
RDADI0	10A1
INIT1	10H1
SD01B	10A3
SD11B	10A4
SEL0	10A1
TAD00	10A2
TAD10	10A2
ISOCK0	10D6
INITOA	10H1
ISOCKB1	10F6
TCLER0	10H0
TRETD00	10A2
TRETD01	10H2
TRETD10	10A3
TRETD11	10H2
TSTER00	10H6
TSTER10	10G6

SYMBOL NO. 19

DIAGNOSTIC ACCESS TO BIT SLICE BOARD, (BITS 01 AND 09)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
DGA09.01	08-03	FA1060	F	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
CLER0	I	203	6/3	
ICHD170	I	115	5/11	
INITBBB0	I	012	6/3	
ISOCHBB0	I	217	6/3	
READADO	I	307	6/3	
XCINIT1B	O	IC	2/12	
XCSD01BB	I	IC	2/12	
XCSD11BB	I	IC	2/12	
XCSEL0B	I	IC	1/17	
XCTAD00B	I	IC	2/12	
XCTAD10B	I	IC	2/12	
XISOCK0B	O	IC	5/19	
XNITOAB	O	IC	2/12	
XSOCKB1B	O	IC	2/12	
XTCLER0B	O	IC	5/19	
XTRED00B	OT	IC	4/10	
XTRED01B	O	IC	2/12	
XTRED10B	OT	IC	4/10	
XTRED11B	O	IC	2/12	
XTSER00B	OT	IC	5/19	
XTSER10B	OT	IC	5/19	

CP INFO

TERM. MOD	LOC
CLERI0	10A0
OFISOI0	10A5
INITI0	10A1
ISOCKI0	10A4
RDADI0	10A1
INIT1	10H1
SD01B	10A3
SD11B	10A4
SEL0	10A1
TAD00	10A2
TAD10	10A2
ISOCK0	10D6
INITOA	10H1
ISOCKB1	10F6
TCLER0	10H0
TRETD00	10A2
TRETD01	10H2
TRETD10	10A3
TRETD11	10H2
TSTER00	10H6
TSTER10	10G6

SYMBOL NO. 21

ISOLATE AND WRITE MODE CHECKS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ISO.WRMD	08-24	FA1068	C	

FS INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE
		004		
		101		
		103		
		104		
		105		
		118		
		201		
		206		
		208		
		213		
FNWRTMD0	I	211	6/3	
ICHTIM0	O	216	6/14	
INITO	I	100	6/3	
ISOCH0	I	215	6/3	
SBYI0	OT	IC115	1/3	
SBY00	I	IC106	1/3	
SCMI0	OT	IC111	1/3	
SCM00	I	IC202	1/3	
SERCI0	OT	IC309	5/4	
SERC00	I	IC002	5/4	
XTWRTPK1	OT	IC	1/3	
XXINIT0	O	IC	1/3	

CP INFO

TERM. MOD	LOC
LR2A	5H5
LR2B	5H5
IBUF1AI	5A7
IBUF2BI	5A5
IBUF2AI	5A5
LR1A	5H6
IBUF1BI	5A6
LR1D	5G7
LR1C	5G7
LR1B	5H6
FNWTMDI0	5A0
TBUSCK0	5H4
INITI0	5A4
ISOCKI0	5A1
TSBYI0	5H1
SBYB0	5A4
TSCMI0	5H1
GSCM0	5A3
TSERCI0	5H2
TSERC0	5A2
TWRTPCK1	5H0
INIT0	5H4

PART OF FS 6

SYMBOL(S) 16 17 18 19 20 21 22

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE	ISSUE
C2	1

BELL LABORATORIES | SD-1C902-03 | B6CD

PRINTED IN U. S. A. 03/06/75

PART OF FS 6

DIAGNOSTIC ACCESS

COMPOSITE DIAGRAM 1

SERIAL I/Ø CHANNEL



PART OF FS 6
COMPOSITE DIAGRAM 1

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE A5	ISSUE 1
BELL LABORATORIES	SD-IC902-03	B6GA

PART OF FS 6
DIAGNOSTIC ACCESS
COMPOSITE DIAGRAM 2
REGISTER LAYOUT

NOTES:

1. START CODES:
   MAIN STORES RECEIVING
   SHB2 SHB1 SHB0
   1 0 1

   MAIN STORE TRANSMISSION
   SHB2 SHB1 SHB0
   0 1 1



PART OF FS 6
COMPOSITE DIAGRAM 2

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	ISSUE 1
BELL LABORATORIES	SD-IC902-03	B6GB

PART OF FS 6

DIAGNOSTIC ACCESS

COMPOSITE DIAGRAM 3

INITIALIZE CIRCUITRY



PART OF FS 6
COMPOSITE DIAGRAM 3

MAIN STORE CONTROLLER AND MEMORY		DWG SIZE 6S
BELL LABORATORIES	SD-1C902-03	B6

PART OF FS 6
DIAGNOSTIC ACCESS

NOTES:

1. THE 4-OUT-OF-8 CODES ARE LISTED FOR IDENTIFICATION AS THE HEXIDECIMAL EQUIVALENT OF THE 8 BITS.
2. THE OPTION BITS ARE LISTED COINCIDING WITH THEIR ACTUAL POSITION IN THE BUFFER REGISTER, SHOWN IN COMPOSITE DIAGRAM 2.

COMPOSITE DIAGRAM 4
4-OUT-OF-8 CODE FUNCTIONS

HEX CODE	NET NAME	FUNCTION
0F	RADCLO	INITIALIZE COMPLETE MAS EXCEPT THE WRITE PROTECT REGISTERS AND THE SERIAL I/O CHANNEL CIRCUITRY
17	FCHKERBO	FORCE ERROR IN THE NORMAL SELECT CHECK, FA1062. FORCES ERROR IN 3-OUT-OF-6 DECODING
1B	FRREQBO	FORCE ERROR IN REFRESH REQUEST CHECK, FA1062. THIS CHECK VERIFIES THAT THE REAL AND DUPLICATE REFRESH COUNTERS ARE IN SYNC
2B	FCHKERAO	FORCE ERROR IN THE NORMAL SELECT CHECK, FA1066. FORCES ERROR IN 3-OUT-OF-6 ENCODING
33	RSEL0B1	FORCE ERROR IN THE REFRESH SELECT CHECK, FA1066. WILL ALSO FORCE INPUT TO ERROR REGISTER, FA1060
36	FØBMTO	ENABLE UNSELCS CHECK CIRCUIT ON EACH FANOUT BOARD, JK25 UNSELECT ERROR WILL OCCUR IF A MEMORY MODULE IS ACCESSED. RESULTS APPEAR ON FA1066.
39	FSTSBYO	FORCE STORE BUSY, SET SBY F/F ON FA1071
4D	RSEL1B1	FORCE ERROR IN THE REFRESH SELECT CHECK, FA1066. WILL ALSO FORCE INPUT TO ERROR REGISTER, FA1060
4E	FSTNMO	FORCE MODE F/F CLEAR, FA1071.
55	RSEL2B1	FORCE ERROR IN THE REFRESH SELECT CHECK, FA1066. WILL ALSO FORCE INPUT TO ERROR REGISTER, FA1060.
63	FDISRUNO	FORCE IDLE F/F FROM BEING CLEARED AT SHIFTER BIT 0 TIME, FA1071.
69	RSEL3B1	FORCE ERROR IN THE REFRESH SELECT CHECK, FA1066. WILL ALSO FORCE INPUT TO ERROR REGISTER, FA1060.
6C	CLEPO	CLEAR ERROR REGISTERS ON ALL FA1060 CIRCUIT PACKS. CLEAR ERROR B, FA1065.
71	RSEL4B1	FORCE ERROR IN THE REFRESH SELECT CHECK, FA1066. WILL ALSO FORCE INPUT TO ERROR REGISTER, FA1060.
72	FCLB11O	FORCE SHIFTER BIT 12 INACTIVE, FA1071. BIT 12 TIMES NORMALLY CLEARS THE MODE F/F.
8D	FRREQAO	FORCE REFRESH REQUEST, RREQ, F/F SET, FA1071.
8E	RSEL5B1	FORCE ERROR IN THE REFRESH SELECT CHECK, FA1066. WILL ALSO FORCE INPUT TO ERROR REGISTER, FA1060.
93	FNØTIMO	FORCE NO CHIP SELECT TO MEMORY AND NO DATA STROBE.
96	RSEL6B1	FORCE ERROR IN THE REFRESH SELECT CHECK, FA1066. WILL ALSO FORCE INPUT TO ERROR REGISTER, FA1060.
9C	FSEL3O	FORCE DUPLICATE MAS SELECT CIRCUIT ON FA1062 IN THE SELECTED CONDITION. WILL ALSO BLOCK CS F/F ON FA1071 FROM BEING SET AT SHIFTER BIT 4 TIME.
AA	RSEL7B1	FORCE ERROR IN THE REFRESH SELECT CHECK, FA1066. WILL ALSO FORCE INPUT TO ERROR REGISTER, FA1060.
B1	FNWRTMOO	DISABLE DATA PARITY CHECKS DURING WRITE AND BLIND WRITE COMMANDS, FA1068. DISABLE DATA TO MEMORY (MEMORY CAN ONLY BE WRITTEN TO ONES), FA1068.
B2	FLDXERO FLDXERBO	LOAD ERROR REGISTER FROM EXTERNAL LOAD, FA1060.
C6	FLDSHTOO	FORCE SHIFTER BIT 0 ACTIVE, FA1071.
C9	TINWPO	FORCE WRITE PROTECT ERROR, FA1065.
CC	FBIT11O	FORCE SHIFTER BIT 11 ACTIVE, FA1071. BIT 11 IS USED TO INCREMENT THE REFRESH ADDRESS REGISTER, FA1062.
D4	FSTRMO	FORCE THE MODE F/F SET (REFRESH ACTIVE), FA1071.
E4		LOAD ERROR REGISTER, FA1060, INTO SERIAL I/O CHANNEL, FA1063.
E8	ISØCHO ISØCHBO ISØCHBBO	LOAD ISOLATION CHECK INFORMATION INTO THE ERROR REGISTER, FA1060. THE ISOLATION CHECK INFORMATION IS USED TO TEST THE FUNCTIONING OF THE PARALLEL DATA BUS AND THE MAS RETURN SIGNALS SBY, SCM AND ERROR C.
F0	READADO READADBO	FORCE THE PARALLEL ADDRESS BUS STATE TO BE RETURNED VIA THE PARALLEL DATA BUS.

COMPOSITE DIAGRAM 5
OPTION BIT FUNCTIONS

OPTION BIT	NET NAME	FUNCTION
0	FCLWPO FCLWPBO	CLEAR WRITE PROTECT REGISTERS, FA1060. CLEAR REFRESH REQUEST COUNTERS, FA1062 AND FA1066. CLEAR ALL F/F AND REGISTER IN MASC. DOES NOT CLEAR THE REFRESH ADDRESS REGISTER.
1	FFØBRMO	FORCE REFRESH MODE TO FANOUT BOARDS (JK25), FA1071, DOES NOT SET MODE F/F. FORCE SINGLE STEP CLOCK INPUT ON FC205.
2	FSTØPCKO	FORCE MAS CLOCK TO STOP, FC205.
3	FNRREQO	FORCE NO REFRESH REQUEST, FA1062 AND FA1066.
12	FO.10TMO	FORCE ACTIVE TIMING TO FANOUT BOARDS (JK25), FA1068. TEST CHECK CIRCUITS THAT DETECT MODE CHANGE DURING A MAS CYCLE - REFRESH TO NORMAL OR NORMAL TO REFRESH, FA1062.
13	LDOCFWTO	LOAD RESULTS OF SERIAL I/O CHANNEL 4-OUT-OF-8 CODE CHECK INTO THE ERROR REGISTER, FA1062, FORCE BI-DIRECTIONAL DATA BUS TO THE 3A CC TO MAS DIRECTION.
14	FSELAO	FORCE MAS SELECTED, FA1071.
15	FBIT09O	FORCE THE SHIFTER BIT 9 ACTIVE, FA1071. SHIFTER BIT 9 IS USED ON THE FA1060 CIRCUIT PACKS TO LOAD THE ERROR REGISTER.

PART OF FS 6
COMPOSITE DIAGRAMS 4, 5

MAIN STORE CONTROLLER AND MEMORY

DWG S 2

BELL LABORATORIES | SD-1C902-03

PART OF FS 7

MEMORY
INTERCONNECTION AND FLOW DIAGRAM
(SEE COMPOSITE DIAGRAM 1)



PART OF FS 7
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	ISSUE |
BELL LABORATORIES	SD-IC902-03	B7AA

PART OF FS 7

MEMORY

INTERCONNECTION AND FLOW DIAGRAM

(SEE COMPOSITE DIAGRAM 1)

CE27IA-CE40IA
GC45I0A,GR45I0A
GR40I0A-GR24I0A
GR00I_RLF0A

(14 LEADS) 7/1

(2 LEADS) WRTD150A,WRTD070A 2/6

(9 LEADS) SPARE(00,02,04,06,08,12-15) 7/1

(2 LEADS) WRTD140A,WRTD060A 2/7

(2 LEADS) WRTD130A,WRTD050A 2/8

(2 LEADS) WRTD120A,WRTD040A 2/9

(2 LEADS) WRTD110A,WRTD030A 2/10

(2 LEADS) WRTD100A,WRTD020A 2/11

(2 LEADS) WRTD090A,WRTD010A 2/12

(2 LEADS) WRTD080A,WRTD000A 2/13

SYMBOL NO. 7	SYMBOL NO. 8	SYMBOL NO. 9	SYMBOL NO. 10	SYMBOL NO. 11	SYMBOL NO. 12	SYMBOL NO. 13	SYMBOL NO. 14
MEMORY PLANE 0	MEMORY PLANE 0	MEMORY PLANE 0	MEMORY PLANE 0	MEMORY PLANE 0	MEMORY PLANE 0	MEMORY PLANE 0	MEMORY PLANE 0
DATA BITS 15 AND 07	DATA BITS 14 AND 06	DATA BITS 13 AND 05	DATA BITS 12 AND 04	DATA BITS 11 AND 03	DATA BITS 10 AND 02	DATA BITS 09 AND 01	DATA BITS 08 AND 00
MP015.07	MP014.06	MP013.05	MP012.04	MP011.03	MP010.02	MP009.01	MP008.00
03-11	03-10	03-09	03-08	03-07	03-06	03-05	03-04
JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16
A	A	A	A	A	A	A	A
(SEE COMP DIAG 2)	(SEE COMP DIAG 2)	(SEE COMP DIAG 2)	(SEE COMP DIAG 2)	(SEE COMP DIAG 2)	(SEE COMP DIAG 2)	(SEE COMP DIAG 2)	(SEE COMP DIAG 2)

(2 LEADS) RD0150A,RD0070A 2/6,8/1-10(BIR)

(2 LEADS) RD0140A,RD0060A 2/7,8/1-10(BIR)

(2 LEADS) RD0130A,RD0050A 2/8,8/1-10(BIR)

(2 LEADS) RD0120A,RD0040A 2/9,8/1-10(BIR)

(2 LEADS) RD0110A,RD0030A 2/10,8/1-10(BIR)

(2 LEADS) RD0100A,RD0020A 2/11,8/1-10(BIR)

(2 LEADS) RD0090A,RD0010A 2/12,8/1-10(BIR)

(2 LEADS) RD0080A,RD0000A 2/13,8/1-10(BIR)

PART OF FS 7
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	ISSUE 1
BELL LABORATORIES	SD-IC902-03	B7AB

PART OF FS 7

MEMORY
INTERCONNECTION AND FLOW DIAGRAM
(SEE COMPOSITE DIAGRAM 1)

A1718 2/14
AP17.818 2/17
A1618,AP7.010 2/1
A1518,A0718 2/6
A1418,A0618 2/7
A1318,A0518 2/8
A1218,A0418 2/9
A1118,A0318 2/15
A1018,A0218 2/11
A0918,A0118 2/12
A0818,A0018 2/13
CSOB,REFMOOB 1/1
FØØMT1B 6/6
R=OB 1/2
SPARE11 8/11-24(BTR)
SPARE(22,23) NC

(2 LEADS)

SYMBOL NO. 15
FANOUT BOARD 1
FØB1
03-33
JK25
A
(SEE COMPOSITE DIAGRAM 2)

MSELB

WRTDPHOB,WRTDPLOB 2/1
WRTD23OB,WRTD19OB 2/2
WRTD22OB,WRTD18OB 2/3
WRTD21OB,WRTD17OB 2/4
WRTD2OOB,WRTD16OB 2/5

(2 LEADS)

SYMBOL NO. 16
MEMORY PLANE 1
DATA BITS PH AND PL
MP1PH.PL
03-18
JL16
A
(SEE COMPOSITE DIAGRAM 2)

SYMBOL NO. 17
MEMORY PLANE 1
DATA BITS 23 AND 19
MP123.19
03-19
JL16
A
(SEE COMPOSITE DIAGRAM 2)

SYMBOL NO. 18
MEMORY PLANE 1
DATA BITS 22 AND 18
MP122-18
03-20
JL16
A
(SEE COMPOSITE DIAGRAM 2)

SYMBOL NO. 19
MEMORY PLANE 1
DATA BITS 21 AND 17
MP121.17
03-21
JL16
A
(SEE COMPOSITE DIAGRAM 2)

SYMBOL NO. 20
MEMORY PLANE 1
DATA BITS 20 AND 16
MP120.16
03-22
JL16
A
(SEE COMPOSITE DIAGRAM 2)

5/5,8/1-10(BTR) APEROB,MSEL10,RSEL11 (3 LEADS)
5/3,8/1-10(BTR) SELRCOB,SELRWOB,UNSLEROB (3 LEADS)
7/(21-28) CEA21B-CEA01B, GCA5OB,GRA3OB, GRCA4OB-GRCA00B, GRWOB,REFOB (14 LEADS)
7/(21-28) SPARE(01,03,05,07,09,16-19) (8 LEADS)

2/1,8/1-10(BTR) RODPHOB,RODPLOB (2 LEADS)
2/2,8/1-10(BTR) RDD23OB,RDD19OB (2 LEADS)
2/3,8/1-10(BTR) RDD22OB,RDD18OB (2 LEADS)
2/4,8/1-10(BTR) RDD21OB,RDD17OB (2 LEADS)
2/5,8/1-10(BTR) RDD2OOB,RDD16OB (2 LEADS)

PART OF FS 7
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B7AC

PART OF FS 7

MEMORY
INTERCONNECTION AND FLOW DIAGRAM
(SEE COMPOSITE DIAGRAM 1)

CEA01B-CEA21B
GCAS0B,GRAS0B
GRCA00B-GRCA6BB
GRA0B,REF0B
7/15
(14 LEADS)

MRTD150B,MRTD0/0B
2/6
(2 LEADS)

SPARE(01,03,05,07,09,16-19)
1/15
(9 LEADS)

MRTD140B,MRTD060B
2/7
(2 LEADS)

MRTD130B,MRTD050B
2/8
(2 LEADS)

MRTD120B,MRTD040B
2/9
(2 LEADS)

MRTD110B,MRTD030B
2/10
(2 LEADS)

MRTD100B,MRTD020B
2/11
(2 LEADS)

MRTD090B,MRTD010B
2/12
(2 LEADS)

MRTD080B,MRTD000B
2/13
(2 LEADS)

SYMBOL NO. 21
MEMORY PLANE 1
DATA BITS 15 AND 07
MP115.07
03-23
JL16
A
(SEE COMP DIAG 2)

SYMBOL NO. 22
MEMORY PLANE 1
DATA BITS 14 AND 06
MP114.06
03-24
JL16
A
(SEE COMP DIAG 2)

SYMBOL NO. 23
MEMORY PLANE 1
DATA BITS 13 AND 05
MP113.05
03-25
JL16
A
(SEE COMP DIAG 2)

SYMBOL NO. 24
MEMORY PLANE 1
DATA BITS 12 AND 04
MP112.04
03-26
JL16
A
(SEE COMP DIAG 2)

SYMBOL NO. 25
MEMORY PLANE 1
DATA BITS 11 AND 03
MP111.03
03-27
JL16
A
(SEE COMP DIAG 2)

SYMBOL NO. 26
MEMORY PLANE 1
DATA BITS 10 AND 02
MP110.02
03-28
JL16
A
(SEE COMP DIAG 2)

SYMBOL NO. 27
MEMORY PLANE 1
DATA BITS 09 AND 01
MP109.01
03-29
JL16
A
(SEE COMP DIAG 2)

SYMBOL NO. 28
MEMORY PLANE 1
DATA BITS 08 AND 00
MP108.00
03-31
JL16
A
(SEE COMP DIAG 2)

2/6,8/1-10(BTR)
RDD150B,RDD070B
(2 LEADS)

2/7,8/1-10(BTR)
RDD140B,RDD060B
(2 LEADS)

2/8,8/1-10(BTR)
RDD130B,RDD050B
(2 LEADS)

2/9,8/1-10(BTR)
RDD120B,RDD040B
(2 LEADS)

2/10,8/1-10(BTR)
RDD110B,RDD030B
(2 LEADS)

2/11,8/1-10(BTR)
RDD100B,RDD020B
(2 LEADS)

2/12,8/1-10(BTR)
RDD090B,RDD010B
(2 LEADS)

2/13,8/1-10(BTR)
RDD080B,RDD000B
(2 LEADS)

PART OF FS 7
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE A5	IS
BELL LABORATORIES	SD-IC902-03	B7

PART OF FS 7

MEMORY

SYMBOL NO. 1

FANOUT BOARD 0

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
FOB0	03-02	JK25	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		218			REFCK1	2H4
APER0A	0	212	5/5 8/1-10(BTR)		TAPER0	3H3
AP17.81A	I	303	2/17		AP17.811	2A8
AP7.01A	I	204	2/1		AP7.011	3A9
A001A	I	010	2/13		A0011	3A7
A011A	I	112	2/12		A0111	3A7
A021A	I	011	2/11		A02I1	3A6
A031A	I	111	2/10		A03I1	3A0
A041A	I	207	2/9		A04I1	3A6
A051A	I	012	2/8		A05I1	3A6
A061A	I	306	2/7		A06I1	3A5
A071A	I	208	2/6		A07I1	3A5
A081A	I	309	2/13		A08I1	3A2
A091A	I	307	2/12		A09I1	3A0
A101A	I	305	2/11		A10I1	3A1
A111A	I	206	2/10		A11I1	3A5
A121A	I	110	2/9		A12I1	3A4
A131A	I	308	2/8		A13I1	3A4
A141A	I	209	2/7		A14I1	3A4
A151A	I	016	2/6		A15I1	3A1
	I	219	2/6	202		
A161A	I	117	2/1		A16I1	3A1
A171A	I	019	2/14		A17I1	3A3
CEA01A	0	102	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	CEA01	3G8
CEA11A	0	009	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	CEA11	3H7
CEA21A	0	109	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	CEA21	3H7
CS0A	I	201	1/1		RAS10	2A4
FOBMT1A	I	215	6/6	202		
	I	216	6/6		TS111	2A6
GCAS0A	0	310	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	GCAS0	2H6
GRAS0A	0	003	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	GRAS0	2H4
GRCA00A	0	007	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	GRCA00	3H4
GRCA10A	0	105	7/2,7/3 7/4,7/5	202	GRCA10	3H5

SYMBOL NO. 1 (CONT)

FANOUT BOARD 0

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
FOB0	03-02	JK25	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
			7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14			
GRCA20A	0	006	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	GRCA20	3H5
GRCA30A	0	103	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	GRCA30	3H4
GRCA40A	0	101	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	GRCA40	3H1
GRCA50A	0	002	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	GRCA50	3H1
GRCA60A	0	106	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	GRCA60	3H0
GRW0A	0	001	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	GRW0	2H0
MSELA	0	115			MSEL00	3HZ
	I	113			SELOI1	2A2
MSEL00	0	311	5/5 8/1-10(BTR)		MSEL0	2H1
REFMD0A	I	214	1/1		REFI0	2A3
REF0A	0	108	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	202	REF0	2H3
RSEL01	0	013	5/5 8/1-10(BTR)		RSEL1	2H3
RW0A	I	300	1/2		RWI0	2A0
SELRC0A	0	210	5/3 8/1-10(BTR)		SELRC0	2H5
SELRW0A	0	205	5/3 8/1-10(BTR)		SELRW0	2H1
SPARE00	GRD	104	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	20Z	GRD	2G8
SPARE02	GRD	004	7/2,7/3 7/4,7/5	20Z	GRD	2G8

SYMBOL NO. 1 (CONT)

FANOUT BOARD 0

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
FOB0	03-02	JK25	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
			7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14			
SPARE04	GRD	008	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	20Z	GRD	2G8
SPARE06	GRD	005	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	20Z	GRD	2G8
SPARE08	GRD	107	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	20Z	GRD	2G8
SPARE10	I	313	8/11-24(BTR)			
SPARE12	I	318	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	20Z		
SPARE13	I	317	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	20Z		
SPARE14	I	316	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	20Z		
SPARE15	I	315	7/2,7/3 7/4,7/5 7/6,7/7 7/8,7/9 7/10,7/11 7/12,7/13 7/14	20Z		
SPARE20	I	314	8/11-24(BTR)			
SPARE21	I	312	8/11-24(BTR)			
UNSLER0A	0	Z11	5/3 8/1-10(BTR)		UNSLER0	2H5
0GRDM0DA	GRD	0GD		20Z	GRD	3H9
	GRD	ZGD		20Z	GRD	3H9
	GRD	200		20Z	GRD	3H9
	GRD	304				
	GRD	319		20Z	GRD	3H9
5V	PWR	000		20Z	+5	3H9
	PWR	119		20Z	+5	3H9

SYMBOL NO. 2

MEMORY PLANE 0
DATA BITS PH AND PL

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP0PH.PL	03-17	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		20Z	-5	3H0
CEA01A	I	202	7/1	20Z	CEAI11	2D0
CEA11A	I	009	7/1	20Z	CEAI11	2C0
CEA21A	I	209	7/1	20Z	CEAZ11	2C0
GCAS0A	I	014	7/1	20Z	CASI0	2F0
GRAS0A	I	003	7/1	20Z	RASI0	2E0
GRCA00A	I	007	7/1	20Z	RCAI10	2H0
GRCA10A	I	205	7/1	20Z	RCAI10	2G0
GRCA20A	I	006	7/1	20Z	RCAZ10	2G0
GRCA30A	I	203	7/1	20Z	RCA310	2G0
GRCA40A	I	201	7/1	20Z	RCA410	2G0
GRCA50A	I	002	7/1	20Z	RCA510	2F0
GRCA60A	I	206	7/1	20Z	RCA610	2F0
GRW0A	I	001	7/1	20Z	RWI0	2H0
RDDPH0A	0	212	2/1 8/1-10(BTR)		RDD10	2G9
RDDPL0A	0	214	2/1 8/1-10(BTR)		RDD00	2G9
REF0A	I	208	7/1	20Z	REFI0	2E0
SPARE00	GRD	204	7/1	20Z	GRD	3B0
SPARE02	GRD	004	7/1	20Z	GRD	3B0
SPARE04	GRD	008	7/1	20Z	GRD	3B0
SPARE06	GRD	005	7/1	20Z	GRD	3B0
SPARE08	GRD	207	7/1	20Z	GRD	3B0
SPARE12	I	018	7/1	20Z		
SPARE13	I	017	7/1	20Z		
SPARE14	I	016	7/1	20Z		
SPARE15	I	015	7/1	20Z		
WRTDPH0A	I	Z16	2/1		WRTD1I0	ZA9
WRTDPL0A	I	Z18	2/1		WRTD0I0	ZA8
0GRDM0DA	GRD	0GD		20Z	GRD	3B0
	GRD	ZGD		20Z	GRD	3B0
	GRD	200		20Z	GRD	3B0
	GRD	213		20Z	GRD	3B0
	GRD	215		20Z	GRD	3B0
	GRD	217		20Z	GRD	3B0
	GRD	219		20Z	GRD	3B0
12V	PWR	000		20Z	+12	3G0
5V	PWR	011		20Z	+5	3B0
	PWR	Z11		20Z	+5	3B0

PART OF FS 7
SYMBOL(S) 1 2

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE C2	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B7CA

PRINTED IN U. S. A. 03/06/78

PART OF FS 7

MEMORY

SYMBOL NO. 3

MEMORY PLANE 0
DATA BITS 23 AND 19

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP023.19	03-16	JL16	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01A	I	202	7/1	202	CEA011	2D0
CEA11A	I	009	7/1	202	CEA111	2C0
CEA21A	I	209	7/1	202	CEA211	2C0
GCAS0A	I	014	7/1	202	CAS10	2F0
GRAS0A	I	003	7/1	202	RAS10	2E0
GRCA00A	I	007	7/1	202	RCA010	2H0
GRCA10A	I	205	7/1	202	RCA110	2G0
GRCA20A	I	006	7/1	202	RCA210	2G0
GRCA30A	I	203	7/1	202	RCA310	2G0
GRCA40A	I	201	7/1	202	RCA410	2G0
GRCA50A	I	002	7/1	202	RCA510	2F0
GRCA60A	I	206	7/1	202	RCA610	2F0
GRW0A	I	001	7/1	202	RWI0	2H0
RDD190A	O	214	2/2 8/1-10(BTR)		RDD00	2G9
RDD230A	O	212	2/2 8/1-10(BTR)		RDD10	2G9
REF0A	I	208	7/1	202	REFI0	2E0
SPARE00	GRD	204	7/1	202	GRD	3B0
SPARE02	GRD	004	7/1	202	GRD	3B0
SPARE04	GRD	008	7/1	202	GRD	3B0
SPARE06	GRD	005	7/1	202	GRD	3B0
SPARE08	GRD	207	7/1	202	GRD	3B0
SPARE12	I	018	7/1	202		
SPARE13	I	017	7/1	202		
SPARE14	I	016	7/1	202		
SPARE15	I	015	7/1	202		
WRTD190A	I	218	2/2		WRTD010	2A8
WRTD230A	I	216	2/2		WRTD110	2A9
0GRDMODA	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 4

MEMORY PLANE 0
DATA BITS 22 AND 18

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP022.18	03-14	JL16	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01A	I	202	7/1	202	CEA011	2D0
CEA11A	I	009	7/1	202	CEA111	2C0
CEA21A	I	209	7/1	202	CEA211	2C0
GCAS0A	I	014	7/1	202	CAS10	2F0
GRAS0A	I	003	7/1	202	RAS10	2E0
GRCA00A	I	007	7/1	202	RCA010	2H0
GRCA10A	I	205	7/1	202	RCA110	2G0
GRCA20A	I	006	7/1	202	RCA210	2G0
GRCA30A	I	203	7/1	202	RCA310	2G0
GRCA40A	I	201	7/1	202	RCA410	2G0
GRCA50A	I	002	7/1	202	RCA510	2F0
GRCA60A	I	206	7/1	202	RCA610	2F0
GRW0A	I	001	7/1	202	RWI0	2H0
RDD180A	O	214	2/3 8/1-10(BTR)		RDD00	2G9
RDD220A	O	212	2/3 8/1-10(BTR)		RDD10	2G9
REF0A	I	208	7/1	202	REFI0	2E0
SPARE00	GRD	204	7/1	202	GRD	3B0
SPARE02	GRD	004	7/1	202	GRD	3B0
SPARE04	GRD	008	7/1	202	GRD	3B0
SPARE06	GRD	005	7/1	202	GRD	3B0
SPARE08	GRD	207	7/1	202	GRD	3B0
SPARE12	I	018	7/1	202		
SPARE13	I	017	7/1	202		
SPARE14	I	016	7/1	202		
SPARE15	I	015	7/1	202		
WRTD180A	I	218	2/3		WRTD010	2A8
WRTD220A	I	216	2/3		WRTD110	2A9
0GRDMODA	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 5

MEMORY PLANE 0
DATA BITS 21 AND 17

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP021.17	03-13	JL16	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01A	I	202	7/1	202	CEA011	2D0
CEA11A	I	009	7/1	202	CEA111	2C0
CEA21A	I	209	7/1	202	CEA211	2C0
GCAS0A	I	014	7/1	202	CAS10	2F0
GRAS0A	I	003	7/1	202	RAS10	2E0
GRCA00A	I	007	7/1	202	RCA010	2H0
GRCA10A	I	205	7/1	202	RCA110	2G0
GRCA20A	I	006	7/1	202	RCA210	2G0
GRCA30A	I	203	7/1	202	RCA310	2G0
GRCA40A	I	201	7/1	202	RCA410	2G0
GRCA50A	I	002	7/1	202	RCA510	2F0
GRCA60A	I	206	7/1	202	RCA610	2F0
GRW0A	I	001	7/1	202	RWI0	2H0
RDD170A	O	214	2/4 8/1-10(BTR)		RDD00	2G9
RDD210A	O	212	2/4 8/1-10(BTR)		RDD10	2G9
REF0A	I	208	7/1	202	REFI0	2E0
SPARE00	GRD	204	7/1	202	GRD	3B0
SPARE02	GRD	004	7/1	202	GRD	3B0
SPARE04	GRD	008	7/1	202	GRD	3B0
SPARE06	GRD	005	7/1	202	GRD	3B0
SPARE08	GRD	207	7/1	202	GRD	3B0
SPARE12	I	018	7/1	202		
SPARE13	I	017	7/1	202		
SPARE14	I	016	7/1	202		
SPARE15	I	015	7/1	202		
WRTD170A	I	218	2/4		WRTD010	2A8
WRTD210A	I	216	2/4		WRTD110	2A9
0GRDMODA	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 6

MEMORY PLANE 0
DATA BITS 20 AND 16

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP020.16	03-12	JL16	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01A	I	202	7/1	202	CEA011	2D0
CEA11A	I	009	7/1	202	CEA111	2C0
CEA21A	I	209	7/1	202	CEA211	2C0
GCAS0A	I	014	7/1	202	CAS10	2F0
GRAS0A	I	003	7/1	202	RAS10	2E0
GRCA00A	I	007	7/1	202	RCA010	2H0
GRCA10A	I	205	7/1	202	RCA110	2G0
GRCA20A	I	006	7/1	202	RCA210	2G0
GRCA30A	I	203	7/1	202	RCA310	2G0
GRCA40A	I	201	7/1	202	RCA410	2G0
GRCA50A	I	002	7/1	202	RCA510	2F0
GRCA60A	I	206	7/1	202	RCA610	2F0
GRW0A	I	001	7/1	202	RWI0	2H0
RDD160A	O	214	2/5 8/1-10(BTR)		RDD00	2G9
RDD200A	O	212	2/5 8/1-10(BTR)		RDD10	2G9
REF0A	I	208	7/1	202	REFI0	2E0
SPARE00	GRD	204	7/1	202	GRD	3B0
SPARE02	GRD	004	7/1	202	GRD	3B0
SPARE04	GRD	008	7/1	202	GRD	3B0
SPARE06	GRD	005	7/1	202	GRD	3B0
SPARE08	GRD	207	7/1	202	GRD	3B0
SPARE12	I	018	7/1	202		
SPARE13	I	017	7/1	202		
SPARE14	I	016	7/1	202		
SPARE15	I	015	7/1	202		
WRTD160A	I	218	2/5		WRTD010	2A8
WRTD200A	I	216	2/5		WRTD110	2A9
0GRDMODA	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

PART OF FS 7
SYMBOL(S) 3 4 5 6

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE: C2	ISSUE: 1
BELL LABORATORIES	SD-1C902-03	B7C8

PRINTED IN U. S. A. 03/06/75

PART OF FS 7

MEMORY

SYMBOL NO. 7

MEMORY PLANE 0
DATA BITS 15 AND 07

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP015.07	03-11	JL16	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01A	I	202	7/1	202	CEA011	2D0
CEA11A	I	009	7/1	202	CEA111	2C
CEA21A	I	209	7/1	202	CEA211	2C0
GCAS0A	I	014	7/1	202	CAS10	2F0
GRAS0A	I	003	7/1	202	RAS10	2E0
GRCA00A	I	007	7/1	202	RCA010	2H0
GRCA10A	I	205	7/1	202	RCA110	2G0
GRCA20A	I	006	7/1	202	RCA210	2G0
GRCA30A	I	203	7/1	202	RCA310	2G0
GRCA40A	I	201	7/1	202	RCA410	2G0
GRCA50A	I	002	7/1	202	RCA510	2F0
GRCA60A	I	206	7/1	202	RCA610	2F0
GRW0A	I	001	7/1	202	RWI0	2H0
RDD070A	O	214	2/6 8/1-10(BTR)		RDD00	2G9
RDD150A	O	212	2/6 8/1-10(BTR)		RDD10	2G9
REF0A	I	208	7/1	202	REFI0	2E0
SPARE00	GRD	204	7/1	202	GRD	3B0
SPARE02	GRD	004	7/1	202	GRD	3B0
SPARE04	GRD	008	7/1	202	GRD	3B0
SPARE06	GRD	005	7/1	202	GRD	3B0
SPARE08	GRD	207	7/1	202	GRD	3B0
SPARE12	I	018	7/1	202		
SPARE13	I	017	7/1	202		
SPARE14	I	016	7/1	202		
SPARE15	I	015	7/1	202		
WRTD070A	I	218	2/6		WRTD010	2A8
WRTD150A	I	216	2/6		WRTD110	2A9
OGRDMODA	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 8

MEMORY PLANE 0
DATA BITS 14 AND 06

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP014.06	03-10	JL16	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01A	I	202	7/1	202	CEA011	2D0
CEA11A	I	009	7/1	202	CEA111	2C0
CEA21A	I	209	7/1	202	CEA211	2C0
GCAS0A	I	014	7/1	202	CAS10	2F0
GRAS0A	I	003	7/1	202	RAS10	2E0
GRCA00A	I	007	7/1	202	RCA010	2H0
GRCA10A	I	205	7/1	202	RCA110	2G0
GRCA20A	I	006	7/1	202	RCA210	2G0
GRCA30A	I	203	7/1	202	RCA310	2G0
GRCA40A	I	201	7/1	202	RCA410	2G0
GRCA50A	I	002	7/1	202	RCA510	2F0
GRCA60A	I	206	7/1	202	RCA610	2F0
GRW0A	I	001	7/1	202	RWI0	2H0
RDD060A	O	214	2/7 8/1-10(BTR)		RDD00	2G9
RDD140A	O	212	2/7 8/1-10(BTR)		RDD10	2G9
REF0A	I	208	7/1	202	REFI0	2E0
SPARE00	GRD	204	7/1	202	GRD	3B0
SPARE02	GRD	004	7/1	202	GRD	3B0
SPARE04	GRD	008	7/1	202	GRD	3B0
SPARE06	GRD	005	7/1	202	GRD	3B0
SPARE08	GRD	207	7/1	202	GRD	3B0
SPARE12	I	018	7/1	202		
SPARE13	I	017	7/1	202		
SPARE14	I	016	7/1	202		
SPARE15	I	015	7/1	202		
WRTD060A	I	218	2/7		WRTD010	2A8
WRTD140A	I	216	2/7		WRTD110	2A9
OGRDMODA	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 9

MEMORY PLANE 0
DATA BITS 13 AND 05

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP013.05	03-09	JL16	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01A	I	202	7/1	202	CEA011	2D0
CEA11A	I	009	7/1	202	CEA111	2C0
CEA21A	I	209	7/1	202	CEA211	2C0
GCAS0A	I	014	7/1	202	CAS10	2F0
GRAS0A	I	003	7/1	202	RAS10	2E0
GRCA00A	I	007	7/1	202	RCA010	2H0
GRCA10A	I	205	7/1	202	RCA110	2G0
GRCA20A	I	006	7/1	202	RCA210	2G0
GRCA30A	I	203	7/1	202	RCA310	2G0
GRCA40A	I	201	7/1	202	RCA410	2G0
GRCA50A	I	002	7/1	202	RCA510	2F0
GRCA60A	I	206	7/1	202	RCA610	2F0
GRW0A	I	001	7/1	202	RWI0	2H0
RDD050A	O	214	2/8 8/1-10(BTR)		RDD00	2G9
RDD130A	O	212	2/8 8/1-10(BTR)		RDD10	2G9
REF0A	I	208	7/1	202	REFI0	2E0
SPARE00	GRD	204	7/1	202	GRD	3B0
SPARE02	GRD	004	7/1	202	GRD	3B0
SPARE04	GRD	008	7/1	202	GRD	3B0
SPARE06	GRD	005	7/1	202	GRD	3B0
SPARE08	GRD	207	7/1	202	GRD	3B0
SPARE12	I	018	7/1	202		
SPARE13	I	017	7/1	202		
SPARE14	I	016	7/1	202		
SPARE15	I	015	7/1	202		
WRTD050A	I	218	2/8		WRTD010	2A8
WRTD130A	I	216	2/8		WRTD110	2A9
OGRDMODA	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 10

MEMORY PLANE 0
DATA BITS 12 AND 04

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP012.04	03-08	JL16	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01A	I	202	7/1	202	CEA011	2D0
CEA11A	I	009	7/1	202	CEA111	2C0
CEA21A	I	209	7/1	202	CEA211	2C0
GCAS0A	I	014	7/1	202	CAS10	2F0
GRAS0A	I	003	7/1	202	RAS10	2E0
GRCA00A	I	007	7/1	202	RCA010	2H0
GRCA10A	I	205	7/1	202	RCA110	2G0
GRCA20A	I	006	7/1	202	RCA210	2G0
GRCA30A	I	203	7/1	202	RCA310	2G0
GRCA40A	I	201	7/1	202	RCA410	2G0
GRCA50A	I	002	7/1	202	RCA510	2F0
GRCA60A	I	206	7/1	202	RCA610	2F0
GRW0A	I	001	7/1	202	RWI0	2H0
RDD040A	O	214	2/9 8/1-10(BTR)		RDD00	2G9
RDD120A	O	212	2/9 8/1-10(BTR)		RDD10	2G9
REF0A	I	208	7/1	202	REFI0	2E0
SPARE00	GRD	204	7/1	202	GRD	3B0
SPARE02	GRD	004	7/1	202	GRD	3B0
SPARE04	GRD	008	7/1	202	GRD	3B0
SPARE06	GRD	005	7/1	202	GRD	3B0
SPARE08	GRD	207	7/1	202	GRD	3B0
SPARE12	I	018	7/1	202		
SPARE13	I	017	7/1	202		
SPARE14	I	016	7/1	202		
SPARE15	I	015	7/1	202		
WRTD040A	I	218	2/9		WRTD010	2A8
WRTD120A	I	216	2/9		WRTD110	2A9
OGRDMODA	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

PART OF FS 7
SYMBOL(S) 7 8 9 10

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE C2	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B7CC

PRINTED IN U. S. A.

PART OF FS 7

MEMORY

SYMBOL NO. 11

MEMORY PLANE 0
DATA BITS 11 AND 03

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP011.03	03-07	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01A	I	202	7/1	202	CEA011	2D0
CEA11A	I	009	7/1	202	CEA111	2C
CEA21A	I	209	7/1	202	CEA211	2C0
GCAS0A	I	014	7/1	202	CAS10	2F0
GRAS0A	I	003	7/1	202	RAS10	2E0
GRCA00A	I	007	7/1	202	RCA010	2H0
GRCA10A	I	205	7/1	202	RCA110	2G0
GRCA20A	I	006	7/1	202	RCA210	2G0
GRCA30A	I	203	7/1	202	RCA310	2G0
GRCA40A	I	201	7/1	202	RCA410	2G0
GRCA50A	I	002	7/1	202	RCA510	2F0
GRCA60A	I	206	7/1	202	RCA610	2F0
GRW0A	I	001	7/1	202	RW10	2H0
RDD030A	0	214	2/10 8/1-10(BTR)		RDD00	2G9
RDD110A	0	212	2/10 8/1-10(BTR)		RDD10	2G9
REF0A	I	208	7/1	202	REF10	2E0
SPARE00	GRD	204	7/1	202	GRD	3B0
SPARE02	GRD	004	7/1	202	GRD	3B0
SPARE04	GRD	008	7/1	202	GRD	3B0
SPARE06	GRD	005	7/1	202	GRD	3B0
SPARE08	GRD	207	7/1	202	GRD	3B0
SPARE12	I	018	7/1	202		
SPARE13	I	017	7/1	202		
SPARE14	I	016	7/1	202		
SPARE15	I	015	7/1	202		
WRTD030A	I	218	2/10		WRTD010	2A8
WRTD110A	I	216	2/10		WRTD110	2A9
OGRDMODA	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 12

MEMORY PLANE 0
DATA BITS 10 AND 02

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP010.02	03-06	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01A	I	202	7/1	202	CEA011	2D0
CEA11A	I	009	7/1	202	CEA111	2C0
CEA21A	I	209	7/1	202	CEA211	2C0
GCAS0A	I	014	7/1	202	CAS10	2F0
GRAS0A	I	003	7/1	202	RAS10	2E0
GRCA00A	I	007	7/1	202	RCA010	2H0
GRCA10A	I	205	7/1	202	RCA110	2G0
GRCA20A	I	006	7/1	202	RCA210	2G0
GRCA30A	I	203	7/1	202	RCA310	2G0
GRCA40A	I	201	7/1	202	RCA410	2G0
GRCA50A	I	002	7/1	202	RCA510	2F0
GRCA60A	I	206	7/1	202	RCA610	2F0
GRW0A	I	001	7/1	202	RW10	2H0
RDD020A	0	214	2/11 8/1-10(BTR)		RDD00	2G9
RDD100A	0	212	2/11 8/1-10(BTR)		RDD10	2G9
REF0A	I	208	7/1	202	REF10	2E0
SPARE00	GRD	204	7/1	202	GRD	3B0
SPARE02	GRD	004	7/1	202	GRD	3B0
SPARE04	GRD	008	7/1	202	GRD	3B0
SPARE06	GRD	005	7/1	202	GRD	3B0
SPARE08	GRD	207	7/1	202	GRD	3B0
SPARE12	I	018	7/1	202		
SPARE13	I	017	7/1	202		
SPARE14	I	016	7/1	202		
SPARE15	I	015	7/1	202		
WRTD020A	I	218	2/11		WRTD010	2A8
WRTD100A	I	216	2/11		WRTD110	2A9
OGRDMODA	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 13

MEMORY PLANE 0
DATA BITS 09 AND 01

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP009.01	03-05	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01A	I	202	7/1	202	CEA011	2D0
CEA11A	I	009	7/1	202	CEA111	2C0
CEA21A	I	209	7/1	202	CEA211	2C0
GCAS0A	I	014	7/1	202	CAS10	2F0
GRAS0A	I	003	7/1	202	RAS10	2E0
GRCA00A	I	007	7/1	202	RCA010	2H0
GRCA10A	I	205	7/1	202	RCA110	2G0
GRCA20A	I	006	7/1	202	RCA210	2G0
GRCA30A	I	203	7/1	202	RCA310	2G0
GRCA40A	I	201	7/1	202	RCA410	2G0
GRCA50A	I	002	7/1	202	RCA510	2F0
GRCA60A	I	206	7/1	202	RCA610	2F0
GRW0A	I	001	7/1	202	RW10	2H0
RDD010A	0	214	2/12 8/1-10(BTR)		RDD00	2G9
RDD090A	0	212	2/12 8/1-10(BTR)		RDD10	2G9
REF0A	I	208	7/1	202	REF10	2E0
SPARE00	GRD	204	7/1	202	GRD	3B0
SPARE02	GRD	004	7/1	202	GRD	3B0
SPARE04	GRD	008	7/1	202	GRD	3B0
SPARE06	GRD	005	7/1	202	GRD	3B0
SPARE08	GRD	207	7/1	202	GRD	3B0
SPARE12	I	018	7/1	202		
SPARE13	I	017	7/1	202		
SPARE14	I	016	7/1	202		
SPARE15	I	015	7/1	202		
WRTD010A	I	218	2/12		WRTD010	2A8
WRTD090A	I	216	2/12		WRTD110	2A9
OGRDMODA	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 14

MEMORY PLANE 0
DATA BITS 08 AND 00

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP008.00	03-04	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01A	I	202	7/1	202	CEA011	2D0
CEA11A	I	009	7/1	202	CEA111	2C0
CEA21A	I	209	7/1	202	CEA211	2C0
GCAS0A	I	014	7/1	202	CAS10	2F0
GRAS0A	I	003	7/1	202	RAS10	2E0
GRCA00A	I	007	7/1	202	RCA010	2H0
GRCA10A	I	205	7/1	202	RCA110	2G0
GRCA20A	I	006	7/1	202	RCA210	2G0
GRCA30A	I	203	7/1	202	RCA310	2G0
GRCA40A	I	201	7/1	202	RCA410	2G0
GRCA50A	I	002	7/1	202	RCA510	2F0
GRCA60A	I	206	7/1	202	RCA610	2F0
GRW0A	I	001	7/1	202	RW10	2H0
RDD000A	0	214	2/13 8/1-10(BTR)		RDD00	2G9
RDD080A	0	212	2/13 8/1-10(BTR)		RDD10	2G9
REF0A	I	208	7/1	202	REF10	2E0
SPARE00	GRD	204	7/1	202	GRD	3B0
SPARE02	GRD	004	7/1	202	GRD	3B0
SPARE04	GRD	008	7/1	202	GRD	3B0
SPARE06	GRD	005	7/1	202	GRD	3B0
SPARE08	GRD	207	7/1	202	GRD	3B0
SPARE12	I	018	7/1	202		
SPARE13	I	017	7/1	202		
SPARE14	I	016	7/1	202		
SPARE15	I	015	7/1	202		
WRTD000A	I	218	2/13		WRTD010	2A8
WRTD080A	I	216	2/13		WRTD110	2A9
OGRDMODA	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

PART OF FS 7
SYMBOL(S) 11 12 13 14

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE: E2 | ISSUE: 1

BELL LABORATORIES | SD-1C902-03 | B7CC

PRINTED IN U. S. A.

PART OF FS 7

MEMORY

SYMBOL NO. 15

FANOUT BOARD 1

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
FOB1	03-33	JK25	A	

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		115			MSEL00	3H2
		218			REFCK1	2H4
APER0B	0	212	5/5 8/1-10(BTR)		TAPER0	3H
AP17.81B	I	303	2/17		AP17.811	2A8
AP7.01B	I	204	2/1		AP7.011	3A9
	I	302	2/1	202		
A001B	I	010	2/13		A0011	3A7
A011B	I	112	2/12		A0111	3A7
A021B	I	011	2/11		A0211	3A6
A031B	I	111	2/10		A0311	3A0
A041B	I	207	2/9		A0411	3A6
A051B	I	012	2/8		A0511	3A6
A061B	I	306	2/7		A0611	3A5
A071B	I	208	2/6		A0711	3A5
	I	215	2/6	202		
A081B	I	309	2/13		A0811	3A2
A091B	I	307	2/12		A0911	3A0
A101B	I	305	2/11		A1011	3A1
A111B	I	206	2/10		A1111	3A5
	I	304	2/10	202		
A121B	I	110	2/9		A1211	3A4
	I	213	2/9	202		
A131B	I	308	2/8		A1311	3A4
A141B	I	209	2/7		A1411	3A4
A151B	I	016	2/6		A1511	3A1
A161B	I	117	2/1		A1611	3A1
A171B	I	019	2/14		A1711	3A3
CEA01B	0	102	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	CEA01	3G8
CEA11B	0	009	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	CEA11	3H7
CEA21B	0	109	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	CEA21	3H7
CS0B	I	201	1/1		RAS10	2A4
FOBMT1B	I	216	6/6		TS111	2A6
GCAS0B	0	310	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GCAS0	2H6
GRAS0B	0	003	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GRAS0	2H4
GRCA00B	0	007	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25	202	GRCA00	3H4

SYMBOL NO. 15 (CONT)

FANOUT BOARD 1

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
FOB1	03-33	JK25	A	

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
			7/26,7/27 7/28			
GRCA10B	0	105	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GRCA10	3H5
GRCA20B	0	006	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GRCA20	3H5
GRCA30B	0	103	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GRCA30	3H4
GRCA40B	0	101	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GRCA40	3H1
GRCA50B	0	002	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GRCA50	3H1
GRCA60B	0	106	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GRCA60	3H0
GRDA	GRD	319	9/1		GRD	3H9
GRW0B	0	001	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GRW0	2H0
MSEL8	I	019			A1711	3A3
	I	113			SEL011	2A2
MSEL10	0	311	5/5 8/1-10(BTR)		MSEL0	2H1
REFMD0B	I	214	1/1		REF10	2A3
REF0B	0	108	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	REF0	2H3
RSEL11	0	013	5/5 8/1-10(BTR)		RSEL1	2H3
RW0B	I	300	1/2		RW10	2A0
SELRC0B	0	210	5/3 8/1-10(BTR)		SELRC0	2H5
SELRW0B	0	205	5/3 8/1-10(BTR)		SELRW0	2H1
SPARE01	GRD	104	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23	202	GRD	2G8

SYMBOL NO. 15 (CONT)

FANOUT BOARD 1

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
FOB1	03-33	JK25	A	

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
			7/24,7/25 7/26,7/27 7/28			
SPARE03	GRD	004	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GRD	2G8
SPARE05	GRD	008	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GRD	2G8
SPARE07	GRD	005	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GRD	2G8
SPARE09	GRD	107	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202	GRD	2G8
SPARE11	I	313	8/11-24(BTR)			
SPARE16	I	318	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202		
SPARE17	I	317	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202		
SPARE18	I	316	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202		
SPARE19	I	315	7/16,7/17 7/18,7/19 7/20,7/21 7/22,7/23 7/24,7/25 7/26,7/27 7/28	202		
SPARE22	I	314				
SPARE23	I	312				
UNSLER0B	0	211	5/3 8/1-10(BTR)		UNSELER0	2H5
0GRDMODB	GRD	0GD		202	GRD	3H9
	GRD	2GD		202	GRD	3H9
	GRD	200		202	GRD	3H9
	GRD	319		202	GRD	3H9
5V	PWR	000		202	+5	3H9
	PWR	119		202	+5	3H9

SYMBOL NO. 16

MEMORY PLANE 1
DATA BITS PH AND PL

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP1PH.PL	03-18	JL16	A	

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C0
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CASI0	2F0
GRAS0B	I	003	7/15	202	RASI0	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	*	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	202	RCA610	2F0
GRW0B	I	001	7/15	202	RWI0	2H0
RDDPH0B	0	212	2/1 8/1-10(BTR)		RDD10	2G9
RDDPL0B	0	214	2/1 8/1-10(BTR)		RDD00	2G9
REF0B	I	208	7/15	202	REFI0	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTDPH0B	I	216	2/1		WRTD110	2A9
WRTDPL0B	I	218	2/1		WRTD010	2A8
0GRDMODB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

PART OF FS 7

SYMBOL(S) 15 16

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE C2 | ISSUE 1

BELL LABORATORIES | SD-1C902-03 | B7CE

PRINTED IN U. S. A.

03/06/78

PART OF FS 7

MEMORY

SYMBOL NO. 17

MEMORY PLANE 1
DATA BITS 23 AND 19

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP123.19	03-19	JL16	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C0
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CAS10	2F0
GRAS0B	I	003	7/15	202	RAS10	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	I	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	202	RCA610	2F0
GRW0B	I	001	7/15	202	RWI0	2H0
RDD190B	O	214	2/2 8/1-10(BTR)		RDD00	2G9
RDD230B	O	212	2/2 8/1-10(BTR)		RDD10	2G9
REF0B	I	208	7/15	202	REF10	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTD190B	I	218	2/2		WRTD010	2A8
WRTD230B	I	216	2/2		WRTD110	2A9
OGRDMODB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 18

MEMORY PLANE 1
DATA BITS 22 AND 18

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP122.18	03-20	JL16	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C0
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CAS10	2F0
GRAS0B	I	003	7/15	202	RAS10	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	I	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	202	RCA610	2F0
GRW0B	I	001	7/15	202	RWI0	2H0
RDD180B	O	214	2/3 8/1-10(BTR)		RDD00	2G9
RDD220B	O	212	2/3 8/1-10(BTR)		RDD10	2G9
REF0B	I	208	7/15	202	REF10	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTD180B	I	218	2/3		WRTD010	2A8
WRTD220B	I	216	2/3		WRTD110	2A9
OGRDMODB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 19

MEMORY PLANE 1
DATA BITS 21 AND 17

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP121.17	03-21	JL16	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C0
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CAS10	2F0
GRAS0B	I	003	7/15	202	RAS10	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	I	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	202	RCA610	2F0
GRW0B	I	001	7/15	202	RWI0	2H0
RDD170B	O	214	2/4 8/1-10(BTR)		RDD00	2G9
RDD210B	O	212	2/4 8/1-10(BTR)		RDD10	2G9
REF0B	I	208	7/15	202	REF10	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTD170B	I	218	2/4		WRTD010	2A8
WRTD210B	I	216	2/4		WRTD110	2A9
OGRDMODB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 20

MEMORY PLANE 1
DATA BITS 20 AND 16

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP120.16	03-22	JL16	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C0
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CAS10	2F0
GRAS0B	I	003	7/15	202	RAS10	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	I	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	202	RCA610	2F0
GRW0B	I	001	7/15	202	RWI0	2H0
RDD160B	O	214	2/5 8/1-10(BTR)		RDD00	2G9
RDD200B	O	212	2/5 8/1-10(BTR)		RDD10	2G9
REF0B	I	208	7/15	202	REF10	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTD160B	I	218	2/5		WRTD010	2A8
WRTD200B	I	216	2/5		WRTD110	2A9
OGRDMODB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

PART OF FS 7
SYMBOL(S) 17 18 19 20

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE C2	ISSUE 1
BELL LABORATORIES SD-1C902-03		B7CF

PRINTED IN U. S. A. 03/06/78

PART OF FS 7

MEMORY

SYMBOL NO. 21

MEMORY PLANE 1
DATA BITS 15 AND 07

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP115.07	03-23	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CAS10	2F0
GRAS0B	I	003	7/15	202	RAS10	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	I	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	202	RCA610	2F0
GRW0B	I	001	7/15	202	RW10	2H0
RDD070B	0	214	2/6 8/1-10(BTR)		RDD00	2G9
RDD150B	0	212	2/6 8/1-10(BTR)		RDD10	2G9
REF0B	I	208	7/15	202	REF10	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTD070B	I	218	2/6		WRTD010	2A8
WRTD150B	I	216	2/6		WRTD110	2A9
OGRDMODB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 22

MEMORY PLANE 1
DATA BITS 14 AND 06

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP114.06	03-24	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C0
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CAS10	2F0
GRAS0B	I	003	7/15	202	RAS10	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	I	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	202	RCA610	2F0
GRW0B	I	001	7/15	202	RW10	2H0
RDD060B	0	214	2/7 8/1-10(BTR)		RDD00	2G9
RDD140B	0	212	2/7 8/1-10(BTR)		RDD10	2G9
REF0B	I	208	7/15	202	REF10	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTD060B	I	218	2/7		WRTD010	2A8
WRTD140B	I	216	2/7		WRTD110	2A9
OGRDMODB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 23

MEMORY PLANE 1
DATA BITS 13 AND 05

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP113.05	03-25	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C0
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CAS10	2F0
GRAS0B	I	003	7/15	202	RAS10	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	I	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	202	RCA610	2F0
GRW0B	I	001	7/15	202	RW10	2H0
RDD050B	0	214	2/8 8/1-10(BTR)		RDD00	2G9
RDD130B	0	212	2/8 8/1-10(BTR)		RDD10	2G9
REF0B	I	208	7/15	202	REF10	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTD050B	I	218	2/8		WRTD010	2A8
WRTD130B	I	216	2/8		WRTD110	2A9
OGRDMODB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 24

MEMORY PLANE 1
DATA BITS 12 AND 04

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP112.04	03-26	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C0
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CAS10	2F0
GRAS0B	I	003	7/15	202	RAS10	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	I	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	202	RCA610	2F0
GRW0B	I	001	7/15	202	RW10	2H0
RDD040B	0	214	2/9 8/1-10(BTR)		RDD00	2G9
RDD120B	0	212	2/9 8/1-10(BTR)		RDD10	2G9
REF0B	I	208	7/15	202	REF10	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTD040B	I	218	2/9		WRTD010	2A8
WRTD120B	I	216	2/9		WRTD110	2A9
OGRDMODB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	CRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

PART OF FS 7
SYMBOL(S) 21 22 23 24

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE C2	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B7CG

PRINTED IN U. S. A. 03/06/78

PART OF FS 7

MEMORY

SYMBOL NO. 25

MEMORY PLANE 1
DATA BITS 11 AND 03

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP111.03	03-27	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CAS10	2F0
GRAS0B	I	003	7/15	202	RAS10	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	I	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	20_	RCA610	2F0
GRW0B	I	001	7/15	202	RWI0	2H0
RDD030B	0	214	2/10 8/1-10(BTR)		RDD00	2G9
RDD110B	0	212	2/10 8/1-10(BTR)		RDD10	2G9
REF0B	I	208	7/15	202	REFI0	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTD030B	I	218	2/10		WRTD010	2A8
WRTD110B	I	216	2/10		WRTD110	2A9
0GRDM0DB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 26

MEMORY PLANE 1
DATA BITS 10 AND 02

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP110.02	03-28	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C0
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CAS10	2F0
GRAS0B	I	003	7/15	202	RAS10	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	I	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	202	RCA610	2F0
GRW0B	I	001	7/15	202	RWI0	2H0
RDD020B	0	214	2/11 8/1-10(BTR)		RDD00	2G9
RDD100B	0	212	2/11 8/1-10(BTR)		RDD10	2G9
REF0B	I	208	7/15	202	REFI0	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTD020B	I	218	2/11		WRTD010	2A8
WRTD100B	I	216	2/11		WRTD110	2A9
0GRDM0DB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 27

MEMORY PLANE 1
DATA BITS 09 AND 01

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP109.01	03-29	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C0
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CAS10	2F0
GRAS0B	I	003	7/15	202	RAS10	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	I	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	202	RCA610	2F0
GRW0B	I	001	7/15	202	RWI0	2H0
RDD010B	0	214	2/12 8/1-10(BTR)		RDD00	2G9
RDD090B	0	212	2/12 8/1-10(BTR)		RDD10	2G9
REF0B	I	208	7/15	202	REFI0	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTD010B	I	218	2/12		WRTD010	2A8
WRTD090B	I	216	2/12		WRTD110	2A9
0GRDM0DB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

SYMBOL NO. 28

MEMORY PLANE 1
DATA BITS 08 AND 00

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
MP108.00	03-31	JL16	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
-5V	PWR	019		202	-5	3H0
CEA01B	I	202	7/15	202	CEA011	2D0
CEA11B	I	009	7/15	202	CEA111	2C0
CEA21B	I	209	7/15	202	CEA211	2C0
GCAS0B	I	014	7/15	202	CAS10	2F0
GRAS0B	I	003	7/15	202	RAS10	2E0
GRCA00B	I	007	7/15	202	RCA010	2H0
GRCA10B	I	205	7/15	202	RCA110	2G0
GRCA20B	I	006	7/15	202	RCA210	2G0
GRCA30B	I	203	7/15	202	RCA310	2G0
GRCA40B	I	201	7/15	202	RCA410	2G0
GRCA50B	I	002	7/15	202	RCA510	2F0
GRCA60B	I	206	7/15	202	RCA610	2F0
GRDA	GRD	219	9/1		GRD	3B0
GRW0B	I	001	7/15	202	RWI0	2H0
RDD000B	0	214	2/13 8/1-10(BTR)		RDD00	2G9
RDD080B	0	212	2/13 8/1-10(BTR)		RDD10	2G9
REF0B	I	208	7/15	202	REFI0	2E0
SPARE01	GRD	204	7/15	202	GRD	3B0
SPARE03	GRD	004	7/15	202	GRD	3B0
SPARE05	GRD	008	7/15	202	GRD	3B0
SPARE07	GRD	005	7/15	202	GRD	3B0
SPARE09	GRD	207	7/15	202	GRD	3B0
SPARE16	I	018	7/15	202		
SPARE17	I	017	7/15	202		
SPARE18	I	016	7/15	202		
SPARE19	I	015	7/15	202		
WRTD000B	I	218	2/13		WRTD010	2A8
WRTD080B	I	216	2/13		WRTD110	2A9
0GRDM0DB	GRD	0GD		202	GRD	3B0
	GRD	2GD		202	GRD	3B0
	GRD	200		202	GRD	3B0
	GRD	213		202	GRD	3B0
	GRD	215		202	GRD	3B0
	GRD	217		202	GRD	3B0
	GRD	219		202	GRD	3B0
12V	PWR	000		202	+12	3G0
5V	PWR	011		202	+5	3B0
	PWR	211		202	+5	3B0

PART OF FS 7
SYMBOL(S) 25 26 27 28

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE C2	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B7CH

PRINTED IN U. S. A. 03/06/78

PART OF FS 7

MEMORY

COMPOSITE DIAGRAM 2

PHYSICAL LAYOUT

NOTES:

1. THESE CIRCUIT PACKS ARE REMOVED FOR A MAIN STORE USING A 16 BIT DATA WORD.
2. A MODULE IS DEFINED AS 128K WORDS.

EVEN NUMBERED MEMORY MODULE — ODD NUMBERED MEMORY MODULE

	DATA BITS	0	1	2	3	4	5	6	7	16	17	18	19	PL	PL	19	18	17	16	7	6	5	4	3	2	1	0	
	FØB	8	9	10	11	12	13	14	15	20	21	22	23	PH	PH	23	22	21	20	15	14	13	12	11	10	9	8	FØB
SYM NO. →	1	14	13	12	11	10	9	8	7	6	5	4	3	2	16	17	18	19	20	21	22	23	24	25	26	27	28	15
	03-02	03-04	03-05	03-06	03-07	03-08	03-09	03-10	03-11	03-12	03-13	03-14	03-16	03-17	03-18	03-19	03-20	03-21	03-22	03-23	03-24	03-25	03-26	03-27	03-28	03-29	03-31	03-33
	JK25	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JL16	JK25

(SEE NOTE 1) (SEE NOTE 1)

MEMORY PLANE LAYOUT
FRONT VIEW

MODULE 0	MODULE 1

MEMORY MODULE LAYOUT (NOTE 2)
FRONT VIEW

PART OF FS 7
COMPOSITE DIAGRAM 2

MAIN STORE CONTROLLER AND MEMORY		DWG SIZE 65	ISSUE 1
BELL LABORATORIES	SD-1C902-03		B7GB

PART OF FS 7

MEMORY

COMPOSITE DIAGRAM 1

TYPICAL TIMING RELATIONSHIPS



NOTES:

1. BECAUSE OF THE ASYNCHRONOUS NATURE OF THE MASM CIRCUIT, MOST OF THE TIMING AND LEVEL CONSTRAINTS WILL BE DETERMINED BY SPECIFIC APPLICATION REQUIREMENTS. THE INFORMATION PRESENTED HERE IS INTENDED AS A TYPICAL FUNCTIONAL GUIDE ONLY.
2. TIMING MEASUREMENTS ARE REFERENCED TO 1.3V POINTS.
3. LOW INPUT VOLTAGE LEVEL = $0V \leq E \leq 0.4V$.
4. HIGH INPUT VOLTAGE LEVEL = $2.4V \leq E \leq 5.0V$.
5. INPUT RISE AND FALL TIMES ARE $\leq 10ns$.
6. OUTPUTS ARE OPEN COLLECTOR. CHARACTERISTICS ARE DETERMINED BY THE PULLUP NETWORK USED.
7. SHADED AREAS ▨ REPRESENT "DON'T CARE" STATES.

PART OF FS 7
COMPOSITE DIAGRAM 1

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE A4	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B7GA

PART OF FS 8

TERMINATIONS
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 8
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY (2)	DWG SIZE 6S	ISSUE 1
BELL LABORATORIES	SD-1C902-03	BBAA

PRINTED IN U.S.A.

PART OF FS 8

TERMINATIONS
INTERCONNECTION AND FLOW DIAGRAM





PART OF FS 8
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY		DWG SIZE: 6S	ISSUE: I
BELL LABORATORIES	SD-1C902-03		B8AB

PART OF FS 8

TERMINATIONS

COMPOSITE DIAGRAM 1

BUS TERMINATION RESISTORS

NOTES:

1. TYPICAL SIGNAL PATH FOR DRIVING BOTH TO AND FROM THE CONTROLLER AND THE MEMORY SHOWING THE BUS TERMINATION RESISTORS.
2. THE BUS TERMINATION RESISTOR ASSEMBLIES ARE SHOWN AS CLOSE AS POSSIBLE TO THEIR TRUE PHYSICAL LOCATION FROM A REAR VIEW OF THE MAIN STORE.
3. S/N DENOTES SYMBOL NUMBER.



BUS TERMINATION RESISTOR ASSEMBLY
POWER INTERLOCK

NOTE 2





PART OF FS 8
COMPOSITE DIAGRAM 1

MAIN STORE CONTROLLER AND MEMORY (2)		DWG SIZE 6S	ISSUE 1
BELL LABORATORIES	SD-1C902-03		B8GA

PART OF FS 9

MEMORY POWER
INTERCONNECTION AND FLOW DIAGRAM



POWER DISTRIBUTION TABLE 1

CIRCUIT PACK	EQPT LOC	GRD PLANE	5V	-5V	12V
		TERM	TERM	TERM	TERM
JK25	03-02	200,319, 0GD,2GD	000,119		
JL16	03-04	200, 0GD,2GD, 213,215, 217,219	011,211	019	00G
	03-05				
	03-06				
	03-07				
	03-08				
	03-09				
	03-10				
	03-11				
	03-12				
	03-13				
	03-14				
	03-16				
	03-17				
	03-18				
	03-19				
	03-20				
	03-21				
	03-22				
	03-23				
	03-24				
	03-25				
	03-26				
	03-27				
	03-28				
	03-29				
JL16	03-31	200, 0GD,2GD, 213,215, 217,219	011,211	019	000
JK25	03-33	200,319, 0GD,2GD	000,119		
J87421A	03-38	201-207 300-307	001-007 100-107		
J87422B	03-44	201-205 300-305		001-003 101-103	005-007 105-107

PART OF FS 9
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY (2)

DWG SIZE A5 | ISSUE 1

BELL LABORATORIES | SD-1C902-03 | BSA

PART OF FS 9

MEMORY POWER

SYMBOL NO. 1

-5V AND +12V POWER MODULE

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
S9PM	03-44	J87422B	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
+24V	PWR	012	10/4		+24V	
	PWR	112	10/4		+24V	
-48TMEMA	I	116	TO CONN CKT		-48VRTN	
-48TMEMB	I	115	TO CONN CKT		-48VRTN	
-48TMEMC	I	114	TO CONN CKT		-48VRTN	
-48TMEMD	I	016	TO CONN CKT		-48VRTN	
-48TMEME	I	015	TO CONN CKT		-48VRTN	
-48TMEMF	I	014	TO CONN CKT		RELRTN	
-48VMEMA	I	119	TO CONN CKT		-48V	
-48VMEMB	I	118	TO CONN CKT		-48V	
-48VMEMC	I	117	TO CONN CKT		-48V	
-48VMEMD	I	019	TO CONN CKT		-48V	
-48VMEME	I	018	TO CONN CKT		-48V	
-48VMEMF	I	017	TO CONN CKT		-48V	
-5V	PWR	001		202	-5V	
	PWR	002		202	-5V	
	PWR	003		202	-5V	
	PWR	101		202	-5V	
	PWR	102		202	-5V	
	PWR	103		202	-5V	
CVFA1	OT	314	9/2		FA	
GRDA	GRD	200	7/15,7/28 9/2 TO CONN CKT	202	FRGRD	
	GRD	0GD	9/1		FRGRD	
	GRD	013	9/1		ARTN	
	GRD	111	9/1		+24RTN	
	GRD	113	9/1		ARTN	
	GRD	2GD	9/1		FRGRD	
	GRD	208	9/1		BRTN	
	GRD	319	9/1		FRGRD	
NPA0	I	315	10/8		NPA	
PAT0	I	312	9/2		PAT	
PA1	OT	313	10/1,10/2 10/3,10/4	204	PA	
	I		10/8 TO CONN CKT			
STB01	I	219	10/9		+24VST	
S9RTN	GRD	201		202	VORTN	
	GRD	202		202	VORTN	
	GRD	203		202	VORTN	
	GRD	204		202	VORTN	
	GRD	205		202	VORTN	
	GRD	300		202	VORTN	
	GRD	301		202	VORTN	
	GRD	302		202	VORTN	
	GRD	303		202	VORTN	
	GRD	304		202	VORTN	
	GRD	305		202	VORTN	
12V	PWR	005		202	+12V	
	PWR	006		202	+12V	
	PWR	007		202	+12V	
	PWR	105		202	+12V	
	PWR	106		202	+12V	
	PWR	107		202	+12V	
	I	108			+12VREG	
5V	I	100	9/2		5SENSE	

SYMBOL NO. 2

+5V POWER MODULE

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
+5VPM	03-38	J87421A2,L2	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
+24V	PWR	012	10/4		+24V	
	PWR	112	10/4		+24V	
-48TMEMG	I	116	TO CONN CKT		-48VRTN	
-48TMEMH	I	115	TO CONN CKT		-48VRTN	
-48TMEMI	I	114	TO CONN CKT		-48VRTN	
-48TMEMJ	I	016	TO CONN CKT		-48VRTN	
-48TMEMK	I	015	TO CONN CKT		-48VRTN	
-48TMEML	I	014	TO CONN CKT		RELRTN	
-48VMEMG	I	119	TO CONN CKT		-48V	
-48VMEMH	I	118	TO CONN CKT		-48V	
-48VMEMI	I	117	TO CONN CKT		-48V	
-48VMEMJ	I	019	TO CONN CKT		-48V	
-48VMEMK	I	018	TO CONN CKT		-48V	
-48VMEML	I	017	TO CONN CKT		-48V	
CVFA1	OT	314	9/1,10/1 10/2,10/3 10/4,10/8 TO CONN CKT		FA	
GRDA	GRD	0GD	9/1		FRGRD	
	GRD	013	9/1		ARTN	
	GRD	111	9/1		+24VRTN	
	GRD	113	9/1		ARTN	
	GRD	2GD	9/1		FRGRD	
	GRD	200	9/1		FRGRD	
	GRD	208	9/1		BRTN	
	GRD	319	9/1		FRGRD	
NPA0	I	315	10/8		NPA	
PA11	OT	313	10/8 TO CONN CKT		PA	
PAT0	I	312	9/1,10/1 10/2,10/3 10/4,10/8 TO CONN CKT		PAT	
STA011	I	011			+24VST	
	I	210	TO CONN CKT		+24VST	
5T	GRD	201		202	+5VRTN	
	GRD	202		202	+5VRTN	
	GRD	203		202	+5VRTN	
	GRD	204		202	+5VRTN	
	GRD	205		202	+5VRTN	
	GRD	206		202	+5VRTN	
	GRD	207		202	+5VRTN	
	GRD	300		202	+5VRTN	
	GRD	301		202	+5VRTN	
	GRD	302		202	+5VRTN	
	GRD	303		202	+5VRTN	
	GRD	304		202	+5VRTN	
	GRD	305		202	+5VRTN	
	GRD	306		202	+5VRTN	
	GRD	307		202	+5VRTN	
5V	I	108	9/1		+5VREG	
	PWR	001		202	+5V	
	PWR	002		202	+5V	
	PWR	003		202	+5V	
	PWR	004		202	+5V	
	PWR	005		202	+5V	
	PWR	006		202	+5V	
	PWR	007		202	+5V	
	PWR	100		202	+5V	
	PWR	101		202	+5V	
	PWR	102		202	+5V	

SYMBOL NO. 2 (CONT)

+5V POWER MODULE

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
+5VPM	03-38	J87421A2,L2	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
5V	PWR	103		202	+5V	
	PWR	104		202	+5V	
	PWR	105		202	+5V	
	PWR	106		202	+5V	
	PWR	107		202	+5V	

SYMBOL NO. 3

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
GRD	01-42S	840851786		

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
0GRDMODB	GRD	GRD		202		
5T039A	GRD	GRD	TO CONN CKT			

SYMBOL NO. 4

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
5VCTF	01-41S	840851786		

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
5V039A	PWR	5VCTF	10/7 TO CONN CKT	202		

PART OF FS 9

SYMBOL(S) 1 2 3 4

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE C2

BELL LABORATORIES SD-1C902-03 E

PRINTED IN U. S. A.

PART OF FS 9

MEMORY POWER
COMPOSITE DIAGRAM 1
MEMORY STORE POWER

NOTES:

1. NOT ALL CIRCUITRY ON THIS COMPOSITE IS CONTAINED IN FS 9 BUT A COMPLETE OVERVIEW OF THE MAIN STORE POWER IS SHOWN.



PART OF FS 9
COMPOSITE DIAGRAM 1

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 65	ISSUE 1
BELL LABORATORIES	SD-1C902-03	89GA

PART OF FS 10

CONTROLLER POWER
INTERCONNECTION AND FLOW DIAGRAM



PART OF FS 10
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY (2)

DWG SIZE A3 | ISSUE 1

BELL LABORATORIES | SD-1C902-03 | B10AA

PART OF FS 10

CONTROLLER POWER
INTERCONNECTION AND FLOW DIAGRAM



CIRCUIT PACK	EQPT LOC	GRD PLANE	3V046A	3V046B	3V046C	3V046D
		TERM	TERM	TERM	TERM	TERM
TS1 (NOTE 203)	08-01	0GD,2GD,2ØØ,319	ØØØ,119			
FA1060	08-02	0GD,2GD,200,319, 002,003,009,102, 105,202,209,302, 304		ØØØ,119		
	08-03				ØØØ,119	
	08-04					ØØØ,119
	08-05		ØØØ,119			
	08-06			ØØØ,119		
	08-07				ØØØ,119	
	08-08					ØØØ,119
	08-09		ØØØ,119			
	08-10			ØØØ,119		
	08-11				ØØØ,119	
	08-12					ØØØ,119
FA1060	08-13	0GD.2GD.200,319, 002,003,009,102, 105,202,209,302, 304		ØØØ,119		
FA1067	08-14	0GD,2GD,200,319, 009,012,102,107, 114,209,212,217, 302,314,017	ØØØ,119			
FA1060	08-16	0GD,2GD,200,319, 002,003,009,102, 105,202,209,302, 304			ØØØ,119	
FA1062	08-17	0GD,2GD,200,319, 014				ØØØ,119
FA1061	08-18	0GD,2GD,200,319	ØØØ,119			
FA1066	08-19	0GD,2GD,200,319, 009,008,102,105, 107,202,209,207, 213,302,304,307		ØØØ,119		
FA1064	08-20	0GD,2GD,200,319, 009,102,107,209, 302,307			ØØØ,119	
FA1065	08-21	0GD,2GD,200,319				ØØØ,119
FA1063	08-22	0GD,2GD,200,319, 009,102,107,209, 302,307	ØØØ,119			
FC203	08-23	0GD,2GD,200,319, 001,101,201,301		ØØØ,119		
FA1071	08-24	0GD,2GD,2ØØ,319			ØØØ,119	
FC262	08-25	0GD,2GD,200,319				ØØØ,119
J87389F	08-29	0GD,2GD,200,319, 013,111,113, 201-208	100-107			
J87389F	08-34	0GD,2GD,200,319, 013,111,113, 201-208		100-107		
FC21	08-35					
J87389F	08-39	0GD,2GD,200,319, 013,111,113, 201-208			100-107	
FC21	08-40					
J87389F	08-44	0GD,2GD,200,319, 013,111,113, 201-208				100-107

PART OF FS 10
INTERCONNECTION AND FLOW DIAGRAM

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE: 6S

ISSUE: 1

BELL LABORATORIES | SD-1C902-03 | BIOA

PRINTED IN U.S.A.

PART OF FS 10

CONTROLLER POWER

SYMBOL NO. 1

+3V POWER MOD

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
PM0829	08-29	J87389F	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
+24V	PWR	012	10/4	202	+24V	
	PWR	112	10/4	202	+24V	
-48TMASC	PWR	014		202	RELRTN	
	PWR	015		202	-48VRTN	
	PWR	016		202	-48VRTN	
	PWR	114		202	-48VRTN	
	PWR	115		202	-48VRTN	
	PWR	116		202	-48VRTN	
-48VMASC	PWR	017		202	-48V	
	PWR	018		202	-48V	
	PWR	019		202	-48V	
	PWR	117		202	-48V	
	PWR	118		202	-48V	
	PWR	119		202	-48V	
CVFA1	OT	314	9/2		FA	
NPA0	I	315	10/8		NPA	
PAT0	I	312	9/2		PAT	
PA1	OT	313	9/1	204	PA	
STA001	I	218	10/2,10/3		+24VST	
			10/4, TO CONN CKT			
	I	318	10/1		+24VST	
12F046	I	209	10/5		+12VREF	
3F046A	I	109	10/5		+3VREF	
3G046A	I	108	10/5		+3VREG	
3T046A	GRD	0GD		202		
	GRD	013		202	ARTN	
	GRD	111		202	+24VRTN	
	GRD	113		202	ARTN	
	GRD	2GD		202		
	GRD	200		202	FRGRD	
	GRD	201		202	+3VRTN	
	GRD	202		202	+3VRTN	
	GRD	203		202	+3VRTN	
	GRD	204		202	+3VRTN	
	GRD	205		202	+3VRTN	
	GRD	206		202	+3VRTN	
	GRD	207		202	+3VRTN	
	GRD	208		202	+12VRTN	
	GRD	319		202	FRGRD	
3T046AA	GRD	201	10/5		+3VRTN	
3T046AB	GRD	202	10/5		+3VRTN	
3T046AC	GRD	203	10/5		+3VRTN	
3T046AD	GRD	204	10/5		+3VRTN	
3T046AE	GRD	205	10/5		+3VRTN	
3T046AF	GRD	206	10/5		+3VRTN	
3T046AG	GRD	207	10/5		+3VRTN	
3V046A	PWR	100	10/7 8/1-10(BTR)	202	+3V	
	PWR	101		202	+3V	
	PWR	102		202	+3V	
	PWR	103		202	+3V	
	PWR	104		202	+3V	
	PWR	105		202	+3V	
	PWR	106		202	+3V	
	PWR	107		202	+3V	
3V046AA	PWR	100	10.5		+3V	
3V046AB	PWR	101	10/5		+3V	
3V046AC	PWR	102	10/5		+3V	
3V046AD	PWR	103	10/5		+3V	

SYMBOL NO. 1 (CONT)

+3V POWER MOD

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
PM0829	08-29	J87389F	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
3V046AE	PWR	104	10/5		+3V	
3V046AF	PWR	105	10/5		+3V	
3V046AG	PWR	106	10/5		+3V	
3V046AS	PWR	107	10/5		+3V	

SYMBOL NO. 2

+3V POWER MOD

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
PM0834	08-34	J87389F	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
+24V	PWR	012	10/4	202	+24V	
	PWR	112	10/4	202	+24V	
-48TMASC	PWR	014		202	RELRTN	
	PWR	015		202	-48VRTN	
	PWR	016		202	-48VRTN	
	PWR	114		202	-48VRTN	
	PWR	115		202	-48VRTN	
	PWR	116		202	-48VRTN	
-48VMASC	PWR	017		202	-48V	
	PWR	018		202	-48V	
	PWR	019		202	-48V	
	PWR	117		202	-48V	
	PWR	118		202	-48V	
	PWR	119		202	-48V	
CVFA1	OT	314	9/2		FA	
NPA0	I	315	10/8		NPA	
PAT0	I	312	9/2		PAT	
PA1	OT	313	9/1	204	PA	
STA001	I	218	10/1		+24VST	
	I	318	10/1		+24VST	
12F046	I	209	10/5		+12VREF	
12T046	GRD	319	10/5		FRGRD	
3F046B	I	109	10/5		+3VREF	
3G046B	I	108	10/5		+3VREG	
3T046B	GRD	0GD		202		
	GRD	013		202	ARTN	
	GRD	111		202	+24VRTN	
	GRD	113		202	ARTN	
	GRD	2GD		202		
	GRD	200		202	FRGRD	
	GRD	201		202	+3VRTN	
	GRD	202		202	+3VRTN	
	GRD	203		202	+3VRTN	
	GRD	204		202	+3VRTN	
	GRD	205		202	+3VRTN	
	GRD	206		202	+3VRTN	
	GRD	207		202	+3VRTN	
	GRD	208		202	+12VRTN	
	GRD	319		202	FRGRD	

SYMBOL NO. 2 (CONT)

+3V POWER MOD

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
PM0834	08-34	J87389F	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
3T046BA	GRD	201	10/5		+3VRTN	
3T046BB	GRD	202	10/5		+3VRTN	
3T046BC	GRD	203	10/5		+3VRTN	
3T046BD	GRD	204	10/5		+3VRTN	
3T046BE	GRD	205	10/5		+3VRTN	
3T046BF	GRD	206	10/5		+3VRTN	
3T046BG	GRD	207	10/5		+3VRTN	
3V046B	PWR	100	10/7 8/1-10(BTR)	202	+3V	
	PWR	101		202	+3V	
	PWR	102		202	+3V	
	PWR	103		202	+3V	
	PWR	104		202	+3V	
	PWR	105		202	+3V	
	PWR	106		202	+3V	
	PWR	107		202	+3V	
3V046BA	PWR	100	10/5		+3V	
3V046BB	PWR	101	10/5		+3V	
3V046BC	PWR	102	10/5		+3V	
3V046BD	PWR	103	10/5		+3V	
3V046BE	PWR	104	10/5		+3V	
3V046BF	PWR	105	10/5		+3V	
3V046BG	PWR	106	10/5		+3V	
3V046BS	PWR	107	10/5		+3V	

SYMBOL NO. 3

+3V POWER MOD

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
PM0839	08-39	J87389F	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
+24V	PWR	012	10/4	202	+24V	
	PWR	112	10/4	202	+24V	
-48TMASC	PWR	014		202	RELRTN	
	PWR	015		202	-48VRTN	
	PWR	016		202	-48VRTN	
	PWR	114		202	-48VRTN	
	PWR	115		202	-48VRTN	
	PWR	116		202	-48VRTN	
-48VMASC	PWR	017		202	-48V	
	PWR	018		202	-48V	
	PWR	019		202	-48V	
	PWR	117		202	-48V	
	PWR	118		202	-48V	
	PWR	119		202	-48V	
CVFA1	OT	314	9/2		FA	
NPA0	I	315	10/8		NPA	
PAT0	I	312	9/2		PAT	
PA1	OT	313	9/1	204	PA	
STA001	I	218	10/1		+24VST	
	I	318	10/1		+24VST	
12F046	I	209	10/5		+12VREF	

SYMBOL NO. 3 (CONT)

+3V POWER MOD

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
PM0839	08-39	J87389F	A	

FS INFO / CP INFO

LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
12T046	GRD	319	10/5		FRGRD	
3F046C	I	109	10/6		+3VREF	
3G046C	I	108	10/6		+3VREG	
3T046C	GRD	0GD		202		
	GRD	013		202	ARTN	
	GRD	111		202	+24VRTN	
	GRD	113		202	ARTN	
	GRD	2GD		202		
	GRD	200		202	FRGRD	
	GRD	201		202	+3VRTN	
	GRD	202		202	+3VRTN	
	GRD	203		202	+3VRTN	
	GRD	204		202	+3VRTN	
	GRD	205		202	+3VRTN	
	GRD	206		202	+3VRTN	
	GRD	207		202	+3VRTN	
	GRD	208		202	+12VRTN	
	GRD	319		202	FRGRD	
3T046CA	GRD	201	10/6		+3VRTN	
3T046CB	GRD	202	10/6		+3VRTN	
3T046CC	GRD	203	10/6		+3VRTN	
3T046CD	GRD	204	10/6		+3VRTN	
3T046CE	GRD	205	10/6		+3VRTN	
3T046CF	GRD	206	10/6		+3VRTN	
3T046CG	GRD	207	10/6		+3VRTN	
3V046C	PWR	100	10/7 8/1-10(BTR)	202	+3V	
	PWR	101		202	+3V	
	PWR	102		202	+3V	
	PWR	103		202	+3V	
	PWR	104		202	+3V	
	PWR	105		202	+3V	
	PWR	106		202	+3V	
	PWR	107		202	+3V	
3V046CA	PWR	100	10/6		+3V	
3V046CB	PWR	101	10/6		+3V	
3V046CC	PWR	102	10/6		+3V	
3V046CD	PWR	103	10/6		+3V	
3V046CE	PWR	104	10/6		+3V	
3V046CF	PWR	105	10/6		+3V	
3V046CG	PWR	106	10/6		+3V	
3V046CS	PWR	107	10/6		+3V	

PART OF FS 10

SYMBOL(S) 1 2 3

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE CZ	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B10CA

PRINTED IN U. S. A. 03/06/78

PART OF FS 10

CONTROLLER POWER

SYMBOL NO. 4

+3V POWER MOD

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
PM0844	08-44	J87389F	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
+24V	PWR	012	9/1,9/2 10/1,10/2 10/3,10/7 TO CONN CKT	202	+24V	
	PWR	112	10/4	202	+24V	
-48TMASC	PWR	014		202	RELRTN	
	PWR	015	TO CONN CKT	202	-48VRTN	
	PWR	016		202	-48VRTN	
	PWR	114		202	-48VRTN	
	PWR	115		202	-48VRTN	
	PWR	116		202	-48VRTN	
-48VMASC	PWR	017	TO CONN CKT	202	-48V	
	PWR	018		202	-48V	
	PWR	019		202	-48V	
	PWR	117		202	-48V	
	PWR	118		202	-48V	
	PWR	119		202	-48V	
CVFA1	OT	314	9/2		FA	
NPA0	I	315	10/8		NPA	
PAT0	I	312	9/2		PAT	
PA1	OT	313	9/1	Z04	PA	
STA001	I	218	10/1		+24VST	
	I	318	10/1		+24VST	
12F046	I	209	10/5		+12VREF	
3F046D	I	109	10/6		+3VREF	
3G046D	I	108	10/6		+3VREG	
3T046D	GRD	0GD		202		
	GRD	013	TO CONN CKT	202	ARTN	
	GRD	111		202	+24VRTN	
	GRD	113		202	ARTN	
	GRD	2GD		202		
	GRD	200		202	FRGRD	
	GRD	201		202	+3VRTN	
	GRD	202		202	+3VRTN	
	GRD	203		202	+3VRTN	
	GRD	204		202	+3VRTN	
	GRD	205		202	+3VRTN	
	GRD	206		202	+3VRTN	
	GRD	207		202	+3VRTN	
	GRD	208		202	+12VRTN	
	GRD	319		202	FRGRD	
3T046DA	GRD	201	10/6		+3VRTN	
3T046DB	GRD	202	10/6		+3VRTN	
3T046DC	GRD	203	10/6		+3VRTN	
3T046DD	GRD	204	10/6		+3VRTN	
3T046DE	GRD	205	10/6		+3VRTN	
3T046DF	GRD	206	10/6		+3VRTN	
3T046DG	GRD	207	10/6		+3VRTN	
3V046D	PWR	100	10/7 8/1-10(BTR)	202	+3V	
	PWR	101		202	+3V	
	PWR	102		202	+3V	
	PWR	103		202	+3V	
	PWR	104		202	+3V	
	PWR	105		202	+3V	
	PWR	106		202	+3V	
	PWR	107		202	+3V	
3V046DA	PWR	100	10/6		+3V	
3V046DB	PWR	101	10/6		+3V	
3V046DC	PWR	102	10/6		+3V	
3V046DD	PWR	103	10/6		+3V	

SYMBOL NO. 4 (CONT)

+3V POWER MOD

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
PM0844	08-44	J87389F	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
3V0460E	PWR	104	10/6		+3V	
3V0460F	PWR	105	10/6		+3V	
3V0460G	PWR	106	10/6		+3V	
3V0460S	PWR	107	10/6		+3V	

SYMBOL NO. 5

3-VOLT REFERENCE AND FILTER CIRCUIT (0,1)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
3VREGA.B	08-35	FC21	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		000			+3VP0	
		019			+3VP1	
		100			+3VRTN0	
		119			+3VP1	
		219			+3VP1	
		300			+3VRTN0	
12F046	OI	210	10/6 10/1,10/2 10/3,10/4 TO CONN CKT		+12VREF	
	OI	109	10/5		+12VREF	
12T046	GRD	200	10/6,10/2 10/3,10/6 TO CONN CKT		+3VRTN0	
	OT	108	10/5		+12VRTN0	
	OT	211	10/5		+12VRTN1	
	GRD	0GD	10/5			
	GRD	2GD	10/5			
	GRD	319	10/5		+3VRTN1	
3F046A	O	009	10/1		+3VREF0	
3F046B	O	310	10/2		+3VREF1	
3G046A	O	008	10/1		+3VREG0	
3G046B	O	311	10/2		+3VREG1	
3T046AA	GRD	101	10/1		+3VRTN0	
	GRD	301	10/1		+3VRTN0	
3T046AB	GRD	102	10/1		+3VRTN0	
	GRD	302	10/1		+3VRTN0	
3T046AC	GRD	103	10/1		+3VRTN0	
	GRD	303	10/1		+3VRTN0	
3T046AD	GRD	104	10/1		+3VRTN0	
	GRD	304	10/1		+3VRTN0	
3T046AE	GRD	105	10/1		+3VRTN0	
	GRD	305	10/1		+3VRTN0	
3T046AF	GRD	106	10/1		+3VRTN0	
	GRD	306	10/1		+3VRTN0	
3T046AG	GRD	107	10/1		+3VRTN0	
	GRD	307	10/1		+3VRTN0	
3T046BA	GRD	112	10/2		+3VRTN1	
	GRD	312	10/2		+3VRTN1	
3T046BB	GRD	113	10/2		+3VRTN1	
	GRD	313	10/2		+3VRTN1	

SYMBOL NO. 5 (CONT)

3-VOLT REFERENCE AND FILTER CIRCUIT (0,1)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
3VREGA.B	08-35	FC21	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
3T046BC	GRD	114	10/2		+3VRTN1	
3T046BC	GRD	314	10/2		+3VRTN1	
3T046BD	GRD	115	10/2		+3VRTN1	
	GRD	315	10/2		+3VRTN1	
3T046BE	GRD	116	10/2		+3VRTN1	
	GRD	316	10/2		+3VRTN1	
3T046BF	GRD	117	10/2		+3VRTN1	
	GRD	317	10/2		+3VRTN1	
3T046BG	GRD	118	10/2		+3VRTN1	
	GRD	318	10/2		+3VRTN1	
3V046AA	PWR	001	10/1		+3VP0	
	PWR	201	10/1		+3VP0	
3V046AB	PWR	002	10/1		+3VP0	
	PWR	202	10/1		+3VP0	
3V046AC	PWR	003	10/1		+3VP0	
	PWR	203	10/1		+3VP0	
3V046AD	PWR	004	10/1		+3VP0	
	PWR	204	10/1		+3VP0	
3V046AE	PWR	005	10/1		+3VP0	
	PWR	205	10/1		+3VP0	
3V046AF	PWR	006	10/1		+3VP0	
	PWR	206	10/1		+3VP0	
3V046AG	PWR	007	10/1		+3VP0	
	PWR	207	10/1		+3VP0	
3V046AS	I	309	10/1		SENS0	
3V046BA	PWR	012	10/2		+3VP1	
	PWR	212	10/2		+3VP1	
3V046BB	PWR	013	10/2		+3VP1	
	PWR	213	10/2		+3VP1	
3V046BC	PWR	014	10/2		+3VP1	
	PWR	214	10/2		+3VP1	
3V046BD	PWR	015	10/2		+3VP1	
	PWR	215	10/2		+3VP1	
3V046BE	PWR	016	10/2		+3VP1	
	PWR	216	10/2		+3VP1	
3V046BF	PWR	017	10/2		+3VP1	
	PWR	217	10/2		+3VP1	
3V046BG	PWR	018	10/2		+3VP1	
	PWR	218	10/2		+3VP1	
3V046BS	I	010	10/2		SENS1	

PART OF FS 10

SYMBOL(S) 4 5

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE C2	ISSUE 1
BELL LABORATORIES	SD-1C902-03	B10C

PRINTED IN U. S. A.

PART OF FS 10

CONTROLLER POWER

SYMBOL NO. 6

3-VOLT REFERENCE AND FILTER CIRCUIT (0,1)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
3VREGC.D	08-40	FC21	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
		000			+3VP0	
		019			+3VP1	
		100			+3VRTN0	
		119			+3VP1	
		219			+3VP1	
		300			+3VRTN0	
12F046	DI	109	10/5		+12VREF	
	DI	210	10/5		+12VREF	
12T046	DT	108	10/5		+12VRTN0	
	DT	211	10/5		+12VRTN1	
	GRD	0GD	10/5			
	GRD	2GD	10/5			
	GRD	200	10/5		+3VRTN0	
	GRD	319	10/5		+3VRTN1	
3F046C	O	310	10/3		+3VREF1	
3F046D	O	009	10/4		+3VREF0	
3G046C	O	311	10/3		+3VREG1	
3G046D	O	008	10/4		+3VREG0	
3T046CA	GRD	112	10/3		+3VRTN1	
	GRD	312	10/3		+3VRTN1	
3T046CB	GRD	113	10/3		+3VRTN1	
	GRD	313	10/3		+3VRTN1	
3T046CC	GRD	114	10/3		+3VRTN1	
	GRD	314	10/3		+3VRTN1	
3T046CD	GRD	115	10/3		+3VRTN1	
	GRD	315	10/3		+3VRTN1	
3T046CE	GRD	116	10/3		+3VRTN1	
	GRD	316	10/3		+3VRTN1	
3T046CF	GRD	117	10/3		+3VRTN1	
	GRD	317	10/3		+3VRTN1	
3T046CG	GRD	118	10/3		+3VRTN1	
	GRD	318	10/3		+3VRTN1	
3T046DA	GRD	101	10/4		+3VRTN0	
	GRD	301	10/4		+3VRTN0	
3T046DB	GRD	102	10/4		+3VRTN0	
	GRD	302	10/4		+3VRTN0	
3T046DC	GRD	103	10/4		+3VRTN0	
	GRD	303	10/4		+3VRTN0	
3T046DD	GRD	104	10/4		+3VRTN0	
	GRD	304	10/4		+3VRTN0	
3T046DE	GRD	105	10/4		+3VRTN0	
	GRD	305	10/4		+3VRTN0	
3T046DF	GRD	106	10/4		+3VRTN0	
	GRD	306	10/4		+3VRTN0	
3T046DG	GRD	107	10/4		+3VRTN0	
	GRD	307	10/4		+3VRTN0	
3V046CA	PWR	012	10/3		+3VP1	
	PWR	212	10/3		+3VP1	
3V046CB	PWR	013	10/3		+3VP1	
	PWR	213	10/3		+3VP1	
3V046CC	PWR	014	10/3		+3VP1	
	PWR	214	10/3		+3VP1	
3V046CD	PWR	015	10/3		+3VP1	
	PWR	215	10/3		+3VP1	
3V046CE	PWR	016	10/3		+3VP1	
	PWR	216	10/3		+3VP1	
3V046CF	PWR	017	10/3		+3VP1	
	PWR	217	10/3		+3VP1	
3V046CG	PWR	018	10/3		+3VP1	
	PWR	218	10/3		+3VP1	

SYMBOL NO. 6 (CONT)

3-VOLT REFERENCE AND FILTER CIRCUIT (0,1)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
3VREGC.D	08-40	FC21	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
3V046CS	I	010	10/3		SENS1	
3V046DA	PWR	001	10/4		+3VP0	
	PWR	201	10/4		+3VP0	
3V046DB	PWR	002	10/4		+3VP0	
	PWR	202	10/4		+3VP0	
3V046DC	PWR	003	10/4		+3VP0	
	PWR	203	10/4		+3VP0	
3V046DD	PWR	004	10/4		+3VP0	
	PWR	204	10/4		+3VP0	
3V046DE	PWR	005	10/4		+3VP0	
	PWR	205	10/4		+3VP0	
3V046DF	PWR	006	10/4		+3VP0	
	PWR	206	10/4		+3VP0	
3V046DG	PWR	007	10/4		+3VP0	
	PWR	207	10/4		+3VP0	
3V046DS	I	309	10/4		SENS0	

SYMBOL NO. 7

LOOP TERMINATION AND VOLTAGE MONITOR

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
TRM-VMON	08-25	FC262	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
+24V	PWR	117	10/4		+24V	
	PWR	118	10/4		+24V	
TLI1	I	003			TLI1	
3T046D	GRD	0GD		202	GRD	
	GRD	2GD		202	GRD	
	GRD	200		202	GRD	
	GRD	319		202	GRD	
3V046A	I	302	10/1		3VMONA	
3V046B	I	303	10/2		3VMONB	
3V046C	I	304	10/3		3VMONC	
3V046D	I	305	10/4		3VMOND	
	PWR	000		202	+3V	
	PWR	119		202	+3V	
5V039A	I	308	9/4		5VMON	

SYMBOL NO. 8

ALARMS

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ALARMS	08-25	FC262	B	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
CVFA1	CT	102	9/2		CVFA1	
NPA0	O	103	9/1,9/2 10/1,10/2 10/3,10/4 TO CONN CKT		RESET0	
OSPAT0	I	109	TO CONN CKT		SPAT	
PAI1	CT	105	9/2		PAI1	
PAI21	I	106	TO CONN CKT		PAI2	
PAO1	O	108	TO CONN CKT		PA1	
PAT0	I	104	9/2		PATI0	
PA1	I	107	9/1	204	PA2	

SYMBOL NO. 9

INITIALIZE,SEQUENCE AND SHUTDOWN

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
ISEQSHUT	08-25	FC262	C	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
PINIT1	O	001	1/20		PINIT11	
STB01	CT	112	10/9		STBO	
	CT	111			STBO	
	I		9/1			
STB1	I	114	TO CONN CKT		STB	
	I	115			STB	

SYMBOL NO. 10

(SEE NOTE 203)

DESIG	EQPT LOC	CODE	ELEM IDENT	OPT
TS1	08-01	(NOTE 203)	A	

FS INFO					CP INFO	
LEAD DESIG	FUNC	TERM.	DESTINATION	NOTE	TERM. MOD	LOC
3T046A	GRD	0GD		202		
	GRD	2GD		202		
	GRD	200		202		
	GRD	319		202		
3V046A	PWR	000		202		
	PWR	119		202		

PART OF FS 10

SYMBOL(S) 6 7 8 9 10

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE C2

BELL LABORATORIES | SD-1C902-03

PRINTED IN U. S. A.

APP FIG. 1

CIRCUIT PACK

EQPT LOC	08-01	08-02	08-03	08-04	08-05	08-06	08-07	08-08	08-09	08-16	08-17	08-18	08-19	EQPT LOC
DESIG	TS1													DESIG
CODE	(NOTE 203)	FA1060	FA1060	FA1060	FA1060	FA1060	FA1060	FA1060	FA1060	FA1060	FA1062	FA1071	FA1066	CODE
OPTION														OPTION
ELEM IDENT	CKT	CKT	CKT	CKT	CKT	CKT	CKT	CKT	CKT	CKT	CKT	CKT	CKT	ELEM IDENT
CKT	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	CKT
A	10/10	BSC08.00 1/18	BSC09.01 1/17	BSC10.02 1/16	BSC11.03 1/15	BSC12.04 1/14	BSC13.05 1/13	BSC14.06 1/12	BSC15.07 1/11	BSCPH.PL 1/6	CM.NLDRV 1/5	CNTTIMGN 1/1	ADPH.PDR 2/17	A
B		A.D08.00 2/13	A.D09.01 2/12	A.D10.02 2/11	A.D11.03 2/10	A.D12.04 2/9	A.D13.05 2/8	A.D14.06 2/7	A.D15.07 2/6	A.DPH.PL 2/1	A19.MPH 2/15	ABIT18 2/16	NMRFADCK 5/5	B
C		REF08.00 3/13	REF09.01 3/12	REF10.02 3/11	REF11.03 3/10	REF12.04 3/9	REF13.05 3/8	REF14.06 3/7	REF15.07 3/6	REF16.PL 3/5	DPREFCNT 3/2	REFCNTRL 3/3	RFMCCDA 6/6	C
D		WPRSEG0 4/11	WPRSEG1 4/10	WPRSEG2 4/9	WPRSEG3 4/8	WPRSEG4 4/7	WPRSEG5 4/6	WPRSEG6 4/5	WPRSEG7 4/4	WPRSPAR 4/3	TAPSELDA 6/7	SELSFTCK 5/1	REFCOUNT 3/1	D
E		ERR08.00 5/20	ERR09.01 5/19	ERR10.02 5/18	ERR11.03 5/17	ERR12.04 5/16	ERR13.05 5/15	ERR14.06 5/14	ERR15.07 5/13	ISOPH.PL 5/8	WPSEGDEC 4/2	CTSSDA 6/4		E
F		DGA08.00 6/20	DGA09.01 6/19	DGA10.02 6/18	DGA11.03 6/17	DGA12.04 6/16	DGA13.05 6/15	DGA14.06 6/14	DGA15.07 6/13	DCAPH.PL 6/8	CNTLDPLC 5/2			F

CIRCUIT PACK

EQPT LOC	08-20	08-21	08-22	08-23	08-24	08-25	08-35	08-40	EQPT LOC
DESIG			IOSR.BUF				3VREGA.B	3VREGC.D	DESIG
CODE	FA1064	FA1065	FA1063	FC203	FA1068	FC262	FC21	FC21	CODE
OPTION									OPTION
ELEM IDENT	CKT	CKT	CKT	CKT	CKT	CKT	CKT	CKT	ELEM IDENT
CKT	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	DESIG FS/SYM	CKT
A	IOORDDEC 6/3	CREG.DEC 1/2	6/2	IOINTFCE 6/1	CTLSGRPT 1/3	TRM-VMON 10/7	10/5	10/6	A
B	IODECHK 5/7	WPMODDEC 4/1		ABIT17 2/14	SDDP.ERA 5/4	ALARMS 10/8			B
C		TMWPDPHC 5/3			ISO.WRMD 6/21	ISEQSHUT 10/9			C
D		T.BDDA 6/5		REFA17 3/4		CTLSGDLY 1/4			D
E				CLK.PINT 1/20					E
F									F

BTR ASSY

OPTION	DESIG	FS/SYM	CODE
	BTR0	8/1	959A
	BTR1	8/2	959A
	BTR2	8/3	959A
	BTR3	8/4	959A
	BTR4	8/5	959A
	BTR5	8/6	959A
	BTR6	8/7	959A
	BTR7	8/8	959A
	BTR8	8/9	959A
	BTR9	8/10	959A
	BTR10	8/11	959B
	BTR11	8/12	959B
	BTR12	8/13	959B
	BTR13	8/14	959B
	BTR14	8/15	959B
	BTR15	8/16	959B
	BTR16	8/17	959B
	BTR17	8/18	959B
	BTR18	8/19	959B
	BTR19	8/20	959B
	BTR20	8/21	959B
	BTR21	8/22	959B

BTR ASSY (CONT)

OPTION	DESIG	FS/SYM	CODE
	BTR22	8/23	959B
	BTR23	8/24	959B

POWER MODULE

OPTION	DESIG	FS/SYM	CODE
	+5VPM	9/2	J87421A2,L2
	PM0829	10/1	J87389F
	PM0834	10/2	J87389F
	PM0839	10/3	J87389F
	PM0844	10/4	J87389F
	S9PM	9/1	J874228

SD-1C902-03-C1

ISSUE 1

MAIN STORE CONTROLLER AND MEMORY

BELL TELEPHONE LABORATORIES INCORPORATED

DWG. SIZE C2

SD-1C902-03-C1

APP FIG. 2

CIRCUIT PACK																					
EQPT LOC	03-02		03-04		03-05		03-06		03-07		03-08		03-09		03-10		03-11		03-17		EQPT LOC
DESIG	FOBO		MP008.00		MP009.01		MP010.02		MP011.03		MP012.04		MP013.05		MP014.06		MP015.07		MP0PH.PL		DESIG
CODE	JK25		JL16		JL16		JL16		JL16		JL16		JL16		JL16		JL16		JL16		CODE
OPTION																					OPTION
ELEM IDENT		CKT		CKT		CKT		CKT		CKT		CKT		CKT		CKT		CKT		CKT	ELEM IDENT
CKT	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	CKT
A		7/1		7/14		7/13		7/12		7/11		7/10		7/9		7/8		7/7		7/2	A
B																					B
C																					C
D																					D
E																					E
F																					F

APP FIG. 3

CIRCUIT PACK									
EQPT LOC	03-12		03-13		03-14		03-16		EQPT LOC
DESIG	MP020.16		MP021.17		MP022.18		MP023.19		DESIG
CODE	JL16		JL16		JL16		JL16		CODE
OPTION									OPTION
ELEM IDENT		CKT		CKT		CKT		CKT	ELEM IDENT
CKT	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	CKT
A		7/6		7/5		7/4		7/3	A
B									B
C									C
D									D
E									E
F									F

ISSUE 1

MAIN STORE CONTROLLER AND MEMORY

BELL TELEPHONE LABORATORIES INCORPORATED

DWG SIZE C2

SD-1C902-03-C2

SD-1C902-03-C2

APP FIG. 4

CIRCUIT PACK

EQPT LOC	03-18		03-23		03-24		03-25		03-26		03-27		03-28		03-29		03-31		03-33		EQPT LOC
DESIG	MP1PH.PL		MP115.07		MP114.06		MP113.05		MP112.04		MP111.03		MP110.02		MP109.01		MP108.00		F081		DESIG
CODE	JL16		JL16		JL16		JL16		JL16		JL16		JL16		JL16		JL16		JK25		CODE
OPTION																					OPTION
ELEM IDENT		CKT		CKT		CKT		CKT		CKT		CKT		CKT		CKT		CKT		CKT	ELEM IDENT
CKT	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	CKT
A		7/16		7/21		7/22		7/23		7/24		7/25		7/26		7/27		7/28		7/15	A
B																					B
C																					C
D																					D
E																					E
F																					F

APP FIG. 5

CIRCUIT PACK

EQPT LOC	03-19		03-20		03-21		03-22		EQPT LOC
DESIG	MP123.19		MP122.18		MP121.17		MP120.16		DESIG
CODE	JL16		JL16		JL16		JL16		CODE
OPTION									OPTION
ELEM IDENT		CKT		CKT		CKT		CKT	ELEM IDENT
CKT	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	CKT
A		7/17		7/18		7/19		7/20	A
B									B
C									C
D									D
E									E
F									F

APP FIG. 6

CIRCUIT PACK

EQPT LOC	08-10		08-11		08-12		08-13		08-14		EQPT LOC
DESIG											DESIG
CODE	FA1060		FA1060		FA1060		FA1060		FA1067		CODE
OPTION											OPTION
ELEM IDENT		CKT		CKT		CKT		CKT		CKT	ELEM IDENT
CKT	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	DESIG	FS/SYM	CKT
A	BSC20.16	1/10	BSC21.17	1/9	BSC22.18	1/8	BSC23.19	1/7	ZBDPARBD	1/19	A
B	D2B20.16	2/5	D2B21.17	2/4	D2B22.18	2/3	D2B23.19	2/2	ZBPISODA	6/22	B
C	NCR20.16	3/17	NCR21.17	3/16	NCR22.18	3/15	NCR23.19	3/14	ZBPARENV	2/18	C
D	NCW20.16	4/15	NCW21.17	4/14	NCW22.18	4/13	NCW23.19	4/12	ZBPARCHK	5/6	D
E	ISO20.16	5/12	ISO21.17	5/11	ISO22.18	5/10	ISO23.19	5/9			E
F	DGA20.16	6/12	DGA21.17	6/11	DGA22.18	6/10	DGA23.19	6/9			F

MAIN STORE CONTROLLER AND MEMORY

BELL TELEPHONE LABORATORIES INCORPORATED

DWG SIZE C2

SD-1C902-03-C3

SD-1C902-03-C3

CIRCUIT NOTES:

101.

DESIG	FUSE AMP	POTENTIAL	ONE PER
+24V	3/4	+24	APP FIG. 1
-48VMASC	3	-48	
-48VMEM(A-L)#	3	-48	

BATTERY SYMBOL	VOLTAGE RANGE
+24	20.75 TO 26.25
-48	42.75 TO 52.5

UNIT LEADS SHALL BE MECHANICALLY INTERCONNECTED ON USERS CONNECTING CIRCUIT VIA 942G TYPE BERG CONNECTOR OR EQUIVALENT.

102.

FEATURE OR OPTION		PROVIDE APP FIG	PROVIDE APP OR WRG	PROVIDE QUANTITY
MAIN STORE CONTROLLER CKT AND POWER MODS INCLUDING CONTROLLER AND MEMORY WIRING		1		1 PER CKT
MAIN CONTROLLER CAPACITY (16K MEMORY DEVICES)	131,072 WORDS BY 18 BITS	2		1 PER CKT
	131,072 WORDS BY 26 BITS	2,3,6		1 PER CKT
	262,144 WORDS BY 18 BITS	2,4		1 PER CKT
	262,144 WORDS BY 26 BITS	2-6		1 PER CKT

103.

RECORD OF APP FIGURES WIRING AND APPARATUS CHANGES						
CHANGED ON ISSUE	IF JOB RECORDS DO NOT SPECIFY	THIS OPTION WAS FURN	SEE NOTE	USE IN CIRCUIT		
				STD	A&M	MD

CIRCUIT NOTES (CONT):

104. TO PROVIDE ADDRESS IDENTITY FOR 128K MEMORY MODULES USING 16K MEMORY DEVICES, PROVIDE 30 GA, D3-TYPE MODULE SELECT STRAPS AT THE ASSOCIATED FANOUT BOARD TERMINALS AS SHOWN BELOW.

MODULE	WIRE FANOUT BOARD TERMINALS
0	113 TO 115
1	113 TO 019

EQUIPMENT NOTES:

201. UNLESS OTHERWISE SPECIFIED, IF A NET HAS A TOTAL NET WIRING DISTANCE GREATER THAN 7.0 INCHES, NET SEGMENTS WITHIN A WIRING DISTANCE GREATER THAN 6.0 INCHES SHALL REQUIRE A 30 GAUGE TWISTED PAIR, D2 OR D3-TYPE WIRING WHICH TERMINATES ON COAXIAL TERMINATING FIELD TERMINALS OR DIRECTLY ON THE APPARATUS. ALL OTHER NET SEGMENTS SHALL BE 30 GAUGE AUTOMATICALLY INSTALLED D4-TYPE WIRING.

202. WIRING SHALL BE PRINTED WIRING PATHS LOCATED IN MULTILAYER PRINTED WIRING BOARDS, ED-4C091-30 OR ED-4C015-30.

203. CIRCUIT PACK POSITION 08-01 IS USED AS A TERMINAL STRIP FOR CABLING TO THE DIAGNOSTIC FIELD TEST SET. NO CIRCUIT PACK SHALL BE MOUNTED IN THIS POSITION. TERMINALS 200,319,CGD AND 2GD ARE CONNECTED TO GROUND VIA THE MULTILAYER PRINTED WIRING BOARD (MLPWB). TERMINALS 000 AND 119 ARE CONNECTED TO POWER VIA THE MLPWB. SEE POWER DISTRIBUTION TABLES.

204. NET PA1 SHALL FORM A SERIES CHAIN THROUGH THE UNIT TERMINATING ON CIRCUIT PACK FC262.

205. CIRCUIT PACK CAN BE MOUNTED IN THIS POSITION. TERMINALS 200,319,CGD AND 2GD ARE CONNECTED TO GROUND VIA THE MLPWB. TERMINALS 000 AND 119 ARE CONNECTED TO POWER (+5) VIA THE MLPWB.

MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	
BELL LABORATORIES	SD-1C902-03	D


BELL LABORATORIES
SD-IC902-03
SIZE 6S
MAIN STORE CONTROLLER AND MEMORY
(REAR VIEW)
INFORMATION NOTES:
301. UNLESS OTHERWISE SPECIFIED:
VALUES PRECEDED BY THE SYMBOL + (PLUS) OR - (MINUS)
ARE IN VOLTS.
302.
8282-10173

INFORMATION NOTES: (CONT)

302. (CONT)



MAIN STORE CONTROLLER AND MEMORY	DWG SIZE 6S	ISSUE —
BELL LABORATORIES	SD-1C902-03	03

8262-110173

PRINTED IN U.S.A.

INFORMATION NOTES: (CONT)

302. (CONT)



(REAR VIEW)

MAIN STORE CONTROLLER AND MEMORY		DWG SIZE 65	ISSUE 1
BELL LABORATORIES	SD-IC902-03		D4

CAD NOTES:

1. THE FOLLOWING SHOWS THE SYMBOLIC EQUIVALENT OF THE TABULAR REPRESENTATION:

TO CONNECTION					FROM CONNECTION				
DESTINATION	LEAD DESIG	WIRE METHOD	SYM	TERMINAL	LEAD DESIG	TO TERMINATION (NOTE 1)	TERMINAL	OPT	NOTE
	CSOA			05-01	CTF				
	A171A			05	CSOA	08-18 CP	302		
				07	A171A	08-23 CP	210		



2. THE FOLLOWING SHOWS THE SYMBOLIC EQUIVALENT OF THE TABULAR REPRESENTATION:

TO CONNECTION					FROM CONNECTION				
DESTINATION	LEAD DESIG	WIRE METHOD	SYM	TERMINAL	LEAD DESIG	TO TERMINATION (NOTE 2)	TERMINAL	OPT	NOTE
	5VCTF			01-41S	LUG				
TO CONN CKT	5V039A			5VCTF	5V039A				



MAIN STORE CONTROLLER AND MEMORY (2)		DWG SIZE 6S	ISSUE
BELL LABORATORIES	SD-1C902-03		GBI

E-7421(12 73) PRINTED IN U.S.A.

CAD 1

UNIT SYMBOL

ELEMENT IDENTIFIER

A

MAIN STORE BUS

TERM. MODIFIER	FUNC	ACCESS TERM.	FS TERM.	LOC FS/SYM	NOTE
NO2DPHI0	OI	09-17-07	08-14-305	2/18	
NO2DPLI0	OI	09-16-37	08-14-207	2/18	
SACI0	I	09-23-27	08-24-214	1/3	
SAPHI0	I	09-20-17	08-19-011	2/17	
SAPHI0	I	09-17-27	08-19-011	2/17	
SAPLI0	I	09-20-07	08-16-018	2/1	
SAPLI0	I	09-17-17	08-16-018	2/1	
SA0010	I	09-04-07	08-02-018	2/13	
SA0110	I	09-04-27	08-03-018	2/12	
SA0210	I	09-05-07	08-04-018	2/11	
SA0310	I	09-05-27	08-05-018	2/10	
SA0410	I	09-09-27	08-06-018	2/9	
SA0510	I	09-10-07	08-07-018	2/8	
SA0610	I	09-10-27	08-08-018	2/7	
SA0710	I	09-11-07	08-09-018	2/6	
SA0810	I	09-04-17	08-02-317	2/13	
SA0910	I	09-04-37	08-03-317	2/12	
SA1010	I	09-05-17	08-04-317	2/11	
SA1110	I	09-05-37	08-05-317	2/10	
SA1210	I	09-09-37	08-06-317	2/9	
SA1310	I	09-10-17	08-07-317	2/8	
SA1410	I	09-10-37	08-08-317	2/7	
SA1510	I	09-11-17	08-09-317	2/6	
SA1610	I	09-20-27	08-16-317	2/1	
SA1610	I	09-17-37	08-16-317	2/1	
SA1710	I	09-21-07	08-23-005	2/14	
SA1710	I	09-18-17	08-23-005	2/14	
SA1810	I	09-20-37	08-18-213	2/16	
SA1810	I	09-18-07	08-18-213	2/16	
SA1910	I	09-21-17	08-17-118	2/15	
SA1910	I	09-18-27	08-17-118	2/15	
SBY00	OI	09-23-17	08-24-106	1/3	
SCM00	OI	09-22-37	08-24-202	1/3	
SCW10	I	09-23-07	08-24-207	1/3	
SC010	I	09-25-07	08-21-219	1/2	
SC110	I	09-25-17	08-21-103	1/2	
SC210	I	09-25-27	08-21-216	1/2	
SC310	I	09-25-37	08-21-218	1/2	
SDEPH10	OI	09-24-07	08-14-306	2/18	
SDPH10	OI	09-19-37	08-16-013	2/1	
SDPL10	OI	09-19-27	08-16-314	2/1	
SD0010	OI	09-01-17	08-02-314	2/13	
SD0110	OI	09-01-37	08-03-314	2/12	
SD0210	OI	09-02-17	08-04-314	2/11	
SD0310	OI	09-02-37	08-05-314	2/10	
SD0410	OI	09-06-37	08-06-314	2/9	
SD0510	OI	09-07-17	08-07-314	2/8	
SD0610	OI	09-07-37	08-08-314	2/7	
SD0710	OI	09-08-17	08-09-314	2/6	
SD0810	OI	09-01-27	08-02-013	2/13	
SD0910	OI	09-02-07	08-03-013	2/12	
SD1010	OI	09-02-27	08-04-013	2/11	
SD1110	OI	09-03-07	08-05-013	2/10	
SD1210	OI	09-07-07	08-06-013	2/9	
SD1310	OI	09-07-27	08-07-013	2/8	
SD1410	OI	09-08-07	08-08-013	2/7	
SD1510	OI	09-08-27	08-09-013	2/6	
SD1610	OI	09-12-17	08-10-314	2/5	
SD1710	OI	09-12-27	08-11-314	2/4	
SD1810	OI	09-12-37	08-12-314	2/3	
SD1910	OI	09-13-07	08-13-314	2/2	
SD2010	OI	09-13-17	08-10-013	2/5	
SD2110	OI	09-13-27	08-11-013	2/4	
SD2210	OI	09-13-37	08-12-013	2/3	
SD2310	OI	09-14-07	08-13-013	2/2	
SERA00	O	09-26-17	08-24-117	5/4	

ELEMENT IDENTIFIER (CONT)

A

MAIN STORE BUS

TERM. MODIFIER	FUNC	ACCESS TERM.	FS TERM.	LOC FS/SYM	NOTE
SERB00	O	09-26-37	08-21-013	5/3	
SERC00	OI	09-26-27	08-24-002	5/4	
SG010	I	09-22-17	08-18-116	1/1	
SMS10	I	09-26-07	08-17-312	1/5	
SREG10	I	09-23-37	08-23-006	1/20	
3G0922A	G	09-22-27			

ELEMENT IDENTIFIER

B

GROWTH MAIN STORE BUS

TERM. MODIFIER	FUNC	ACCESS TERM.	FS TERM.	LOC FS/SYM	NOTE
NO2DPH00	OI	09-17-05	08-14-216	2/18	
NO2DPL00	OI	09-16-35	08-14-209	2/18	
SAC00	O	09-23-25	08-24-016	1/3	
SAPH00	O	09-17-25	08-19-007	2/17	
SAPH00	O	09-20-15	08-19-007	2/17	
SAPL00	O	09-17-15	08-16-112	2/1	
SAPL00	O	09-20-05	08-16-112	2/1	
SA0000	O	09-04-05	08-02-112	2/13	
SA0100	O	09-04-25	08-03-112	2/12	
SA0200	O	09-05-05	08-04-112	2/11	
SA0300	O	09-05-25	08-05-112	2/10	
SA0400	O	09-09-25	08-06-112	2/9	
SA0500	O	09-10-05	08-07-112	2/8	
SA0600	O	09-10-25	08-08-112	2/7	
SA0700	O	09-11-05	08-09-112	2/6	
SA0800	O	09-04-15	08-02-312	2/13	
SA0900	O	09-04-35	08-03-312	2/12	
SA1000	O	09-05-15	08-04-312	2/11	
SA1100	O	09-05-35	08-05-312	2/10	
SA1200	O	09-09-35	08-06-312	2/9	
SA1300	O	09-10-15	08-07-312	2/8	
SA1400	O	09-10-35	08-08-312	2/7	
SA1500	O	09-11-15	08-09-312	2/6	
SA1600	O	09-17-35	08-16-312	2/1	
SA1600	O	09-20-25	08-16-312	2/1	
SA1700	O	09-18-15	08-23-203	2/14	
SA1700	O	09-21-05	08-23-203	2/14	
SA1800	O	09-18-05	08-18-015	2/16	
SA1800	O	09-20-35	08-18-015	2/16	
SA1900	O	09-18-25	08-17-211	2/15	
SA1900	O	09-21-15	08-17-211	2/15	
SBY10	IO	09-23-15	08-24-115	1/3	
SCM10	IO	09-22-35	08-24-111	1/3	
SCW00	O	09-23-05	08-24-014	1/3	
SC000	O	09-25-05	08-21-105	1/2	
SC100	O	09-25-15	08-21-213	1/2	
SC200	O	09-25-25	08-21-312	1/2	
SC300	O	09-25-35	08-21-205	1/2	
SDEPH00	OI	09-24-05	08-14-015	2/18	
SDPH00	OI	09-19-35	08-16-213	2/1	
SDPL00	OI	09-19-25	08-16-113	2/1	
SD0000	OI	09-01-15	08-02-113	2/13	
SD0100	OI	09-01-35	08-03-113	2/12	
SD0200	OI	09-02-15	08-04-113	2/11	
SD0300	OI	09-02-35	08-05-113	2/10	
SD0400	OI	09-06-35	08-06-113	2/9	
SD0500	OI	09-07-15	08-07-113	2/8	
SD0600	OI	09-07-35	08-08-113	2/7	
SD0700	OI	09-08-15	08-09-113	2/6	

ELEMENT IDENTIFIER (CONT)

B

GROWTH MAIN STORE BUS

TERM. MODIFIER	FUNC	ACCESS TERM.	FS TERM.	LOC FS/SYM	NOTE
SD0800	OI	09-01-25	08-02-213	2/13	
SD0900	OI	09-02-05	08-03-213	2/12	
SD1000	OI	09-02-25	08-04-213	2/11	
SD1100	OI	09-03-05	08-05-213	2/10	
SD1200	OI	09-07-05	08-06-213	2/9	
SD1300	OI	09-07-25	08-07-213	2/8	
SD1400	OI	09-08-05	08-08-213	2/7	
SD1500	OI	09-08-25	08-09-213	2/6	
SD1600	OI	09-12-15	08-10-113	2/5	
SD1700	OI	09-12-25	08-11-113	2/4	
SD1800	OI	09-12-35	08-12-113	2/3	
SD1900	OI	09-13-05	08-13-113	2/2	
SD2000	OI	09-13-15	08-10-213	2/5	
SD2100	OI	09-13-25	08-11-213	2/4	
SD2200	OI	09-13-35	08-12-213	2/3	
SD2300	OI	09-14-05	08-13-213	2/2	
SERA10	I	09-26-15	08-24-318	5/4	
SERB10	I	09-26-35	08-21-111	5/3	
SERC10	IO	09-26-25	08-24-309	5/4	
SG000	O	09-22-15	08-24-010	1/3	
SMS00	O	09-26-05	08-17-112	1/5	
SREG00	O	09-23-35	08-23-302	1/20	
3G0922B	G	09-22-25			

ELEMENT IDENTIFIER

C

MAIN STORE I/O

TERM. MODIFIER	FUNC	ACCESS TERM.	FS TERM.	LOC FS/SYM	NOTE
IOCHORN1	I	09-27-35	08-23-218	6/1	
IOCHORP1	I	09-28-05	08-23-318	6/1	
IOCHOSN1	O	09-28-15	08-23-213	6/1	
IOCHOSP1	O	09-28-25	08-23-313	6/1	
IOCHZRN1	I	09-27-37	08-23-316	6/1	
IOCHZRP1	I	09-28-07	08-23-317	6/1	
IOCHZSN1	O	09-28-17	08-23-214	6/1	
IOCHZSP1	O	09-28-27	08-23-314	6/1	

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE C2 | ISSUE 1

BELL LABORATORIES | SD-TC902-03 | GBZ

PRINTED IN U. S. A. 03/28/78

CAD 1
UNIT SYMBOL

ELEMENT IDENTIFIER
D

MAS POWER

TERM. MODIFIER	FUNC	ACCESS TERM.	FS TERM.	LOC FS/SYM	NOTE
+24V	P	08-44-012	08-44-012	10/4	
+24V	P	08-44-112	08-44-012	10/4	
-48TMASC	P	08-44-114	08-44-015	10/4	
-48TMASC	P	08-44-015	08-44-015	10/4	
-48TMASC	P	08-44-115	08-44-015	10/4	
-48TMASC	P	08-44-116	08-44-015	10/4	
-48TMASC	P	08-44-014	08-44-015	10/4	
-48TMASC	P	08-44-016	08-44-015	10/4	
-48TMEMA	I	03-44-116	03-44-116	9/1	
-48TMEMB	I	03-44-115	03-44-115	9/1	
-48TMEMC	I	03-44-114	03-44-114	9/1	
-48TMEMD	I	03-44-016	03-44-016	9/1	
-48TMEME	I	03-44-015	03-44-015	9/1	
-48TMEMF	I	03-44-014	03-44-014	9/1	
-48TMEMG	I	03-38-116	03-38-116	9/2	
-48TMEMH	I	03-38-115	03-38-115	9/2	
-48TMEMI	I	03-38-114	03-38-114	9/2	
-48TMEMJ	I	03-38-016	03-38-016	9/2	
-48TMEMK	I	03-38-015	03-38-015	9/2	
-48TMEML	I	03-38-014	03-38-014	9/2	
-48VMASC	P	08-44-019	08-44-017	10/4	
-48VMASC	P	08-44-117	08-44-017	10/4	
-48VMASC	P	08-44-118	08-44-017	10/4	
-48VMASC	P	08-44-119	08-44-017	10/4	
-48VMASC	P	08-44-017	08-44-017	10/4	
-48VMASC	P	08-44-018	08-44-017	10/4	
-48VMEMA	I	03-44-119	03-44-119	9/1	
-48VMEMB	I	03-44-118	03-44-118	9/1	
-48VMEMC	I	03-44-117	03-44-117	9/1	
-48VMEMD	I	03-44-019	03-44-019	9/1	
-48VMEME	I	03-44-018	03-44-018	9/1	
-48VMEMF	I	03-44-017	03-44-017	9/1	
-48VMEMG	I	03-38-119	03-38-119	9/2	
-48VMEMH	I	03-38-118	03-38-118	9/2	
-48VMEMI	I	03-38-117	03-38-117	9/2	
-48VMEMJ	I	03-38-019	03-38-019	9/2	
-48VMEMK	I	03-38-018	03-38-018	9/2	
-48VMEML	I	03-38-017	03-38-017	9/2	
CVFA1	O	03-44-314	03-38-314	9/2	
GRDA	G	03-38-319	03-44-200	9/1	
NPA0	O	03-44-315	08-25-103	10/8	
OSPAT0	I	09-41-15	08-25-109	10/8	
PAI1	O	03-38-313	03-38-313	9/2	
PAI21	I	09-42-15	08-25-106	10/8	
PAO1	O	09-42-35	08-25-108	10/8	
PAT0	I	03-44-312	03-38-312	9/2	
PA1	O	03-44-313	03-44-313	9/1	
STA001	I	09-42-25	08-29-218	10/1	
STA001a	G	09-42-24			
STA011	I	03-38-210	03-38-210	9/2	
STB1	I	09-41-05	08-25-114	10/9	
STB1a	G	09-41-04			
12F046	01	09-40-37	08-35-210	10/5	
12F046	01	09-40-35	08-35-210	10/5	
12T046	G	09-40-27	08-35-200	10/5	
12T046	G	09-40-25	08-35-200	10/5	
3T046D	G	08-44-013	08-44-013	10/4	
3T046D	G	08-44-113	08-44-013	10/4	
5T039A	G	01-42S-GRD	01-42S-GRD	9/3	
5V039A	P	01-41S-5VCTF	01-41S-5VCTF	9/4	

ELEMENT IDENTIFIER
E

MAS SELECT

TERM. MODIFIER	FUNC	ACCESS TERM.	FS TERM.	LOC FS/SYM	NOTE
SAD180	O	08-18-318	08-18-318	2/16	
SAD190	O	08-18-107	08-18-107	2/16	
SAD180	OI	08-17-300	08-17-300	2/15	
SAD181	O	08-18-112	08-18-112	2/16	
SAD181	O	08-17-002	08-18-112	2/16	
SAD190	OI	08-17-311	08-17-311	2/15	
SAD191	O	08-18-307	08-17-218	2/15	
SAD191	O	08-17-218	08-17-218	2/15	
SEL00	I	08-17-101	08-17-101	1/5	
SEL01	I	08-18-109	08-18-109	1/1	
SEL10	I	08-17-011	08-17-011	1/5	
SEL11	I	08-18-210	08-18-210	1/1	

ELEMENT IDENTIFIER
F

BLIND WRITE SELECT

TERM. MODIFIER	FUNC	ACCESS TERM.	FS TERM.	LOC FS/SYM	NOTE
BLWTOP0	I	08-21-003	08-21-003	5/3	
3T046D	G	08-21-200	08-44-013	10/4	

MAIN STORE CONTROLLER AND MEMORY		DWG SIZE CZ	ISSUE 1
BELL LABORATORIES	SD-1C902-03		GB3

PRINTED IN U. S. A. 03/06/78

CAD 2

TO CONNECTION				FROM CONNECTION					
DESTINATION	LEAD DESIG	METHOD	WIRE SYM	TERMINAL	LEAD DESIG	TERMINATION	TERMINAL	OPT	NOTE
.....			01-00	CTF		(NOTE 1).....			
	---		30	5V039A					
TO BTR ASSY	PWINH001		31	PWINH001					
	---		32	5V039A					
TO BTR ASSY	PWINH001		33	PWINH001					
.....			01-01	CTF		(NOTE 1).....			
TO BTR ASSY	A171A		00	A171A	08-23	CP	210		
I	ESGA		02	ESGA	08-18	CP	302		
I	A161A		10	A161A	08-16	CP	201		
I	RWGA		12	RWGA	08-21	CP	100		
I	REFMDGA		20	REFMDGA	08-18	CP	100		
I	AP17.81A		22	AP17.81A	08-19	CP	201		
I	A151A		30	A151A	08-09	CP	201		
I	A101A		32	A101A	08-04	CP	201		
.....			01-02	CTF		(NOTE 1).....			
TO BTR ASSY	A061A		00	A061A	08-08	CP	204		
I	A051A		02	A051A	08-07	CP	204		
I	A011A		10	A011A	08-03	CP	204		
I	A091A		12	A091A	08-03	CP	201		
I	A031A		20	A031A	08-05	CP	204		
I	A131A		22	A131A	08-07	CP	201		
I	A121A		30	A121A	08-06	CP	201		
I	A081A		32	A081A	08-02	CP	201		
.....			01-03	CTF		(NOTE 1).....			
TO BTR ASSY	5V039A		00	5V039A					
I	PWINH011		01	PWINH011					
I	5V039A		02	5V039A					
I	OGD0103T		03	OGD0103T					
	---		20	5V039A					
TO BTR ASSY	PWINH011		21	PWINH011					
	---		23	OGD0103T					
TO BTR ASSY	A001A		30	A001A	08-02	CP	Z04		
	---		32	APER0A	03-02	CP	Z12		
.....			01-04	CTF		(NOTE 1).....			
TO BTR ASSY	A021A		00	A021A	08-04	CP	Z04		
	---		02	UNSLER0A	03-02	CP	Z11		
TO BTR ASSY	A141A		10	A141A	08-08	CP	Z01		
	---		12	SELRC0A	03-02	CP	Z10		
TO BTR ASSY	A071A		20	A071A	08-09	CP	Z04		
	---		22	SELRW0A	03-02	CP	Z05		
TO BTR ASSY	A041A		30	A041A	08-06	CP	Z04		
.....			01-05	CTF		(NOTE 1).....			
TO BTR ASSY	A111A		00	A111A	08-05	CP	Z01		
I	AP7.01A		10	AP7.01A	08-16	CP	Z04		
	---		12	RDD080A	03-04	CP	Z12		
TO BTR ASSY	FOBMT1A		20	FOBMT1A	08-19	CP	300		
	---		22	RDD000A	03-04	CP	Z14		
TO BTR ASSY	5V039A		30	5V039A					
I	PWINH021		31	PWINH021					
.....			01-06	CTF		(NOTE 1).....			
	---		10	5V039A					
TO BTR ASSY	PWINH021		11	PWINH021					
I	WRTD080A		20	WRTD080A	08-02	CP	303		
	---		22	RDD090A	03-05	CP	Z12		
TO BTR ASSY	WRTD000A		30	WRTD000A	08-02	CP	300		
	---		32	RDD010A	03-05	CP	Z14		
.....			01-07	CTF		(NOTE 1).....			
TO BTR ASSY	WRTD090A		00	WRTD090A	08-03	CP	303		
	---		02	RDD100A	03-06	CP	Z12		
TO BTR ASSY	WRTD010A		10	WRTD010A	08-03	CP	300		
	---		12	RDD020A	03-06	CP	Z14		
TO BTR ASSY	WRTD100A		20	WRTD100A	08-04	CP	303		
	---		22	RDD110A	03-07	CP	Z12		
TO BTR ASSY	WRTD020A		30	WRTD020A	08-04	CP	300		
	---		32	RDD030A	03-07	CP	Z14		

CAD 2 (CONT'D)

TO CONNECTION				FROM CONNECTION					
DESTINATION	LEAD DESIG	METHOD	WIRE SYM	TERMINAL	LEAD DESIG	TERMINATION	TERMINAL	OPT	NOTE
.....			01-08	CTF		(NOTE 1).....			
TO BTR ASSY	WRTD110A		00	WRTD110A	08-05	CP	303		
	---		02	RDD120A	03-08	CP	Z12		
TO BTR ASSY	WRTD030A		10	WRTD030A	08-05	CP	300		
	---		12	RDD040A	03-08	CP	Z14		
TO BTR ASSY	5V039A		20	5V039A					
I	PWINH031		21	PWINH031					
.....			01-09	CTF		(NOTE 1).....			
	---		00	5V039A					
TO BTR ASSY	PWINH031		01	PWINH031					
I	WRTD120A		10	WRTD120A	08-06	CP	303		
	---		12	RDD130A	03-09	CP	Z12		
TO BTR ASSY	WRTD040A		20	WRTD040A	08-06	CP	300		
	---		22	RDD050A	03-09	CP	Z14		
TO BTR ASSY	WRTD130A		30	WRTD130A	08-07	CP	303		
	---		32	RDD140A	03-10	CP	Z12		
.....			01-10	CTF		(NOTE 1).....			
TO BTR ASSY	WRTD050A		00	WRTD050A	08-07	CP	300		
	---		02	RDD060A	03-10	CP	Z14		
TO BTR ASSY	WRTD140A		10	WRTD140A	08-08	CP	303		
	---		12	RDD150A	03-11	CP	Z12		
TO BTR ASSY	SPARE10		20	SPARE10	03-02	CP	313		
	---		22	RDD070A	03-11	CP	Z14		
TO BTR ASSY	WRTD060A		30	WRTD060A	08-08	CP	300		
	---		32	RDD200A	03-12	CP	Z12		
.....			01-11	CTF		(NOTE 1).....			
TO BTR ASSY	WRTD150A		00	WRTD150A	08-09	CP	303		
	---		02	RDD160A	03-12	CP	Z14		
TO BTR ASSY	5V039A		10	5V039A					
I	PWINH041		11	PWINH041					
	---		30	5V039A					
TO BTR ASSY	PWINH041		31	PWINH041					
.....			01-12	CTF		(NOTE 1).....			
TO BTR ASSY	WRTD070A		00	WRTD070A	08-09	CP	300		
	---		02	RDD210A	03-13	CP	Z12		
TO BTR ASSY	SPARE20		10	SPARE20	03-02	CP	314		
	---		12	RDD170A	03-13	CP	Z14		
TO BTR ASSY	WRTD200A		20	WRTD200A	08-10	CP	303		
	---		22	RDD220A	03-14	CP	Z12		
TO BTR ASSY	SPARE21		30	SPARE21	03-02	CP	312		
	---		32	RDD180A	03-14	CP	Z14		
.....			01-13	CTF		(NOTE 1).....			
TO BTR ASSY	WRTD160A		00	WRTD160A	08-10	CP	300		
	---		02	RDD230A	03-16	CP	Z12		
	---		12	RDD190A	03-16	CP	Z14		
TO BTR ASSY	WRTD210A		20	WRTD210A	08-11	CP	303		
	---		22	RDDPH0A	03-17	CP	Z12		
TO BTR ASSY	WRTD170A		30	WRTD170A	08-11	CP	300		
	---		32	RDDPL0A	03-17	CP	Z14		
.....			01-14	CTF		(NOTE 1).....			
TO BTR ASSY	5V039A		00	5V039A					
I	PWINH051		01	PWINH051					
	---		20	5V039A					
TO BTR ASSY	PWINH051		21	PWINH051					
I	WRTD220A		30	WRTD220A	08-12	CP	303		
.....			01-15	CTF		(NOTE 1).....			
TO BTR ASSY	WRTD180A		00	WRTD180A	08-12	CP	300		
	---		12	SPARE28					
	---		22	SPARE34					
TO BTR ASSY	WRTD230A		30	WRTD230A	08-13	CP	303		
	---		32	SPARE26					

CAD 2 (CONT'D)

TO CONNECTION				FROM CONNECTION					
DESTINATION	LEAD DESIG	METHOD	WIRE SYM	TERMINAL	LEAD DESIG	TERMINATION	TERMINAL	OPT	NOTE
.....			01-16	CTF		(NOTE 1).....			
TO BTR ASSY	WRTD190A		00	WRTD190A	08-13	CP	300		
	---		02	SPARE32					
TO BTR ASSY	WRTDPH0A		10	WRTDPH0A	08-16	CP	303		
	---		12	SPARE24					
TO BTR ASSY	WRTDPL0A		20	WRTDPL0A	08-16	CP	300		
	---		22	SPARE30					
TO BTR ASSY	5V039A		30	5V039A					
I	PWINH061		31	PWINH061					
.....			01-18	CTF		(NOTE 1).....			
	---		30	5V039A					
TO BTR ASSY	PWINH061		31	PWINH061					
.....			01-19	CTF		(NOTE 1).....			
TO BTR ASSY	WRTDPH0B		00	WRTDPH0B	08-16	CP	303		
	---		02	RDDPH0B	03-18	CP	Z12		
TO BTR ASSY	WRTDPL0B		10	WRTDPL0B	08-16	CP	100		
	---		12	RDDPL0B	03-18	CP	Z14		
TO BTR ASSY	WRTD230B		20	WRTD230B	08-13	CP	103		
	---		22	RDD230B	03-19	CP	Z12		
TO BTR ASSY	WRTD190B		30	WRTD190B	08-13	CP	100		
	---		32	RDD190B	03-19	CP	Z14		
.....			01-20	CTF		(NOTE 1).....			
TO BTR ASSY	WRTDZ20B		00	WRTDZ20B	08-12	CP	103		
	---		02	RDDZ20B	03-20	CP	Z12		
	---		12	RDD180B	03-20	CP	Z14		
TO BTR ASSY	WRTD180B		20	WRTD180B	08-12	CP	100		
	---		22	RDDZ10B	03-21	CP	Z12		
TO BTR ASSY	WRTDZ10B		30	WRTDZ10B	08-11	CP	103		
	---		32	RDD170B	03-21	CP	Z14		
.....			01-21	CTF		(NOTE 1).....			
TO BTR ASSY	5V039A		00	5V039A					
I	PWINH071		01	PWINH071					
	---		20	5V039A					
TO BTR ASSY	PWINH071		21	PWINH071					
I	WRTD170B		30	WRTD170B	08-11	CP	100		
	---		32	RDDZ00B	03-22	CP	Z12		
.....			01-22	CTF		(NOTE 1).....			
TO BTR ASSY	WRTDZ00B		00	WRTDZ00B	08-10	CP	103		
	---		02	RDD160B	03-22	CP	Z14		
	---		12	RDD150B	03-23	CP	Z12		
TO BTR ASSY	WRTD160B		20	WRTD160B	08-10	CP	100		
	---		22	RDD070B	03-23	CP	Z14		
	---		32	RDD140B	03-24	CP	Z12		
.....			01-23	CTF		(NOTE 1).....			
TO BTR ASSY	WRTD150B		00	WRTD150B	08-09	CP	103		
	---		02	RDD060B	03-24	CP	Z14		
	---		12	RDD130B	03-25	CP	Z12		
TO BTR ASSY	WRTD070B		20	WRTD070B	08-09	CP	100		
	---		22	RDD050B	03-25	CP	Z14		
TO BTR ASSY	5V039A		30	5V039A					
I	PWINH081		31	PWINH081					

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE: C2 | ISSUE: 1

BELL LABORATORIES | SD-1C902-03 | GB-

PRINTED IN U. S. A.

CAD 2
(CONT'D)

TO CONNECTION				FROM CONNECTION						
DESTINATION	LEAD DESIG	METHOD	WIRE SYM	TERMINAL	LEAD DESIG	TERMINATION	TERMINAL	OPT	NOTE
.....				01-24	CTF	(NOTE 1).....			
	---			10	5V039A				
TO BTR ASSY	PWINH081			11	PWINH081				
I	WRTD140B			20	WRTD140B	08-08	CP	103	
TO BTR ASSY	WRTD060B			22	RDD120B	03-26	CP	212	
	---			30	WRTD060B	08-08	CP	100	
				32	RDD040B	03-26	CP	214	
.....				01-25	CTF	(NOTE 1).....			
TO BTR ASSY	WRTD130B			00	WRTD130B	08-07	CP	103	
	---			02	RDD110B	03-27	CP	212	
	---			12	RDD030B	03-27	CP	214	
TO BTR ASSY	WRTD050B			20	WRTD050B	08-07	CP	100	
TO BTR ASSY	---			22	RDD100B	03-28	CP	212	
	SPARE11			30	SPARE11	03-33	CP	313	
	---			32	RDD020B	03-28	CP	214	
.....				01-26	CTF	(NOTE 1).....			
TO BTR ASSY	WRTD120B			00	WRTD120B	08-06	CP	103	
	---			02	RDD090B	03-29	CP	212	
TO BTR ASSY	WRTD040B			10	WRTD040B	08-06	CP	100	
	---			12	RDD010B	03-29	CP	214	
TO BTR ASSY	5V039A			20	5V039A				
I	PWINH091			21	PWINH091				
.....				01-27	CTF	(NOTE 1).....			
	---			00	5V039A				
TO BTR ASSY	PWINH091			01	PWINH091				
I	WRTD110B			10	WRTD110B	08-05	CP	103	
I	WRTD030B			20	WRTD030B	08-05	CP	100	
I	WRTD100B			30	WRTD100B	08-04	CP	103	
	---			32	SPARE29				
.....				01-28	CTF	(NOTE 1).....			
TO BTR ASSY	WRTD020B			00	WRTD020B	08-04	CP	100	
	---			02	SPARE35				
TO BTR ASSY	WRTD090B			10	WRTD090B	08-03	CP	103	
	---			12	SPARE27				
TO BTR ASSY	WRTD010B			20	WRTD010B	08-03	CP	100	
	---			22	SPARE33				
TO BTR ASSY	WRTD080B			30	WRTD080B	08-02	CP	103	
	---			32	SPARE25				
.....				01-29	CTF	(NOTE 1).....			
TO BTR ASSY	WRTD000B			00	WRTD000B	08-02	CP	100	
	---			02	SPARE31				
TO BTR ASSY	5V039A			10	5V039A				
I	PWINH101			11	PWINH101				
	---			30	5V039A				
TO BTR ASSY	PWINH101			31	PWINH101				
.....				01-30	CTF	(NOTE 1).....			
TO BTR ASSY	FOBMT1B			00	FOBMT1B	08-19	CP	100	
I	A011B			10	A011B	08-03	CP	004	
	---			12	SELRW0B	03-33	CP	205	
TO BTR ASSY	A031B			20	A031B	08-05	CP	004	
	---			22	SELRC0B	03-33	CP	210	
TO BTR ASSY	A121B			30	A121B	08-06	CP	001	
	---			32	UNSLER0B	03-33	CP	211	
.....				01-31	CTF	(NOTE 1).....			
TO BTR ASSY	A141B			00	A141B	08-08	CP	001	
	---			02	RDD080B	03-31	CP	212	
TO BTR ASSY	A071B			10	A071B	08-09	CP	004	
	---			12	RDD000B	03-31	CP	214	
TO BTR ASSY	A051B			20	A051B	08-07	CP	004	
	---			22	APER0B	03-33	CP	212	
TO BTR ASSY	A021B			30	A021B	08-04	CP	004	

CAD 2
(CONT'D)

TO CONNECTION				FROM CONNECTION						
DESTINATION	LEAD DESIG	METHOD	WIRE SYM	TERMINAL	LEAD DESIG	TERMINATION	TERMINAL	OPT	NOTE
.....				01-32	CTF	(NOTE 1).....			
TO BTR ASSY	5V039A			00	5V039A				
I	PWINH111			01	PWINH111				
	---			20	5V039A				
TO BTR ASSY	PWINH121			21	PWINH121				
	---			22	5V039A				
TO BTR ASSY	PWINH121			23	PWINH121				
I	A041B			30	A041B	08-06	CP	004	
I	A001B			32	A001B	08-02	CP	004	
.....				01-33	CTF	(NOTE 1).....			
TO BTR ASSY	A111B			00	A111B	08-05	CP	001	
I	A081B			02	A081B	08-02	CP	001	
I	AP7.01B			10	AP7.01B	08-16	CP	004	
I	A131B			12	A131B	08-07	CP	001	
I	CS0B			20	CS0B	08-18	CP	300	
I	A091B			22	A091B	08-03	CP	001	
I	REFMD0B			30	REFMD0B	08-18	CP	001	
I	A061B			32	A061B	08-08	CP	004	
.....				01-34	CTF	(NOTE 1).....			
TO BTR ASSY	A151B			00	A151B	08-09	CP	001	
I	A101B			02	A101B	08-04	CP	001	
I	A161B			10	A161B	08-16	CP	001	
I	AP17.81B			12	AP17.81B	08-19	CP	101	
I	A171B			20	A171B	08-23	CP	311	
I	RW0B			22	RW0B	08-21	CP	300	
I	5V039A			30	5V039A				
I	PWINH111			31	PWINH111				
I	5V039A			32	5V039A				
I	PWINHT1			33	PWINHT1				
.....				01-35	CTF	(NOTE 1).....			
	---			20	SPARE23	03-33	CP	312	
	---			30	SPARE22	03-33	CP	314	
.....				05-01	CTF	(NOTE 1).....			
	---			05	CS0A	08-18	CP	302	
	---			07	A171A	08-23	CP	210	
	---			15	RW0A	08-21	CP	100	
	---			17	A161A	08-16	CP	201	
	---			25	AP17.81A	08-19	CP	201	
	---			27	REFMD0A	08-18	CP	100	
	---			35	A101A	08-04	CP	201	
	---			37	A151A	08-09	CP	201	
.....				05-02	CTF	(NOTE 1).....			
	---			05	A051A	08-07	CP	204	
	---			07	A061A	08-08	CP	204	
	---			15	A091A	08-03	CP	201	
	---			17	A011A	08-03	CP	204	
	---			25	A131A	08-07	CP	201	
	---			27	A031A	08-05	CP	204	
	---			35	A081A	08-02	CP	201	
	---			37	A121A	08-06	CP	201	
.....				05-03	CTF	(NOTE 1).....			
	---			35	APER0A	03-02	CP	212	
	---			37	A001A	08-02	CP	204	
.....				05-04	CTF	(NOTE 1).....			
	---			05	UNSLER0A	03-02	CP	211	
	---			07	A021A	08-04	CP	204	
	---			15	SELRC0A	03-02	CP	210	
	---			17	A141A	08-08	CP	201	
	---			25	SELRW0A	03-02	CP	205	
	---			27	A071A	08-09	CP	204	
	---			37	A041A	08-06	CP	204	

CAD 2
(CONT'D)

TO CONNECTION				FROM CONNECTION						
DESTINATION	LEAD DESIG	METHOD	WIRE SYM	TERMINAL	LEAD DESIG	TERMINATION	TERMINAL	OPT	NOTE
.....				05-05	CTF	(NOTE 1).....			
	---			07	A111A	08-05	CP	201	
	---			15	RDD080A	03-04	CP	212	
	---			17	AP7.01A	08-16	CP	204	
	---			25	RDD000A	03-04	CP	214	
	---			27	FOBMT1A	08-19	CP	300	
.....				05-06	CTF	(NOTE 1).....			
	---			25	RDD090A	03-05	CP	212	
	---			27	WRTD080A	08-02	CP	303	
	---			35	RDD010A	03-05	CP	214	
	---			37	WRTD000A	08-02	CP	300	
.....				05-07	CTF	(NOTE 1).....			
	---			05	RDD100A	03-06	CP	212	
	---			07	WRTD090A	08-03	CP	303	
	---			15	RDD020A	03-06	CP	214	
	---			17	WRTD010A	08-03	CP	300	
	---			25	RDD110A	03-07	CP	212	
	---			27	WRTD100A	08-04	CP	303	
	---			35	RDD030A	03-07	CP	214	
	---			37	WRTD020A	08-04	CP	300	
.....				05-08	CTF	(NOTE 1).....			
	---			05	RDD120A	03-08	CP	212	
	---			07	WRTD110A	08-05	CP	303	
	---			15	RDD040A	03-08	CP	214	
	---			17	WRTD030A	08-05	CP	300	
.....				05-09	CTF	(NOTE 1).....			
	---			15	RDD130A	03-09	CP	212	
	---			17	WRTD120A	08-06	CP	303	
	---			25	RDD050A	03-09	CP	214	
	---			27	WRTD040A	08-06	CP	300	
	---			35	RDD140A	03-10	CP	212	
	---			37	WRTD130A	08-07	CP	303	
.....				05-10	CTF	(NOTE 1).....			
	---			05	RDD060A	03-10	CP	214	
	---			07	WRTD050A	08-07	CP	300	
	---			15	RDD150A	03-11	CP	212	
	---			17	WRTD140A	08-08	CP	303	
	---			25	RDD070A	03-11	CP	214	
	---			27	SPARE10	03-02	CP	313	
	---			35	RDD200A	03-12	CP	212	
	---			37	WRTD060A	08-08	CP	300	
.....				05-11	CTF	(NOTE 1).....			
	---			05	RDD160A	03-12	CP	214	
	---			07	WRTD150A	08-09	CP	303	

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE: C2 | ISSUE: 1

BELL LABORATORIES | SD-1C902-03 | GBS

PRINTED IN U. S. A. 03/06/78

CAD 2 (CONT'D)

TO CONNECTION					FROM CONNECTION					
DESTINATION	LEAD DESIG	METHOD	WIRE SYM	TERMINAL	LEAD DESIG	TERMINATION	TERMINAL	OPT	NOTE
.....			05-12		CTF	(NOTE 1).....			
---			05		RDD210A	03-13	CP	212		
---			07		WRTD070A	08-09	CP	300		
---			15		RDD170A	03-13	CP	214		
---			17		SPARE20	03-02	CP	314		
---			25		RDD220A	03-14	CP	212		
---			27		WRTDZ00A	08-10	CP	303		
---			35		RDD180A	03-14	CP	214		
---			37		SPARE21	03-02	CP	312		
.....			05-13		CTF	(NOTE 1).....			
---			05		RDD230A	03-16	CP	212		
---			07		WRTD160A	08-10	CP	300		
---			15		RDD190A	03-16	CP	214		
---			25		RDDPH0A	03-17	CP	212		
---			27		WRTD210A	08-11	CP	303		
---			35		RDDPL0A	03-17	CP	214		
---			37		WRTD170A	08-11	CP	300		
.....			05-14		CTF	(NOTE 1).....			
---			35		SPARE28					
---			37		WRTDZ20A	08-12	CP	303		
.....			05-15		CTF	(NOTE 1).....			
---			05		SPARE34					
---			07		WRTD180A	08-12	CP	300		
---			15		SPARE26					
---			25		SPARE32					
---			35		SPARE24					
---			37		WRTDZ30A	08-13	CP	303		
.....			05-16		CTF	(NOTE 1).....			
---			05		SPARE30					
---			07		WRTD190A	08-13	CP	300		
---			15		MSEL00	08-19	CP	219		
---			17		WRTDPH0A	08-16	CP	303		
---			25		RSEL01	08-19	CP	103		
---			27		WRTDPL0A	08-16	CP	300		
.....			05-19		CTF	(NOTE 1).....			
---			05		RDDPH0B	03-18	CP	212		
---			07		WRTDPH0B	08-16	CP	103		
---			15		RDDPL0B	03-18	CP	214		
---			17		WRTDPL0B	08-16	CP	100		
---			25		RDD230B	03-19	CP	212		
---			27		WRTDZ30B	08-13	CP	103		
---			35		RDD190B	03-19	CP	214		
---			37		WRTD190B	08-13	CP	100		
.....			05-20		CTF	(NOTE 1).....			
---			05		RDDZ20B	03-20	CP	212		
---			07		WRTDZ20B	08-12	CP	103		
---			15		RDD180B	03-20	CP	214		
---			25		RDDZ10B	03-21	CP	212		
---			27		WRTD180B	08-12	CP	100		
---			35		RDD170B	03-21	CP	214		
---			37		WRTDZ10B	08-11	CP	103		
.....			05-21		CTF	(NOTE 1).....			
---			35		RDDZ00B	03-22	CP	212		
---			37		WRTD170B	08-11	CP	100		
.....			05-22		CTF	(NOTE 1).....			
---			05		RDD160B	03-22	CP	214		
---			07		WRTD200B	08-10	CP	103		
---			15		RDD150B	03-23	CP	212		
---			25		RDD070B	03-23	CP	214		
---			27		WRTD160B	08-10	CP	100		
---			35		RDD140B	03-24	CP	212		

CAD 2 (CONT'D)

TO CONNECTION					FROM CONNECTION					
DESTINATION	LEAD DESIG	METHOD	WIRE SYM	TERMINAL	LEAD DESIG	TERMINATION	TERMINAL	OPT	NOTE
.....			05-23		CTF	(NOTE 1).....			
---			05		RDD060B	03-24	CP	214		
---			07		WRTD150B	08-09	CP	103		
---			15		RDD130B	03-25	CP	212		
---			25		RDD050B	03-25	CP	214		
---			27		WRTD070B	08-09	CP	100		
.....			05-24		CTF	(NOTE 1).....			
---			25		RDD120B	03-26	CP	212		
---			27		WRTD140B	08-08	CP	103		
---			35		RDD040B	03-26	CP	214		
---			37		WRTD060B	08-08	CP	100		
.....			05-25		CTF	(NOTE 1).....			
---			05		RDD110B	03-27	CP	212		
---			07		WRTD130B	08-07	CP	103		
---			15		RDD030B	03-27	CP	214		
---			25		RDD100B	03-28	CP	212		
---			27		WRTD050B	08-07	CP	100		
---			35		RDD020B	03-28	CP	214		
---			37		SPARE11	03-33	CP	313		
.....			05-26		CTF	(NOTE 1).....			
---			05		RDD090B	03-29	CP	212		
---			07		WRTD120B	08-06	CP	103		
---			15		RDD010B	03-29	CP	214		
---			17		WRTD040B	08-06	CP	100		
.....			05-27		CTF	(NOTE 1).....			
---			15		SPARE29					
---			17		WRTD110B	08-05	CP	103		
---			25		SPARE35					
---			27		WRTD030B	08-05	CP	100		
---			35		SPARE27					
---			37		WRTD100B	08-04	CP	103		
.....			05-28		CTF	(NOTE 1).....			
---			05		SPARE33					
---			07		WRTD020B	08-04	CP	100		
---			15		SPARE25					
---			17		WRTD090B	08-03	CP	103		
---			25		SPARE31					
---			27		WRTD010B	08-03	CP	100		
---			35		MSEL10	08-19	CP	318		
---			37		WRTD080B	08-02	CP	103		
.....			05-29		CTF	(NOTE 1).....			
---			05		RSEL11	08-19	CP	203		
---			07		WRTD000B	08-02	CP	100		
.....			05-30		CTF	(NOTE 1).....			
---			07		FOBMT1B	08-19	CP	100		
---			15		SELRW0B	03-33	CP	205		
---			17		A011B	08-03	CP	004		
---			25		SELRC0B	03-33	CP	210		
---			27		A031B	08-05	CP	004		
---			35		UNSLER0B	03-33	CP	211		
---			37		A121B	08-06	CP	001		
.....			05-31		CTF	(NOTE 1).....			
---			05		RDD080B	03-31	CP	212		
---			07		A141B	08-08	CP	001		
---			15		RDD000B	03-31	CP	214		
---			17		A071B	08-09	CP	004		
---			25		APER0B	03-33	CP	212		
---			27		A051B	08-07	CP	004		
---			35		PWINHT1	07-27	CTF	01		
---			37		A021B	08-04	CP	004		

CAD 2 (CONT'D)

TO CONNECTION					FROM CONNECTION					
DESTINATION	LEAD DESIG	METHOD	WIRE SYM	TERMINAL	LEAD DESIG	TERMINATION	TERMINAL	OPT	NOTE
.....			05-32		CTF	(NOTE 1).....			
---			35		A001B	08-02	CP	004		
---			37		A041B	08-06	CP	004		
.....			05-33		CTF	(NOTE 1).....			
---			05		A081B	08-02	CP	001		
---			07		A111B	08-05	CP	001		
---			15		A131B	08-07	CP	001		
---			17		AP7.01B	08-16	CP	004		
---			25		A091B	08-03	CP	001		
---			27		CS0B	08-18	CP	300		
---			35		A061B	08-08	CP	004		
---			37		REFMD0B	08-18	CP	001		
.....			05-34		CTF	(NOTE 1).....			
---			05		A101B	08-04	CP	001		
---			07		A151B	08-09	CP	001		
---			15		AP17.81B	08-19	CP	101		
---			17		A161B	08-16	CP	001		
---			25		RW0B	08-21	CP	300		
---			27		A171B	08-23	CP	311		
.....			05-35		CTF	(NOTE 1).....			
---			27		SPARE23	03-33	CP	312		
---			37		SPARE22	03-33	CP	314		
.....			07-02		CTF	(NOTE 1).....			
---			30		3V046A					
TO BTR ASSY	PWINH171		31		PWINH171					
TO BTR ASSY	---		32		3V046A					
TO BTR ASSY	PWINH171		33		PWINH171					
.....			07-03		CTF	(NOTE 1).....			
TO BTR ASSY	RDD020A		00		RDD020A	03-06	CP	214		
I	RDD000A		02		RDD000A	03-04	CP	214		
I	RDD020B		10		RDD020B	03-28	CP	214		
I	RDD000B		12		RDD000B	03-31	CP	214		
I	RDD100A		20		RDD100A	03-06	CP	212		
I	RDD080A		22		RDD080A	03-04	CP	212		
I	RDD100B		30		RDD100B	03-28	CP	212		
I	RDD080B		32		RDD080B	03-31	CP	212		
.....			07-04		CTF	(NOTE 1).....			
TO BTR ASSY	RDD030A		00		RDD030A	03-07	CP	214		
I	RDD010A		02		RDD010A	03-05	CP	214		
I	RDD030B		10		RDD030B	03-27	CP	214		
I	RDD010B		12		RDD010B	03-29	CP	214		
I	RDD110A		20		RDD110A	03-07	CP	212		
I	RDD090A		22		RDD090A	03-05	CP	212		
I	RDD110B		30		RDD110B	03-27	CP	212		
I	RDD090B		32		RDD090B	03-29	CP	212		
.....			07-05		CTF	(NOTE 1).....			
TO BTR ASSY	3V046A		00		3V046A					
I	PWINH161		01		PWINH161					
I	3V046A		02		3V046A					
I	PWINH181		03		PWINH181					

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE: CZ | ISSUE: 1

BELL LABORATORIES | SD-1C902-03 | GB6

PRINTED IN U. S. A. 03/06/78

CAD 2
(CONT'D)

TO CONNECTION DESTINATION	TO CONNECTION LEAD DESIG	METHOD	WIRE SYM	TERMINAL	FROM CONNECTION LEAD DESIG	FROM CONNECTION TERMINATION	FROM CONNECTION TERMINAL	OPT	NOTE
.....			07-06	CTF	(NOTE 1).....				
	---		30	3V046B					
TO BTR ASSY	PWINH161		31	PWINH161					
	---		32	3V046B					
TO BTR ASSY	PWINH181		33	PWINH181					
.....			07-07	CTF	(NOTE 1).....				
TO BTR ASSY	RDD060A		00	RDD060A	03-10	CP	214		
I	RDD040A		02	RDD040A	03-08	CP	214		
I	RDD060B		10	RDD060B	03-24	CP	214		
I	RDD040B		12	RDD040B	03-26	CP	214		
I	RDD140A		20	RDD140A	03-10	CP	212		
I	RDD120A		22	RDD120A	03-08	CP	212		
I	RDD140B		30	RDD140B	03-24	CP	212		
I	RDD120B		32	RDD120B	03-26	CP	212		
.....			07-08	CTF	(NOTE 1).....				
TO BTR ASSY	RDD070A		00	RDD070A	03-11	CP	214		
I	RDD050A		02	RDD050A	03-09	CP	214		
I	RDD070B		10	RDD070B	03-23	CP	214		
I	RDD050B		12	RDD050B	03-25	CP	214		
I	RDD150A		20	RDD150A	03-11	CP	212		
I	RDD130A		22	RDD130A	03-09	CP	212		
I	RDD150B		30	RDD150B	03-23	CP	212		
I	RDD130B		32	RDD130B	03-25	CP	212		
.....			07-09	CTF	(NOTE 1).....				
TO BTR ASSY	3V046B		00	3V046B					
I	PWINH151		01	PWINH151					
I	3V046B		02	3V046B					
I	PWINH191		03	PWINH191					
.....			07-10	CTF	(NOTE 1).....				
	3V046C		30	3V046C					
TO BTR ASSY	PWINH151		31	PWINH151					
	3V046C		32	3V046C					
TO BTR ASSY	PWINH191		33	PWINH191					
.....			07-11	CTF	(NOTE 1).....				
TO BTR ASSY	RDD180A		00	RDD180A	03-14	CP	214		
I	RDD160A		02	RDD160A	03-12	CP	214		
I	RDD180B		10	RDD180B	03-20	CP	214		
I	RDD160B		12	RDD160B	03-22	CP	214		
I	RDD220A		20	RDD220A	03-14	CP	212		
I	RDD200A		22	RDD200A	03-12	CP	212		
I	RDD220B		30	RDD220B	03-20	CP	212		
I	RDD200B		32	RDD200B	03-22	CP	212		
.....			07-12	CTF	(NOTE 1).....				
TO BTR ASSY	RDD190A		00	RDD190A	03-16	CP	214		
I	RDD170A		02	RDD170A	03-13	CP	214		
I	RDD190B		10	RDD190B	03-19	CP	214		
I	RDD170B		12	RDD170B	03-21	CP	214		
I	RDD230A		20	RDD230A	03-16	CP	212		
I	RDD210A		22	RDD210A	03-13	CP	212		
I	RDD230B		30	RDD230B	03-19	CP	212		
I	RDD210B		32	RDD210B	03-21	CP	212		
.....			07-13	CTF	(NOTE 1).....				
TO BTR ASSY	3V046C		00	3V046C					
I	PWINH141		01	PWINH141					
I	3V046C		02	3V046C					
I	PWINH201		03	PWINH201					
.....			07-17	CTF	(NOTE 1).....				
	---		30	3V046D					
TO BTR ASSY	PWINH141		31	PWINH141					
	---		32	3V046D					
TO BTR ASSY	PWINH201		33	PWINH201					

CAD 2
(CONT'D)

TO CONNECTION DESTINATION	TO CONNECTION LEAD DESIG	METHOD	WIRE SYM	TERMINAL	FROM CONNECTION LEAD DESIG	FROM CONNECTION TERMINATION	FROM CONNECTION TERMINAL	OPT	NOTE
.....			07-18	CTF	(NOTE 1).....				
TO BTR ASSY	RDDPH0A		00	RDDPH0A	03-17	CP	212		
I	RDDPL0A		10	RDDPL0A	03-17	CP	214		
I	RDDPH0B		20	RDDPH0B	03-18	CP	212		
I	RDDPL0B		30	RDDPL0B	03-18	CP	214		
.....			07-19	CTF	(NOTE 1).....				
TO BTR ASSY	RSEL11		20	RSEL11	08-19	CP	203		
I	APER0B		22	APER0B	03-33	CP	212		
I	RSEL01		30	RSEL01	08-19	CP	103		
I	APER0A		32	APER0A	03-02	CP	212		
.....			07-20	CTF	(NOTE 1).....				
TO BTR ASSY	3V046D		00	3V046D					
I	PWINH131		01	PWINH131					
I	3V046D		02	3V046D					
I	PWINH211		03	PWINH211					
.....			07-24	CTF	(NOTE 1).....				
	---		30	3V046D					
TO BTR ASSY	PWINH131		31	PWINH131					
	---		32	3V046D					
TO BTR ASSY	PWINH211		33	PWINH211					
.....			07-25	CTF	(NOTE 1).....				
TO BTR ASSY	MSEL10		02	MSEL10	08-19	CP	318		
I	MSEL00		12	MSEL00	08-19	CP	219		
I	SELRC0A		22	SELRC0A	03-02	CP	210		
I	SELRC0B		32	SELRC0B	03-33	CP	210		
.....			07-26	CTF	(NOTE 1).....				
TO BTR ASSY	UNSLER0A		00	UNSLER0A	03-02	CP	211		
I	UNSLER0B		10	UNSLER0B	03-33	CP	211		
I	SELRW0A		20	SELRW0A	03-02	CP	205		
I	SELRW0B		30	SELRW0B	03-33	CP	205		
.....			07-27	CTF	(NOTE 1).....				
TO BTR ASSY	3V046D		00	3V046D					
I	PWINHT1		01	PWINHT1	05-31	CTF	35		
I	3V046D		02	3V046D					
I	TLI1		03	TLI1	08-25	CP	003		

CAD 3
TEST CONNECTOR(SEE NOTE 203)

TO CONNECTION DESTINATION	TO CONNECTION LEAD DESIG	METHOD	WIRE SYM	TERMINAL	FROM CONNECTION LEAD DESIG	FROM CONNECTION TERMINATION	FROM CONNECTION TERMINAL	OPT	NOTE
.....TS1			08-01	CONNECTOR	(NOTE 1).....				
	NC		100	3VG0801B	08-01	CONN	200		
	3VG0801B		101	3VG0801B	08-01	CONN	100		
	3VG0801B		102	3VG0801B	08-01	CONN	101		
	3VG0801B		103	3VG0801B	08-01	CONN	102		
	3VG0801B		104	3VG0801B	08-01	CONN	103		
	3VG0801B		105	3VG0801B	08-01	CONN	104		
	3VG0801B		106	3VG0801B	08-01	CONN	105		
	3VG0801B		107	3VG0801B	08-01	CONN	106		
	3VG0801B		108	3VG0801B	08-01	CONN	107		
	NC		109	3VG0801B	08-01	CONN	108		
	NC		110	3VG0801T	08-01	CONN	310		
	3VG0801T		111	3VG0801T	08-01	CONN	110		
	3VG0801T		112	3VG0801T	08-01	CONN	111		
	3VG0801T		113	3VG0801T	08-01	CONN	112		
	3VG0801T		114	3VG0801T	08-01	CONN	113		
	3VG0801T		115	3VG0801T	08-01	CONN	114		

CAD 3
(CONT'D)

TO CONNECTION DESTINATION	TO CONNECTION LEAD DESIG	METHOD	WIRE SYM	TERMINAL	FROM CONNECTION LEAD DESIG	FROM CONNECTION TERMINATION	FROM CONNECTION TERMINAL	OPT	NOTE
.....TS1			08-01 (CONT'D)	CONNECTOR	(NOTE 1).....				
	3VG0801T		116	3VG0801T	08-01	CONN	115		
	3VG0801T		117	3VG0801T	08-01	CONN	116		
	3VG0801T		118	3VG0801T	08-01	CONN	117		
	NC		200	3VG0801B	08-01	CONN	109		
	NC		300	3VG0801B	08-01	CONN	301		
	3VG0801B		301	3VG0801B	08-01	CONN	302		
	3VG0801B		302	3VG0801B	08-01	CONN	303		
	3VG0801B		303	3VG0801B	08-01	CONN	304		
	3VG0801B		304	3VG0801B	08-01	CONN	305		
	3VG0801B		305	3VG0801B	08-01	CONN	306		
	3VG0801B		306	3VG0801B	08-01	CONN	307		
	3VG0801B		307	3VG0801B	08-01	CONN	308		
	3VG0801B		308	3VG0801B	08-01	CONN	309		
	NC		309	3VG0801B	08-01	CONN	109		
	NC		310	3VG0801T	08-01	CONN	311		
	3VG0801T		311	3VG0801T	08-01	CONN	312		
	3VG0801T		312	3VG0801T	08-01	CONN	313		
	3VG0801T		313	3VG0801T	08-01	CONN	314		
	3VG0801T		314	3VG0801T	08-01	CONN	315		
	3VG0801T		315	3VG0801T	08-01	CONN	316		
	3VG0801T		316	3VG0801T	08-01	CONN	317		
	3VG0801T		317	3VG0801T	08-01	CONN	318		
	3VG0801T		318	3VG0801T	08-01	CONN	319		
	NC		319	3VG0801T	08-01	CONN	218		

CAD 4
(FOR ED-4C091-30)

TO CONNECTION DESTINATION	TO CONNECTION LEAD DESIG	METHOD	WIRE SYM	TERMINAL	FROM CONNECTION LEAD DESIG	FROM CONNECTION TERMINATION	FROM CONNECTION TERMINAL	OPT	NOTE
.....5VCTF			01-41S	LUG	(NOTE 2).....				
TO CONN CKT	5V039A		5VCTF	5V039A					
.....GRD			01-42S	LUG	(NOTE 2).....				
TO CONN CKT	5T039A		GRD	OGRDMODB					

MAIN STORE CONTROLLER AND MEMORY

DWG SIZE C2 | SHEET 1

BELL LABORATORIES | SD-1C902-03 | GE

PRINTED IN U.S.A.