

D-Link Quick Installation Guide

This product will work with Windows XP, ME, and 2000 and with standard PC speakers or powered speaker sets.



DSM-920BT

USB PC to Speaker
Adapter Kit

Before You Begin

You must have at least the following:

- Standard PC Speakers or Powered Speakers
- PC Running Windows XP, ME, or 2000

Check Your Package Contents

These are the items included with your purchase: If any of the items below are missing, please contact your reseller.



- **DSM-100BT Bluetooth Speaker Adapter**



- **DSM-120BT Bluetooth USB PC to Stereo Adapter**



- **Power Adapter**



- **Mini USB Cable**



- **Audio Cables**

1

Installing the DSM-100BT Speaker Adapter

Connect the included antenna to the antenna connector located on the rear panel of the DSM-100BT.



Connect one end of the power adapter to the power connector located on the rear panel of the DSM-100BT and the other end to an available power strip or wall outlet. The Power LED indicator will light green to indicate that the DSM-100BT is powered on.



Connect your speaker's audio cable to the **Audio Out** connector located on the rear panel of the DSM-100BT. For connection to a speaker system with RCA outputs, you can use the included RCA to 3.5mm audio converter connector for installing the DSM-100BT.



2

Installing the DSM-120BT USB Stereo Adapter to your Windows-based PC

Connect the smaller end of the included mini USB cable to the mini USB connector on the DSM-120BT.



Connect the flatter, larger end of the included mini USB cable to an available Type A USB slot on the rear panel of your computer. The Power LED indicator will light green to indicate that the DSM-120BT is powered on.




3

LED Indicators

The DSM-100BT Speaker Adapter features 2 LED indicators, the Power LED Indicator and the Link LED Indicator. The DSM-120BT Stereo Adapter features 2 LED indicators, the Power LED Indicator and the Activity LED Indicator.

- The Power LED indicator will light to indicate that power is being supplied to the adapter.
- The Link/Activity LED indicator will light a steady green when pairing has been established between both the DSM-100BT and the DSM-120BT.
- The Link/Activity LED indicator will blink rapidly when there is no longer a connection between the DSM-100BT and the DSM-120BT.



4

Tips

- You will need to adjust the antennas on both the DSM-100BT and the DSM-120BT to get the best possible audio quality.
- To avoid interference problems when streaming audio to your speakers, make sure that there are no objects blocking the DSM-120BT and the DSM-100BT.
- The DSM-100BT and the DSM-120BT will automatically pair with each other and immediately begin to stream audio wirelessly. If a connection is not established (indicated by a rapidly blinking Link LED), simply reset the DSM-100BT by pressing the reset button located on the rear panel. Once the Link LED light is a steady green, a successful connection has been made and the Bluetooth pairing process has been completed.

Technical Support

You can find software updates and user documentation on the D-Link website.

D-Link provides free technical support for customers within the United States and within Canada for the duration of the warranty period on this product.

U.S. and Canadian customers can contact D-Link Technical Support through our website, or by phone.

Tech Support for customers within the United States:

D-Link Technical Support over the Telephone:

(877) 453-5465

24 hours a day, seven days a week.

D-Link Technical Support over the Internet:

<http://support.dlink.com>

email:support@dlink.com

Tech Support for customers within Canada:

D-Link Technical Support over the Telephone:

(800) 361-5265

Monday to Friday 8:30am to 9:00pm EST

D-Link Technical Support over the Internet:

<http://support.dlink.ca>

email:support@dlink.ca

