




# HP Pavilion dv7-3065dx Hard Drive Replacement

Replace your laptop's faulty hard drive.

Written By: Gabi Marino



---

## INTRODUCTION

Please note that this device did not have a physical hard drive to work with, so some photos are missing.

---

### TOOLS:

- [Fingers](#) (1)
  - [Phillips #00 Screwdriver](#) (1)
-


## Step 1 — Battery



 Turn off the device before removing the battery.

- Place the laptop upside down on a flat surface so that the bottom is facing up.
-  The battery is the long rectangle above the latch.

## Step 2



- Slide the battery latch to the left to release the battery.

### Step 3



- Carefully pull out the battery while holding the latch to the open position with your finger.

### Step 4 — Hard Drive




- Loosen the four screws that secure the hard drive panel with a Phillips head screwdriver.
- ☒ Do not completely remove the screws from the panel.

## Step 5



- Lift the drive cover to expose the hard drive.
- ⓘ This device did not have a physical hard drive to work with.

## Step 6



- Gently tug on the black tabs located on each end of the hard drive in order to loosen the hard drive from the motherboard.

⚠ Be careful when working with the hard drive cable.

## Step 7



- Separate the hard drive from the cable by firmly gripping the hard drive and the black plug.

## Step 8



- Remove the four Phillips screws that secure the hard drive to its carrier.
- ⓘ There are two screws on each side.

## Step 9



- Lift and remove the hard drive from the metal surrounding its perimeter.

To reassemble your device, follow these instructions in reverse order.