



# Hp 15-f305dx Hard Drive Replacement

This guide will instruct you on how to replace your Hp 15-f305dx hard drive.

Written By: Brandon



 **TOOLS:**

- Phillips #1 Screwdriver (1)
  - Spudger (1)
  - Phillips #0 Screwdriver (1)
-

## Step 1 — Battery



**⚠** Turn off the computer. If you are unsure whether the computer is off or in Hibernation, turn the computer on, and then shut it down through the operating system.

## Step 2



- Turn the computer upside down on a flat surface.

### Step 3



- Firmly slide the release latch to unlock the battery and slide the battery release latch to release the battery.

### Step 4



- Lift the battery from the middle and then pivot it outward to remove it from the comp.

## Step 5 — Keyboard





- After Removing the battery, flip the laptop around.

## Step 6




- Remove the 7mm Ph1 Phillips head screws on the top middle of the laptop

## Step 7



- Take apart the keyboard from the laptop gently and flip the keyboard around

## Step 8




- Disconnect the connected tag from the mainboard

## Step 9 — Hard Drive



- Remove the twelve screws from the bottom of the laptop with the Philips #0 Screwdriver.

## Step 10



- Eject the CD player on the side of the laptop by sliding it out.

## Step 11




- Use a Phillips # 1 Screwdriver to unscrew the three screws under the CD player

## Step 12



- Flip the device around and open it. Use the blue spudger tool to remove the casing around the keyboard space by driving it the crease and propping it up.
- Once you have used the spudger tool all the way around the casing, lift the casing up from the device.

## Step 13



- Use a Phillips #0 screwdriver to remove the screw that holds the USB drive in the bottom right corner near the hard drive. Once removed, lift the USB drive off of the hard drive.

## Step 14



- Lift the hard drive from the device and disconnect the cord attached to it.

To reassemble your device, follow these instructions in reverse order.