




# Lenovo Yoga 2 11" 20428 Battery Replacement

This guide will show how to remove and replace the battery in a Lenovo Yoga 2 20428.

Written By: Joshua Thomas Tyler



---

## INTRODUCTION

This guide will show how to properly remove and replace the battery component. The safe disconnection of the battery is a key so that you do not shock yourself or any of the other components within the laptop.

---

### TOOLS:

- [T4 Torx Screwdriver](#) (1)
  - [Phillips #00 Screwdriver](#) (1)
-

## Step 1 — Back Panel




- Flip the computer over so the bottom is facing up.
- Remove the ten 6mm screws with a T4 Torx security screwdriver.

## Step 2



- Carefully remove the back panel by gently prying the panel from the front to the back.
- ⚠ Take care not to pull any wires or crack the outer shell.

## Step 3 — Battery





- Remove six 3.3 mm Phillips #00 screws around the perimeter of the battery.
- Remove one 6.75 mm Phillips #00 screw from the center of the battery.

## Step 4



- Remove the pieces of tape securing the bluetooth/wifi antenna.

## Step 5



- Grip the base of the connector with your fingers or pliers, and gently pull the connector straight back towards you to remove it.

⚠ If possible try not to pull the connector out by the wires, as this can damage the connector.

## Step 6



- Carefully remove the battery from the laptop.
- ⚠ Take care not to pull out the Bluetooth antenna while removing the battery.

To reassemble your device, follow these instructions in reverse order.