



Lenovo Yoga Tablet 2 830-F Headphone Jack Replacement

This guide will cover the replacement of the headphone jack in the Lenovo Yoga 2 Tablet


Written By: Charles Rhode



 **TOOLS:**


- [Phillips #00 Screwdriver](#) (1)
 - [Spudger](#) (1)
 - [iFixit Opening Tools](#) (1)
-

Step 1 — Headphone Jack



- Remove the two 3mm screws on the back of the device with the Phillips Screwdriver #00 bit.
- Remove the 2mm screw with a Phillips #00 bit.
- Using the blue opening tool or spudger, gently remove the back cover to expose the interior of the tablet.


Step 2



- Remove the three 2mm screws on the back of the left speaker module with the Phillips Screwdriver #00 bit.
- Remove the ribbon cables connecting the boards to the other electrical components
- ⚠ Some of the ribbon cables are secured with clips, simply pry up the clips before sliding them out of the pin connectors.

This document was generated on 2019-09-17 04:17:30 AM (MST).

Step 3



- Gently remove the left speaker module.
 - Replace the old left speaker module with the new left speaker module.
- ⚠** Be careful not to damage the ribbon cables on the new left speaker module while reassembling the device.

To reassemble your device, follow these instructions in reverse order.