




# MSI GT75VR 7RF Titan Pro SSD/Hard Drive Replacement

How to remove and replace your Solid State Drives and Hard Drive from your MSI Titan Pro MS-17A2 laptop.

Written By: Alex Wester



---

## INTRODUCTION


SSD/Hard Drive are both crucial components to insure your computer system is able to save important data and memory. A SSD or Hard Drive can be corrupted or also can be in need of a upgrade. To improve these parts new cards must be installed.

---

### TOOLS:


- [Phillips #0 Screwdriver](#) (1)
  - [Spudger](#) (1)
-

## Step 1 — SSD/Hard Drive



- Remove the four rear screws using the Phillips #0 screwdriver from the laptop as shown. The screws are 0.5 inches long.

## Step 2




- Using the black nylon spudger, carefully remove the rear cover from the laptop.

### Step 3




- Carefully unplug the battery and remove it from the laptop. This will be held down with adhesive, but can be safely removed once unplugged.

### Step 4




- Using the Phillips #0 screwdriver, remove each screw from the heatsink and remove it.

## Step 5



- Using the Phillips #0 screwdriver, remove each screw from the SSD card units, then unplug and remove them. The screws are 0.25 inches long.

## Step 6



- Remove all screws from the back of the hard drive using the Phillips #0 screwdriver, then lift up and unplug the unit. Screws are 0.15625 inches long.

To reassemble your device, follow these instructions in reverse order.