




MacBook Pro 15" Retina Display Mid 2015 AirPort/Camera Cables Replacement

Written By: Andrew Optimus Goldheart




INTRODUCTION

Prereq for right fan and display assembly to disconnect and peel back airport and camera cables

TOOLS:


- [Spudger](#) (1)
-

Step 1 — AirPort/Camera Cables




- Use a spudger or tweezers to pry the three AirPort antenna cables straight up off of their sockets on the AirPort board, and bend them up and out of the way.
- ⚠ The cable connection points are **very** fragile. Be careful to lift only on the connector, and not on the socket or cable.
- ☑ To reconnect, align the connector carefully into position over the socket, and press it down firmly with the flat of your spudger.

Step 2




- Peel the right rubber cover up off the fan and fold it out of the way.

Step 3



- Use the tip of a spudger to push the camera cable connector out of its socket on the logic board.
 - ⓘ Be sure to push parallel to the board, pushing first on one side, then the other to "walk" the connector out of its socket.

Step 4



- Use your fingers to pull the AirPort/Camera cables up off the fan.
 - ⓘ The cables are adhered to the fan, so peel them up carefully to avoid damaging them.
- Carefully de-route the cables from the plastic cable guide.
- ☑ On reassembly, there should be enough adhesive still on these cables to stick them back down to the fan.

To reassemble your device, follow these instructions in reverse order.