




PowerA Fusion Controller For Xbox One Motherboard Replacement

This guide will allow the audience to successfully replace the motherboard in their PowerA Fusion Controller for Xbox One.

Written By: Andrea



This document was generated on 2019-09-18 02:24:48 AM (MST).

INTRODUCTION

The motherboard is the part that connects everything needed for your controller to work. Learn how to replace it with this guide.

TOOLS:

- [JIS #1](#) (1)
- [Soldering Iron](#) (1)
- [Tweezers](#) (1)
- [Spudger](#) (1)

PARTS:


- [Xbox One Controller Motherboard](#) (1)

Step 1 — Vibration Motors




- Remove the (9) nine 9.2mm screws with a JIS #1 screwdriver.
- Remove the two bottom plastic grip covers.

Step 2



- Remove the (2) two 9.2mm screws with a JIS #1 screwdriver.
- Remove the back cover of the controller.

Step 3



- Take off the glue that is on top of the soldered joints with a sprudger.
- Desolder the soldered joints of the red and black wires that are connecting the vibration motors to the motherboard.
- Remove the vibration motors and put them aside.
- This [guide](#) will show how to solder and desolder connections.


Step 4 — Motherboard



- Remove the (5) five 9.2mm screws with a JIS #1 screwdriver.
- Lift the motherboard and let it hang.

This document was generated on 2019-09-18 02:24:48 AM (MST).

Step 5



- Remove the (4) four 9.2mm screws that are holding the motherboard to the controller.
- Remove the motherboard.

To reassemble your device, follow these instructions in reverse order.