

Licensing, Capacity Usage Threshold Reached, Warning

Ericsson Centralized User Database

OPERATING INSTRUCTION

Copyright

© Ericsson AB 2016. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

Disclaimer

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

Trademark List

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



Contents

1	Introduction	1
1.1	Alarm Description	1
1.2	Prerequisites	2
2	Procedure	5
	Glossary	7
	Reference List	9



Licensing, Capacity Usage Threshold Reached, Warning



1 Introduction

This instruction concerns alarm handling for the Licensing, Capacity Usage Threshold Reached, Warning alarm.

1.1 Alarm Description

This alarm is raised when the number of reserved capacity in a capacity license approaches the Warning threshold. The default value of the Warning threshold is 80% of the `licensedCapacityLimit` parameter.

The alarm is issued in the following situations:

- The capacity usage has reached the Warning threshold for the HLR Profile.
- The capacity usage has reached the Warning threshold for the HSS-IMS Profile.
- The capacity usage has reached the Warning threshold for the HSS-EPC Profile.
- The capacity usage has reached the Warning threshold for the AUC Profile.
- The capacity usage has reached the Warning threshold for the Small Generic Profile.
- The capacity usage has reached the Warning threshold for the Medium Generic Profile.
- The capacity usage has reached the Warning threshold for the Large Generic Profile.

The possible alarm causes and the corresponding fault reasons, fault locations, and impacts are described in Table 1.

Table 1 Alarm Causes

Alarm Cause	Description	Fault Reason	Fault Location	Impact
The Warning threshold of the capacity profile has been passed.	The capacity usage threshold has been reached.	The requested capacity has passed the Warning threshold defined in the capacity license.	License Manager	Potential violation of license agreements, if the number of reserved capacity continues to increase and reaches the limit.

The alarm attributes are listed and explained in Table 2.

**Table 2 Alarm Attributes**

Attribute Name	Attribute Value
Auto Cease	Yes
Module	LICENSING
Error Code	5
Timestamp First	Date and time when the alarm was raised for the first time.
Repeated Counter	Number which indicates how many times the alarm was raised.
Timestamp Last	Date and time of the most recent alarm raise.
Resource ID	1.3.6.1.4.1.193.169.14.2.3.<# SUB_LICENSE_SUFFIX>
Alarm Model Description	License Management, Licensing
Alarm Active Description	Capacity Usage Threshold Reached for <#LICENSE_TYPE>, Warning
ITU Alarm Event Type	qualityOfServiceAlarm (3)
ITU Alarm Probable Cause	thresholdCrossed (549)
ITU Alarm Perceived Severity	(6) - Warning
Originating source IP	Node IP where the alarm was raised.
Sequence Number	Number which indicates the order in which the alarms are raised.

The available values of the <#SUB_LICENSE_SUFFIX> and <#LICENSE_TYPE> variables shown in Table 2 are listed below. The list follows the below format: "<#SUB_LICENSE_SUFFIX>" for the <#LICENSE_TYPE>.

- "2" for the HLR Profile.
- "3" for the HSS-IMS Profile.
- "4" for the HSS-EPC Profile.
- "5" for the AUC Profile.
- "6" for the Small Generic Profile.
- "7" for the Medium Generic Profile.
- "8" for the Large Generic Profile.

For further information about attribute descriptions, refer to *CUDB Node Fault Management Configuration Guide*, Reference [1].

1.2 Prerequisites

This section provides information on the documents, tools, and conditions that apply to the procedure.



1.2.1 Documents

Before starting this procedure, ensure that you have read the following documents:

- *CUDB Node Fault Management Configuration Guide*, Reference [1], regarding alarm configuration.
- *System Safety Information*, Reference [4]
- *Personal Health and Safety Information*, Reference [5]

1.2.2 Tools

Not applicable.

1.2.3 Conditions

Not applicable.



Licensing, Capacity Usage Threshold Reached, Warning



2 Procedure

If the alarm is raised, then refer to the *License Management, Capacity Usage Threshold Reached*, Reference [3] document for the procedure to perform.

Note: Perform only the actions that are applicable for LM deployments using ELIM license key files. The applicable severity is “Warning”.



Licensing, Capacity Usage Threshold Reached, Warning



Glossary

For the terms, definitions, acronyms and abbreviations used in this document, refer to *CUDB Glossary of Terms and Acronyms*, Reference [2].



Licensing, Capacity Usage Threshold Reached, Warning



Reference List

CUDB Documents

- [1] *CUDB Node Fault Management Configuration Guide*
- [2] *CUDB Glossary of Terms and Acronyms*

Other Ericsson Documents

- [3] *License Management, Capacity Usage Threshold Reached*
- [4] *System Safety Information*
- [5] *Personal Health and Safety Information*